HILUCK Your Trusted Chinese EV Partner	Avita 11 2025 Max Extended Range Edition	Avita 11 2025 Max Pure Electric Version	Avita 11 2025 Max Pure Electric Four- Wheel Drive	Avita 11 2025 Ultra All-Electric Four-Wheel Drive	Avita 11 2025 Dark Knight Edition	Avita 11 2025 Royal Theater Edition
	-	-	-	-	-	-

Basic parameters (• Standard ○ Optional - N/A)

Manufacturer	Avita Technologies					
level	mid-to-large SUVs					
Energy type	Extended range	Pure electric				
Environmental standards	National VI	-	-	-	-	-
Time to market	2025.04	2025.04	2025.04	2025.04	2025.04	2025.04
WLTC pure electric range (km)	180	-	-	-	-	-
CLTC pure electric range (km)	225	815	760	760	760	760
Battery fast charging time (hours)	0.25	0.42	0.42	0.42	0.42	0.42
Battery slow charging time (hours)	7	13.5	13.5	13.5	13.5	13.5
Battery fast charge capacity range (%)	30-80	30-80	30-80	30-80	30-80	30-80
Battery slow charging capacity range (%)	0-100	0-100	0-100	0-100	0-100	0-100
Maximum power (kW)	231	237	402	402	402	402
Maximum torque (N·m)	367	396	687	687	687	687
gearbox	Electric vehicle single-speed transmission					
Body structure	4-door, 5-seater SUV	4-door, 4-seater SUV				
engine	1.5T 156 horsepower L4	Pure electric				
Motor (Ps)	314	322	547	547	547	547
Length*Width*Height(mm)	4895*1970*1601	4895*1970*1601	4895*1970*1601	4895*1970*1601	4895*1970*1601	4895*1970*1601
Official 0-100km/h acceleration (s)	6.9	6.5	3.9	3.9	3.9	3.9
Maximum speed (km/h)	200	200	200	200	200	200
WLTC comprehensive fuel consumption (L/100km)	0.71	-	-	-	-	-
Lowest state-of-charge fuel consumption (L/100km) WLTC	6.2	-	-	-	-	-
Electric energy equivalent fuel consumption (L/100km)	-	1.83	1.94	1.94	1.94	1.94
Combined fuel consumption (L/100km)	3.02	-	-	-	-	-
Curb mass (kg)	2240	2310	2410	2410	2410	2410
Maximum full load mass (kg)	2700	2710	2810	2810	2810	2810

body (• Standard ○ Optional - N/A)

Length (mm)	4895	4895	4895	4895	4895	4895
Width (mm)	1970	1970	1970	1970	1970	1970
Height (mm)	1601	1601	1601	1601	1601	1601
Wheelbase (mm)	2975	2975	2975	2975	2975	2975
Front wheelbase (mm)	1678	1678	1678	1678	1678	1678
Rear wheelbase (mm)	1678	1678	1678	1678	1678	1678
Approach angle (°)	18	19	19	19	19	19
Departure angle (°)	twenty two					
Body structure	SUV	SUV	SUV	SUV	SUV	SUV
Door opening method	swing door					
Number of doors	• 4	• 4	• 4	• 4	• 4	• 4
Number of seats	• 5	• 5	• 5	• 5 O 4	• 5	• 4
Fuel tank capacity (L)	45	-	-	-	-	-
Front trunk volume (L)		95	95	95	95	95
Trunk volume (L)	-	-	-	-	-	-
Drag coefficient (Cd)	-	-	- 0	-	-	-

engine (• Standard ○ Optional - N/A)

Engine model	JL469ZQ1	-	-	-	-	-
Displacement (mL)	1497	-	-	-	-	-
Displacement (L)	1.5	0.0	0.0	0.0	0.0	0.0
Intake form	turbocharged	-	-	-	-	-
Engine layout	horizontal	-	-	-	-	-
Cylinder arrangement	L	-	-	-	-	-
Number of cylinders	4	-	-	-	-	-
Number of valves per cylinder	4	-	-	-	-	-
valve train	DOHC	-	-	-	-	-
Maximum horsepower (Ps)	156	-	-	-	-	-
Maximum power (kW)	115	-	-	-	-	-
Maximum power speed (rpm)	-	-	-	-	-	-
Maximum torque (N·m)	-	-	-	-	-	-
Maximum torque speed (rpm)	-	-	-	-	-	-
Maximum net power (kW)	110	-	-	-	-	-
Energy type	Extended range	Pure electric				
Fuel grade	No. 92	-	-	-	-	-
Oil supply method	Direct injection	-	-	-	-	-

Cylinder head material	aluminum alloy	-	-	-	-	-
Cylinder material	aluminum alloy	-	-	-	-	-
Environmental standards	National VI	-	-	-	-	-

electric motor (• Standard ○ Optional - N/A)

former motor brand	-	-	Huawei	Huawei	Huawei	Huawei
Rear motor brand	-	Huawei	Huawei	Huawei	Huawei	Huawei
Front motor model	-	-	YS210XYA01	YS210XYA01	YS210XYA01	YS210XYA01
Rear motor model	ATDM01	TZ210XYA02	TZ210XYA02	TZ210XYA02	TZ210XYA02	TZ210XYA02
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	AC/asynchronous at the front and permanent magnet/synchronous at the back	the front and permanent	the front ar permanen	t the front a t permane onous magnet/synch
Total motor power (kW)	231	237	402	402	402	402
Total motor horsepower (Ps)	314	322	547	547	547	547
Total torque of the motor (N·m)	367	396	687	687	687	687
Maximum power of front motor (kW)	-	-	165	165	165	165
Maximum torque of front motor (N·m)	-	-	291	291	291	291
Maximum power of rear motor (kW)	231	237	237	237	237	237
Maximum torque of rear motor (N·m)	367	396	396	396	396	396
Number of drive motors	Single motor	Single motor	Dual motors	Dual motors	Dual motors	Dual motors
Motor layout	Post	Post	Front + rear	Front + rear	Front + rear	Front + rear

Battery/Charging (• Standard ○ Optional - N/A)

Battery Type	• lithium iron phosphate battery	• Ternary lithium battery	Ternary lithium battery	• Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery cell brand	• CATL (Jiangsu Times)	• CATL (Sichuan Times)	• CATL (Sichuan Times)	• CATL (Sichuan Times)	• CATL (Sichuan Times)	• CATL (Sichuan Times)
Battery-specific technology	Xiaoyao Super Hybrid Battery	-	-	-	-	-
Battery cooling method	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling
WLTC pure electric range (km)	180	-	-	-	-	-
CLTC pure electric range (km)	225	815	760	760	760	760
CLTC comprehensive endurance (km)	1065	-	-	-	-	-
Battery energy (kWh)	39.05	116.79	116.79	116.79	116.79	116.79
Power consumption per 100 kilometers (kWh/100km)	19.9	15.8	16.7	16.7	16.7	16.7
Fast charging function	support	support	support	support	support	support

Fast charging power (kW)	-	240	240	240	240	240
High-voltage fast charging	-	support	support	support	support	support
High voltage platform (V)	-	800	800	800	800	800
Battery fast charging time (hours)	0.25	0.42	0.42	0.42	0.42	0.42
Battery slow charging time (hours)	7	13.5	13.5	13.5	13.5	13.5
Battery fast charge capacity range (%)	30-80	30-80	30-80	30-80	30-80	30-80
Battery slow charging capacity range (%)	0-100	0-100	0-100	0-100	0-100	0-100
Slow charging port location	Left rear side of the car					
Fast charging port location	Left rear side of the car					
External AC discharge power (kW)	3.3	3.3	3.3	3.3	3.3	3.3

gearbox (• Standard ○ Optional - N/A)

Abbreviation	Electric vehicle					
	single-speed	single-speed	single-speed	single-speed	single-speed	single-speed
	transmission	transmission	transmission	transmission	transmission	transmission
Number of gears	1	1	1	1	1	1
Transmission type	Fixed gear ratio					
	gearbox	gearbox	gearbox	gearbox	gearbox	gearbox

Chassis steering (• Standard ○ Optional - N/A)

Drive mode	• Rear-engine, rear-wheel drive	• Rear-engine, rear-wheel drive	 Dual-motor four- wheel drive 			
Four-wheel drive	-	-	• Electric four- wheel drive	 Electric four- wheel drive 	 Electric four- wheel drive 	 Electric four- wheel drive
Front suspension type	 Double wishbone independent suspension 					
Rear suspension type	 Multi-link independent suspension 					
Power type	• Electric power steering					
Body structure	load-bearing	load-bearing	load-bearing	load-bearing	load-bearing	load-bearing

wheel brakes (● Standard ○ Optional - N/A)

Front brake type	 Ventilated disc 	• Ventilated disc	• Ventilated disc	 Ventilated disc 	• Ventilated disc	 Ventilated disc
Rear brake type	 Ventilated disc 	 Ventilated disc 	 Ventilated disc 	 Ventilated disc 	 Ventilated disc 	 Ventilated disc
Parking brake type	Electronic parking brake	 Electronic parking brake 	 Electronic parking brake 	• Electronic parking brake	 Electronic parking brake 	Electronic parking brake

Front tire specifications	• 265/45 R21	• 265/45 R21 ○ 265/40 R22 (11,000 yuan)	• 265/45 R21 ○ 265/40 R22 (11,000 yuan)	• 265/40 R22	• 265/40 R22	• 265/40 R22
Rear tire specifications	• 265/45 R21	• 265/45 R21 ○ 265/40 R22	• 265/45 R21 ○ 265/40 R22 (11,000 yuan)	• 265/40 R22	• 265/40 R22	• 265/40 R22
Spare tire specifications	-	-	-	-	-	-

Passive safety (• Standard O Optional - N/A)

Driver/passenger seat airbags	host∙ / Vice∙	host● / Vice●				
Front/rear side airbags	forward● / back-	forward● / back-	forward● / back-	forward● / back-	forward• / back-	forward● / back-
Front/rear head airbags (curtain airbags)	forward● / back●	forward● / back●	forward∙ / back•	forward• / back•	forward● / back●	forward• / back•

Active safety (• Standard ○ Optional - N/A)

ABS anti-lock braking system	•	•	•	•	•	•
Braking force distribution (EBD/CBC, etc.)	•	•	•	•	•	•
Brake assist (EBA/BAS/BA, etc.)	•	•	•	•	•	•
Traction control (ASR/TCS/TRC, etc.)	•	•	•		•	•
Vehicle stability control (ESC/ESP/DSC, etc.)	•	•		•	•	•
Tire pressure monitoring function	• Tire pressure display					
Seat belt unfastened reminder	• front row					
ISOFIX child seat interface	•	•	•	•	•	•
Lane Departure Warning System	•	•	•	•	•	•
Active braking/active safety systems	•	•	•	•	•	•
Fatigue driving tips	•	•	•	•	•	•
DOW door opening warning	•	•	•	•	•	•
Forward Collision Warning	•	•	•	•	•	•
Rear Collision Warning	•	•	•	•	•	•
Sentry Mode/Clairvoyance	•	•	•	•	•	•
Low speed warning	•	•	•	•	•	•
Built-in driving recorder	•	•	•	•	•	•
Roadside assistance call	•	•	•	•	•	•
Anti-rollover system	•	•	•	•	•	•

Driving control (• Standard ○ Optional - N/A)

Driving mode switch	sportseconomyStandard/CorCustomization/Pers	mfort	-	sportseconomyStandard/Comfortnization/Personalization	sportseconomStandard/CoCustomization/Per	ny omfort	_	sports economy Standard/Comfort mization/Personalization
Energy recovery system	•	•		•	•	•		•
Automatic parking	•	•		•	•	•		•
Hill-start assist	•	•		•	•	•		•
Steep slope descent	•	•		•	•	•		•

Driving hardware (• Standard O Optional - N/A)

Front/rear parking radar	forward• / back•	forward• / back•				
Driving assistance images	• 360-degree panoramic images	• 360-degree panoramic images	• 360-degree panoramic images	• 360-degree panoramic images	• 360-degree panoramic images	• 360-degree panoramic image
Transparent chassis/540-degree imaging	•	•	•	•	•	•
Forward perception camera	• Binocular	• Binocular	• Binocular	Binocular	• Binocular	• Binocular
Number of cameras	• 11	• 11	• 11	• 11	• 11	• 11
Number of cameras in the car	• 2	• 2	• 2	• 2	• 2	• 2
Number of ultrasonic radars	• 12	• 12	• 12	• 12	• 12	• 12
Number of millimeter-wave radars	• 3	• 3	• 3	• 3	• 3	• 3
LiDAR brand	• HUAWEI	• HUAWEI				
Number of lidars	• 3	• 3	• 3	• 3	• 3	• 3
LiDAR line count	• 96 lines	• 96 lines				
LiDAR 10% reflectivity detection distance	• 150 meters	• 150 meters				
Number of lidar point clouds	• 1.2 million/second	• 1.2 million/second				

Driving functions (• Standard O Optional - N/A)

Cruise control system	 Full-speed adaptive cruise control 					
Assisted driving system	HUAWEI ADS					
Driving assistance level	• L2					
Reversing side warning system	•	•	•	•	•	•
Satellite navigation system	•	•	•	•	•	•
Navigation traffic information display	•	•	•	•	•	•
Map Brand	• Gaode					
High-precision maps	•	•	•	•	•	•
Lane change assistance	•	•	•	•	•	•

Lane Keeping Assist System	•	•	•	•	•	•
Lane centering	•	•	•	•	•	•
Road traffic sign recognition	•	•	•	•	•	•
Assisted parking	•	•	•	•	•	•
Remote control parking	•	•	•	•	•	•
Memory Parking	0	0	0	0	0	0
Track reverse	•	•	•	•	•	•
Assisted lane change	•	•	•	•	•	•
Automatic exit (entry) of auxiliary ramp	•	•	•	•	•	•
Traffic light recognition	•	•	•	•	•	•
Hands-off steering wheel detection	•	•	•	•	•	•
Assisted driving sections	 Urban roads Expressway section					

Appearance/anti-theft (• Standard ○ Optional - N/A)

Appearance package		O Sports style (6000 yuan)	O Sports style (6000 yuan)	• Sporty style	• Sporty style	• Sporty style
Electric spoiler	•	•	•	•	•	•
Rim material	• aluminum alloy	aluminum alloy	aluminum alloy	• aluminum alloy	aluminum alloy	aluminum alloy
Electric suction door	whole vehicle	• whole vehicle				
Automatic door opening and closing	0	0	0	•	•	•
Frameless design doors	•	•	•	•	•	•
Electric trunk	•	•	•	•	•	•
Electric trunk position memory	•	•	•	•	•	•
Central locking system in the car	•	•	•	•	•	•
Key type	 remote control key Bluetooth key NFC/RFID keys 	 remote control key Bluetooth key NFC/RFID keys 	 remote control key Bluetooth key NFC/RFID keys 	 remote control key Bluetooth key NFC/RFID keys 	 remote control key Bluetooth key NFC/RFID keys 	 remote control key Bluetooth key NFC/RFID keys
Keyless start system	•	•	•	•	•	•
Keyless entry function	• whole vehicle	whole vehicle				
Hidden electric door handles	•	•	•	•	•	•
Remote start function	•	•	•	•	•	•
Battery preheating	•	•	•	•	•	•
Discharge to the outside	•	•	•	•	•	•

Low beam light source	• led					
High beam light source	• led					
LED daytime running lights	•	•	•	•	•	•
Adaptive high and low beam	•	•	•	•	•	•
Automatic headlights	•	•	•	•	•	•
Front fog lights	-	-	-	-	-	-
Headlight height adjustable	•	•	•	•	•	•
Headlights delayed off	•	•	•	•	•	•

Skylight/Glass (• Standard O Optional - N/A)

Skylight Type	• Segmented non- openable skylight	Segmented non- openable skylight	Segmented non- openable skylight	• Segmented non- openable skylight	Segmented non- openable skylight	Segmented non- openable skylight
Front/rear electric windows	forward• / back•	forward• / back•	forward● / back●	forward● / back●	forward• / back•	forward• / back•
One-touch window lift function	whole vehicle	whole vehicle	whole vehicle	whole vehicle	whole vehicle	whole vehicle
Window anti-pinch function	•	•	•	•	•	•
Rear side privacy glass	-	-	-	0	-	•
Car makeup mirror	 Main driving light + lighting Co-pilot + lighting 	 Main driving light + lighting Co-pilot + lighting 	 Main driving light + lighting Co-pilot + lighting 	 Main driving light + lighting Co-pilot + lighting 	 Main driving light + lighting Co-pilot + lighting 	 Main driving light + lighting Co-pilot + lighting
rear wiper	-	-		-	-	-
Rain sensor wiper function	• Rain sensor	Rain sensor	• Rain sensor	• Rain sensor	Rain sensor	• Rain sensor

exterior rearview mirror (• Standard O Optional - N/A)

	 Electric 	 Electric 	 Electric 	Electric	• Electric	 Electric
	adjustment	adjustment	adjustment	adjustment	adjustment	adjustment
	Electric folding	 Electric folding 	Electric folding			
	 Rearview mirror 	 Rearview mirror 	 Rearview mirror 	 Rearview mirror 	 Rearview mirror 	 Rearview mirror
	memory	memory	memory	memory	memory	memory
	 Heated rearview 	 Heated rearview 	 Heated rearview 	 Heated rearview 	 Heated rearview 	 Heated rearview
Exterior rearview mirror function	mirrors	mirrors	mirrors	mirrors	mirrors	mirrors
Tunction	Automatically tilt	 Automatically tilt 				
	down when	down when	down when	down when	down when	down when
	reversing	reversing	reversing	reversing	reversing	reversing
	 Automatic 	 Automatic 	 Automatic 	 Automatic 	 Automatic 	 Automatic
	folding when	folding when	folding when	folding when	folding when	folding when
	locking the car	locking the car	locking the car	locking the car	locking the car	locking the car

Screen/System (• Standard ○ Optional - N/A)

Central control color screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen
Central control screen size	• 15.6 inches					
Central control screen resolution	• 1920x1080					
Central control screen pixel density	• 141PPI					
Passenger car entertainment screen size	• 10.25 inches					

Passenger screen resolution	• 1920x720	• 1920x720	• 1920x720	• 1920x720	• 1920x720	• 1920x720
Passenger screen pixel density	• 200PPI	• 200PPI	• 200PPI	• 200PPI	• 200PPI	• 200PPI
Bluetooth/car phone	•	•	•	•	•	•
Mobile phone interconnection/mapping	• Support HUAWEI HiCar	• Support HUAWEI HiCar	• Support HUAWEI HiCar	• Support HUAWEI HiCar	• Support HUAWEI HiCar	 Support HUAWEI HiCar
	 Multimedia 	 Multimedia 	 Multimedia 	 Multimedia 	 Multimedia 	 Multimedia
Voice recognition control system	system navigation Telephone air conditioner car windows Heated seats Seat ventilation	system navigation Telephone air conditioner car windows Heated seats Seat ventilation	system navigation Telephone air conditioner car windows Heated seats Seat ventilation	system navigation Telephone air conditioner car windows Heated seats Seat ventilation	system navigation Telephone air conditioner car windows Heated seats Seat ventilation	system navigation Telephone air conditioner car windows Heated seats Seat ventilation
Voice assistant wake-up word	Seat massageSmall towerSmall tower	 Seat massage Small tower Small tower 	Seat massageSmall towerSmall tower	Seat massageSmall towerSmall tower	 Seat massage Small tower Small tower 	 Seat massage Small tower Small tower
Voice wake-up word-free	•	•	•	•	•	•
Voice wake-up recognition by	•	•	•	•	•	
region	Four regions	• Four regions	Four regions	 Four regions 	• Four regions	• Four regions
Continuous Speech Recognition	•	•	•	•	•	•
Seeing is telling	•	•	•	•	•	•
Gesture control	•	•		•	•	•
Facial Recognition	•	•	•	•	•	•
App Store	•	•		•	•	•
In-vehicle intelligent system	• HarmonyOS	HarmonyOS	HarmonyOS	• HarmonyOS	HarmonyOS	HarmonyOS
Vehicle system memory (GB)	• 8	• 8	• 8	• 8	• 8	• 8
Vehicle system storage (GB)	• 128	• 128	• 128	• 128	• 128	• 128
Multi-finger flying screen control	•	•	•	•	•	•
Intelligent configuration (• Standard O Optional - N/	/A)				
Internet of Vehicles	•	•	•	•	•	•
4G/5G network	• 5G	• 5G	• 5G	• 5G	• 5G	• 5G
OTA upgrade	•	•	•	•	•	•
Wi-Fi hotspots	•	•	•	•	•	•
Mobile APP remote function	Door control Window controls Vehicle start Charging Management Headlight control Air conditioning control Vehicle condition inquiry/diagnosis Vehicle	Door control Window controls Vehicle start Charging Management Headlight control Air conditioning control Vehicle condition inquiry/diagnosis Vehicle	Door control Window controls Vehicle start Charging Management Headlight control Air conditioning control Vehicle condition inquiry/diagnosis Vehicle	Door control Window controls Vehicle start Charging Management Headlight control Air conditioning control Vehicle condition inquiry/diagnosis Vehicle	Door control Window controls Vehicle start Charging Management Headlight control Air conditioning control Vehicle condition inquiry/diagnosis Vehicle	Door control Window controls Vehicle start Charging Management Headlight control Air conditioning control Vehicle condition inquiry/diagnosis Vehicle
	nositioning/search	nositioning/search	nositioning/search	nositioning/search	nositioning/search	• verticle

positioning/search

positioning/search

positioning/search

positioning/search

positioning/search

positioning/search

Active Noise Cancellation	•	•	•	•	•	•
Simulated sound waves	•	•	•	•	•	•
Steering wheel/interior rear	view mirror (• Stan	dard O Optional - N/A)				
Steering wheel material	Genuine Leather	 Genuine Leather 	• Genuine Leather	Genuine Leather	• Genuine Leather	Genuine Leather
Steering wheel position adjustment	Electric up and down + front and back adjustment	 Electric up and down + front and back adjustment 	 Electric up and down + front and back adjustment 	 Electric up and down + front and back adjustment 	 Electric up and down + front and back adjustment 	 Electric up and down + front and back adjustment
Gear shifting	 Electronic hand- shift 	 Electronic hand- shift 	 Electronic hand- shift 	 Electronic hand- shift 	 Electronic hand- shift 	• Electronic hand- shift
Multi-function steering wheel	•	•	•	•	•	•
Heated steering wheel	•	•	•	•	•	•
Steering wheel memory	•	•	•	•	•	•
Trip computer display screen	• color	• color	• color	• color	• color	• color
Full LCD instrument panel	•	•	•	•	•	•
LCD instrument size	• 10.25 inches	• 10.25 inches	• 10.25 inches	• 10.25 inches	• 10.25 inches	• 10.25 inches
Dashboard screen resolution (px)	• 1920x720	• 1920x720	• 1920x720	• 1920x720	• 1920x720	• 1920x720
Instrument panel screen pixel density	• 200PPI	• 200PPI	• 200PPI	• 200PPI	• 200PPI	• 200PPI
Interior rearview mirror function	Automatic antiglareStreaming	Automatic anti- glareStreaming				
In-car charging (• Standard O	Optional - N/A)					
Multimedia/charging port	• USB • SD • Type-C	USBSDType-C	• USB • SD • Type-C	USBSDType-C	USBSDType-C	USBSDType-C
Number of USB/Type-C ports	• 2 front seats/2 back seats	• 2 front seats/2 back seats	• 2 front seats/2 back seats	• 2 front seats/2 back seats	• 2 front seats/2 back seats	• 2 front seats/2 back seats
Mobile phone wireless charging function	• front row	• front row	• front row	• front row O back row	• front row	front rowback row
Mobile phone wireless charging power	• 50W	• 50W	• 50W	• 50W	• 50W	• 50W
Luggage compartment 12V power socket	•	•	•	•	•	•
Seat configuration (• Standa	rd O Optional - N/A)					

• imitation leather

Seat material

• imitation leather

• imitation leather

• Genuine Leather

Genuine Leather

• Genuine Leather

	forward• / back•					
Rear seat folding	Proportional down	 Proportional down 	-			
Second row independent seats	-	-	-	0	-	•
Zero Gravity Chair	• First Row					
Second row seat functions	heatingventilationmassage	heatingventilationmassage	heatingventilationmassage	heatingventilationmassage	heatingventilationmassage	heatingventilationmassage
Second row seats electrically adjustable	-	-	-	0	-	•
Second row seat adjustment	-		-	Backrestadjustment	-	Backrest adjustment
Co-pilot rear seat adjustable buttons	-	- (-	0	-	•
Electric seat memory function	Driver's seatco-pilot seat					
Front seat functions	 heating ventilation massage Headrest speakers (driver's seat only) 	 heating ventilation massage Headrest speakers (driver's seat only) 	 heating ventilation massage Headrest speakers (driver's seat only) 	 heating ventilation massage Headrest speakers (driver's seat only) 	 heating ventilation massage Headrest speakers (driver's seat only) 	 heating ventilation massage Headrest speakers (driver's seat only)
Electric adjustment of driver's seat and passenger seat	host● / Vice●	host∙ / Vice∙				
Passenger seat adjustment method	adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way)	adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way)	adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way)	adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way)	adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way)	adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way)
	Front and rearadjustmentBackrest					
Main seat adjustment method	adjustment Backrest adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way)	adjustment Backrest adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way)	adjustment Backrest adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way)	adjustment Backrest adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way)	adjustment Backrest adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way)	adjustment Backrest adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way)

Audio/Interior Lighting (• Standard O Optional - N/A)

Speaker brand name	Meridian British Treasure					
Number of speakers	• 25 speakers	• 25 speakers	• 25 speakers	• 25 speakers	• 25 speakers	• 25 speakers
Touch-sensitive reading light	•	•	•	•	•	•
Interior ambient lighting	• 256 colors					

Air conditioning/refrigerator (• Standard O Optional - N/A)

Air conditioning/reirigerator	(• Standard O Options	ai - IV/A)				
Air conditioning temperature control method	Automatic air conditioning	Automatic air conditioning	Automatic air conditioning	Automatic air conditioning	Automatic air conditioning	 Automatic air conditioning
heat pump air conditioner	-	•	•	•	•	•
Rear independent air conditioning	-	-	-	-	-	-
Rear seat air vents	•	•	•	•	•	•
Temperature zone control	•	•	•	•	•	•
Car air purifier	•	•	•	•	•	•
In-car PM2.5 filter	•	•	•	•	•	•
Negative ion generator	•	•	•	•	•	•
Car fragrance device	-	-	-	-	•	•
Air quality monitoring	•	•	•	•	•	•
Featured Configuration (•	Standard O Optional - N/A)				
AVP Valet Parking	-	-	-	-	-	-
HALO screen	0	0	0	0	-	•
Brembo high-performance brake system	-	-	-,0	-	-	-
color (• Standard ○ Optional - N/A	A)					
Appearance color	Dark gray (matte) Gray White Black Hui Jin	Dark gray (matte) Gray White Black Hui Jin	Dark gray (matte) Gray White Black Hui Jin	Dark gray (matte) Gray White Black Hui Jin	Dark gray (matte)	Obsidian Gray/Obsidian Black
Interior color	Burgundy red blue-gray Dusk Purple/Smoky White	Burgundy red blue-gray Black Dusk Purple/Smoky White	Burgundy red blue-gray Dusk Purple/Smoky White	Burgundy red blue-gray Dusk Purple/Smoky White	Burgundy red Dusk Purple/Smoky White	Merlot Red/Rose White
Optional Package (• Standard	d ○ Optional - N/A)					
sports suspension	-	Includes: Sports suspension Optional (2000 yuan)	Includes: Sports suspension O Optional (2000 yuan)	Includes: Sports suspension Optional (2000 yuan)	-	Includes: Sports suspension O Optional (2000 yuan)
22-inch rotary vane wheel	-	Includes: 265/40 R22 tires, Bremobo calipers Optional (11,000	Includes: 265/40 R22 tires, Bremobo calipers O Optional (11,000	-	-	-

boss key function), 50W wireless mobile phone	charging in the rear, HALO screen, rear privacy glass, dynamic water atmosphere lighting, UV sterilization in the cabin, microfiber suede
---	---