

HILUCK	Changan Kaicheng V919 2025 model, CATL 53kwh, short wheelbase, high roof, standard 2-seater	Changan Kaicheng V919 2025 model, CATL 53kwh, short wheelbase, high roof, elite 2-seater	Changan Kaicheng V919 2025 model, CATL 53kwh, long wheelbase, high roof, elite 2-seater	Changan Kaicheng V919 2025 model, CATL 53kwh, short-axle, high-top, smart, 2-seater	Changan Kaicheng V919 2025 model, CATL 88kwh, long wheelbase, high roof, elite 2-seater
	-	-	-	-	-

Basic parameters（● Standard ○ Optional - N/A）

Manufacturer	Changan Kaicheng	Changan Kaicheng	Changan Kaicheng	Changan Kaicheng	Changan Kaicheng
level	Light Commercial Vehicle	Light Commercial Vehicle	Light Commercial Vehicle	Light Commercial Vehicle	Light Commercial Vehicle
Energy type	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric
Time to market	2025.06	2025.06	2025.06	2025.06	2025.06
CLTC pure electric range (km)	310	310	301	310	-
Battery fast charging time (hours)	0.5	0.5	0.5	0.5	0.5
Battery fast charge capacity range (%)	30-80	30-80	30-80	30-80	30-80
Maximum power (kW)	110	110	110	110	110
Maximum torque (N·m)	260	260	260	260	260
Body structure	truck	truck	truck	truck	truck
Motor (Ps)	150	150	150	150	150
Length*Width*Height(mm)	4995*1910*2380	4995*1910*2380	5495*1910*2380	4995*1910*2380	5495*1910*2370
Official 0-100km/h acceleration (s)	-	-	-	-	-
Maximum speed (km/h)	90	90	90	90	90
Curb mass (kg)	1850	1850	1900	1850	2240
Maximum full load mass (kg)	3495	3495	3495	3495	3510

body（● Standard ○ Optional - N/A）

Length (mm)	4995	4995	5495	4995	5495
Width (mm)	1910	1910	1910	1910	1910
Height (mm)	2380	2380	2380	2380	2370
Wheelbase (mm)	3150	3150	3500	3150	3500
Front wheelbase (mm)	1650	1650	1650	1650	1650
Rear wheelbase (mm)	1650	1650	1650	1650	1650
Approach angle (°)	26	26	26	26	25
Departure angle (°)	twenty two	twenty two	19	twenty two	18
Body structure	truck	truck	truck	truck	truck
Door opening method	Casement door + sliding door	Casement door + sliding door	Casement door + sliding door	Casement door + sliding door	Casement door + sliding door
Number of doors	● 4	● 4	● 4	● 4	● 4

Number of seats	● 2 ○ 3	● 2 ○ 3	● 2 ○ 3	● 2 ○ 3	● 2 ○ 3
Trunk volume (L)	-	-	-	-	-
Cargo box size (mm)	2880x1740x1750	2880x1740x1750	3380x1740x1750	2880x1740x1750	3380x1740x1750
Drag coefficient (Cd)	-	-	-	-	-

electric motor (● Standard ○ Optional - N/A)

Rear motor model	TZ180XS133	TZ180XS133	TZ180XS133	TZ180XS133	TZ180XS133
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	110	110	110	110	110
Total motor horsepower (Ps)	150	150	150	150	150
Total torque of the motor (N·m)	260	260	260	260	260
Maximum power of rear motor (kW)	110	110	110	110	110
Maximum torque of rear motor (N·m)	260	260	260	260	260
Number of drive motors	Single motor	Single motor	Single motor	Single motor	Single motor
Motor layout	Post	Post	Post	Post	Post

Battery/Charging (● Standard ○ Optional - N/A)

Battery Type	● lithium iron phosphate battery	● lithium iron phosphate battery	● lithium iron phosphate battery	● lithium iron phosphate battery	● lithium iron phosphate battery
CLTC pure electric range (km)	310	310	301	310	-
Battery energy (kWh)	53.58	53.58	53.58	53.58	88.02
Fast charging function	support	support	support	support	support
Battery fast charging time (hours)	0.5	0.5	0.5	0.5	0.5
Battery fast charge capacity range (%)	30-80	30-80	30-80	30-80	30-80

gearbox (● Standard ○ Optional - N/A)

Abbreviation	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission
Number of gears	1	1	1	1	1
Transmission type	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox

Chassis steering (● Standard ○ Optional - N/A)

Drive mode	● Rear-engine, rear-wheel drive	● Rear-engine, rear-wheel drive	● Rear-engine, rear-wheel drive	● Rear-engine, rear-wheel drive	● Rear-engine, rear-wheel drive
Front suspension type	● McPherson independent suspension	● McPherson independent suspension	● McPherson independent suspension	● McPherson independent suspension	● McPherson independent suspension
Rear suspension type	● Leaf spring non-independent suspension	● Leaf spring non-independent suspension	● Leaf spring non-independent suspension	● Leaf spring non-independent suspension	● Leaf spring non-independent suspension

Power type	● Electric power steering	● Electric power steering	● Electric power steering	● Electric power steering	● Electric power steering
Body structure	load-bearing	load-bearing	load-bearing	load-bearing	load-bearing

wheel brakes (● Standard ○ Optional - N/A)					
Front brake type	● Disc	● Disc	● Disc	● Disc	● Disc
Rear brake type	● Disc	● Disc	● Disc	● Disc	● Disc
Parking brake type	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake
Front tire specifications	● 215/65 R16	● 215/65 R16	● 215/65 R16	● 215/65 R16	● 215/65 R16
Rear tire specifications	● 215/65 R16	● 215/65 R16	● 215/65 R16	● 215/65 R16	● 215/65 R16
Spare tire specifications	-	-	-	-	-

Passive safety (● Standard ○ Optional - N/A)					
Driver/passenger seat airbags	-	host● / Vice-	host● / Vice-	host● / Vice-	host● / Vice-
Front/rear side airbags	-	-	-	-	-
Front/rear head airbags (curtain airbags)	-	-	-	-	-

Active safety (● Standard ○ Optional - N/A)					
ABS anti-lock braking system	●	●	●	●	●
Braking force distribution (EBD/CBC, etc.)	●	●	●	●	●
Brake assist (EBA/BAS/BA, etc.)	●	●	●	●	●
Traction control (ASR/TCS/TRC, etc.)	●	●	●	●	●
Vehicle stability control (ESC/ESP/DSC, etc.)	●	●	●	●	●
Tire pressure monitoring function	-	-	-	● Tire pressure alarm	-
Seat belt unfastened reminder	●	●	●	●	●
ISOFIX child seat interface	-	-	-	-	-
Lane Departure Warning System	-	-	-	-	-
Active braking/active safety systems	-	-	-	-	-
Fatigue driving tips	-	-	-	●	-
Forward Collision Warning	-	-	-	-	-
Low speed warning	●	●	●	●	●
Built-in driving recorder	-	-	-	●	-

Driving control (● Standard ○ Optional - N/A)					
---	--	--	--	--	--

Driving mode switch	- economy - Standard/Comfort	- economy - Standard/Comfort	- economy - Standard/Comfort	- economy - Standard/Comfort	- economy - Standard/Comfort
Automatic parking	-	-	-	-	-
Hill-start assist	•	•	•	•	•

Driving hardware

(• Standard ○ Optional - N/A)

Front/rear parking radar	Front / Back●	Front / Back●	Front / Back●	Front / Back●	Front / Back●
Driving assistance images	-	-	-	360-degree panoramic images	-
Transparent chassis/540-degree imaging	-	-	-	•	-

Driving functions

(• Standard ○ Optional - N/A)

Cruise control system	-	-	-	-	-
Satellite navigation system	-	-	-	•	-
Navigation traffic information display	-	-	-	-	-
Lane change assistance	-	-	-	-	-
Lane Keeping Assist System	-	-	-	-	-
Road traffic sign recognition	-	-	-	-	-
Assisted parking	-	-	-	-	-

Appearance/anti-theft

(• Standard ○ Optional - N/A)

Rim material	• steel	• steel	• steel	• steel	• steel
Sliding door type	• Right manual	• Right manual	• Right manual	• Right manual	• Right manual
Electric trunk	-	-	-	-	-
Central locking system in the car	•	•	•	•	•
Key type	- remote control key - Bluetooth key	- remote control key - Bluetooth key	- remote control key - Bluetooth key	- remote control key - Bluetooth key	- remote control key - Bluetooth key
Keyless start system	•	•	•	•	•
Keyless entry function	•	•	•	•	•
Battery preheating	•	•	•	•	-

Exterior lights

(• Standard ○ Optional - N/A)

Low beam light source	• halogen	• halogen	• halogen	• led	• halogen
High beam light source	• halogen	• halogen	• halogen	• led	• halogen
LED daytime running lights	-	-	-	•	-
Adaptive high and low beam	-	-	-	-	-
Automatic headlights	-	-	-	-	-
Front fog lights	-	-	-	•	-

Headlight height adjustable	●	●	●	●	●
Headlights delayed off	-	-	-	-	-

Skylight/Glass (● Standard ○ Optional - N/A)

Skylight Type	-	-	-	-	-
Front/rear electric windows	forward● / back-	forward● / back-	forward● / back-	forward● / back-	forward● / back-
One-touch window lift function	-	-	-	-	-
Window anti-pinch function	-	-	-	-	-
Rear side privacy glass	-	-	-	-	-
Car makeup mirror	-	-	-	-	-
rear wiper	-	-	-	-	-
Rain sensor wiper function	-	-	-	● Speed-sensitive	-

exterior rearview mirror (● Standard ○ Optional - N/A)

Exterior rearview mirror function	-	-	-	● Electric adjustment ● Heated rearview mirrors	-
-----------------------------------	---	---	---	--	---

Screen/System (● Standard ○ Optional - N/A)

Central control color screen	-	-	-	●	●
Central control screen size	-	-	-	● 10.25 inches	-
Bluetooth/car phone	●	●	●	●	●
Mobile phone interconnection/mapping	-	-	-	●	-
Voice recognition control system	-	-	-	-	-

Intelligent configuration (● Standard ○ Optional - N/A)

Internet of Vehicles	-	-	-	●	-
OTA upgrade	-	-	-	●	-

Steering wheel/interior rearview mirror (● Standard ○ Optional - N/A)

Steering wheel material	● plastic	● plastic	● plastic	● plastic	● plastic
Steering wheel position adjustment	● Manual up and down adjustment	● Manual up and down adjustment	● Manual up and down adjustment	● Manual up and down adjustment	● Manual up and down adjustment
Gear shifting	● Electronic hand-shift	● Electronic hand-shift	● Electronic hand-shift	● Electronic hand-shift	● Electronic hand-shift
Multi-function steering wheel	●	●	●	●	●
Heated steering wheel	-	-	-	-	-
Steering wheel memory	-	-	-	-	-
Trip computer display screen	●	●	●	●	●
Full LCD instrument panel	-	-	-	-	-

LCD instrument size	-	-	-	-	-
Interior rearview mirror function	-	-	-	-	-

In-car charging (● Standard ○ Optional - N/A)

Multimedia/charging port	● USB	● USB	● USB	● USB	● USB
Number of USB/Type-C ports	-	-	-	-	-
220V/230V power supply	-	-	-	●	-
Mobile phone wireless charging function	-	-	-	-	-

Seat configuration (● Standard ○ Optional - N/A)

Seat material	● fabric	● fabric	● fabric	● fabric	● fabric
Main seat adjustment method	● Front and rear adjustment ● Backrest adjustment	● Front and rear adjustment ● Backrest adjustment	● Front and rear adjustment ● Backrest adjustment	● Front and rear adjustment ● Backrest adjustment	● Front and rear adjustment ● Backrest adjustment
Passenger seat adjustment method	-	-	-	-	-
Electric adjustment of driver's seat and passenger seat	-	-	-	-	-
Front seat functions	-	-	-	-	-
Electric seat memory function	-	-	-	-	-
Second row seat adjustment	-	-	-	-	-
Rear seat folding	-	-	-	-	-
Front/rear center armrest	-	-	-	-	-
Rear cup holder	-	-	-	-	-

Audio/Interior Lighting (● Standard ○ Optional - N/A)

Speaker brand name	-	-	-	-	-
Number of speakers	● 2 speakers	● 2 speakers	● 2 speakers	● 2 speakers	● 2 speakers
Interior ambient lighting	-	-	-	-	-

Air conditioning/refrigerator (● Standard ○ Optional - N/A)

Air conditioning temperature control method	● Manual air conditioning	● Manual air conditioning	● Manual air conditioning	● Manual air conditioning	● Manual air conditioning
Rear independent air conditioning	-	-	-	-	-
Rear seat air vents	-	-	-	-	-
Temperature zone control	-	-	-	-	-
Car air purifier	-	-	-	-	-
In-car PM2.5 filter	-	-	-	-	-