

HILUCK Your Trusted Chinese EV Partner	Dana M1 2025 facelift: Long-wheelbase, low-top, commercial version with 64kWh and 9 seats	Dana M1 2025 facelift: Long-wheelbase, low-top, commercial version, 64kWh, 7-seater	Dana M1 2025 facelift: Long-wheelbase, low-top, non-commercial version, 64kWh, 9 seats	Dana M1 2025 facelift: Long-wheelbase, low-top, non-commercial version, 64kWh, 7-seater	Dana M1 2025 M1 Long Wheelbase Low Roof Commercial Edition 64kWh 9-Seater	Dana M1 2025 M1 Long Wheelbase Low Top Commercial Edition 64kWh 7-seater	Dana M1 2025 M1 Long Wheelbase Low Top Non-Commercial Edition 64kWh 9-Seater	Dana M1 2025 M1 Long Wheelbase Low Top Non-Operating Version 64kWh 7-Seater
	-	-	-	-	-	-	-	-

Basic parameters (● Standard ○ Optional - N/A)

Manufacturer	SAIC Maxus	SAIC Maxus	SAIC Maxus	SAIC Maxus	SAIC Maxus	SAIC Maxus	SAIC Maxus	SAIC Maxus
level	Microvan	Microvan	Microvan	Microvan	Microvan	Microvan	Microvan	Microvan
Energy type	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric
Time to market	2025.07	2025.07	2025.07	2025.07	2025.03	2025.03	2025.03	2025.03
CLTC pure electric range (km)	405	405	405	405	405	405	405	405
Battery fast charging time (hours)	0.8	0.8	0.8	0.8	0.6	0.6	0.6	0.6
Battery slow charging time (hours)	9.5	9.5	9.5	9.5	6	6	6	6
Battery fast charge capacity range (%)	20-80	20-80	20-80	20-80	20-80	20-80	20-80	20-80
Battery slow charging capacity range (%)	20-100	20-100	20-100	20-100	20-100	20-100	20-100	20-100
Maximum power (kW)	120	120	120	120	120	120	120	120
Maximum torque (N·m)	240	240	240	240	240	240	240	240
Body structure	bus	bus	bus	bus	bus	bus	bus	bus
Motor (Ps)	163	163	163	163	163	163	163	163
Length*Width*Height(mm)	5250*1870*1960	5250*1870*1960	5250*1870*1960	5250*1870*1960	5250*1870*1960	5250*1870*1960	5250*1870*1960	5250*1870*1960
Official 0-100km/h acceleration (s)	-	-	-	-	-	-	-	-
Maximum speed (km/h)	100	100	100	100	130	130	130	130
Curb mass (kg)	2060	2060	2060	2060	2060	2060	2060	2060
Maximum full load mass (kg)	2870	2870	2870	2870	2870	2870	2870	2870

body (● Standard ○ Optional - N/A)

Length (mm)	5250	5250	5250	5250	5250	5250	5250	5250
Width (mm)	1870	1870	1870	1870	1870	1870	1870	1870
Height (mm)	1960	1960	1960	1960	1960	1960	1960	1960
Wheelbase (mm)	3450	3450	3450	3450	3450	3450	3450	3450
Front wheelbase (mm)	1650	1650	1650	1650	1650	1650	1650	1650
Rear track (mm)	1650	1650	1650	1650	1650	1650	1650	1650
Approach angle (°)	25	25	25	25	25	25	25	25
Departure angle (°)	19	19	19	19	19	19	19	19
Maximum climbing grade (%)	30	30	30	30	30	30	30	30
Body structure	bus	bus	bus	bus	bus	bus	bus	bus
Door opening method	swing door	swing door	swing door	swing door	Casement door + sliding door	Casement door + sliding door	Casement door + sliding door	Casement door + sliding door
Number of doors	-	-	-	-	● 4	● 4	● 4	● 4
Number of seats	● 9	● 7	● 9	● 7	● 9	● 7	● 9	● 7
Trunk volume (L)	-	-	-	-	-	-	-	-
Drag coefficient (Cd)	-	-	-	-	-	-	-	-

electric motor (● Standard ○ Optional - N/A)

Motor type	-	-	-	-	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	120	120	120	120	120	120	120	120
Total motor horsepower (Ps)	163	163	163	163	163	163	163	163
Total torque of the motor (N·m)	240	240	240	240	240	240	240	240
Maximum power of front motor (kW)	-	-	-	-	120	120	120	120
Maximum torque of front motor (N·m)	-	-	-	-	240	240	240	240

Number of drive motors	-	-	-	-	Single motor	Single motor	Single motor	Single motor
Motor layout	-	-	-	-	Pre	Pre	Pre	Pre

Battery/Charging (● Standard ○ Optional - N/A)

Battery Type	● lithium iron phosphate battery	● lithium iron phosphate battery	● lithium iron phosphate battery	● lithium iron phosphate battery	● lithium iron phosphate battery	● lithium iron phosphate battery	● lithium iron phosphate battery	● lithium iron phosphate battery
Battery cell brand	● SAIC Times	● SAIC Times	● SAIC Times	● SAIC Times	● SAIC Times	● SAIC Times	● SAIC Times	● SAIC Times
Battery cooling method	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling
CLTC pure electric range (km)	405	405	405	405	405	405	405	405
Battery energy (kWh)	64	64	64	64	64	64	64	64
Fast charging function	support	support	support	support	support	support	support	support
Battery fast charging time (hours)	0.8	0.8	0.8	0.8	0.6	0.6	0.6	0.6
Battery slow charging time (hours)	9.5	9.5	9.5	9.5	6	6	6	6
Battery fast charge capacity range (%)	20-80	20-80	20-80	20-80	20-80	20-80	20-80	20-80
Battery slow charging capacity range (%)	20-100	20-100	20-100	20-100	20-100	20-100	20-100	20-100
Slow charging port location	-	-	-	-	right front side of the car	right front side of the car	right front side of the car	right front side of the car
Fast charging port location	-	-	-	-	right front side of the car	right front side of the car	right front side of the car	right front side of the car
External AC discharge power (kW)	6.6	6.6	6.6	6.6	6.6	6.6	6.6	6.6

gearbox (● Standard ○ Optional - N/A)

Abbreviation	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission
Number of gears	1	1	1	1	1	1	1	1
Transmission type	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox

Chassis steering (● Standard ○ Optional - N/A)

Drive mode	-	-	-	-	● Front-engine, front-wheel drive	● Front-engine, front-wheel drive	● Front-engine, front-wheel drive	● Front-engine, front-wheel drive
Front suspension type	● McPherson independent suspension	● McPherson independent suspension	● McPherson independent suspension	● McPherson independent suspension	● McPherson independent suspension	● McPherson independent suspension	● McPherson independent suspension	● McPherson independent suspension
Rear suspension type	● Leaf spring non-independent suspension	● Leaf spring non-independent suspension	● Leaf spring non-independent suspension	● Leaf spring non-independent suspension	● Leaf spring non-independent suspension	● Leaf spring non-independent suspension	● Leaf spring non-independent suspension	● Leaf spring non-independent suspension
Power type	● Electric power steering	● Electric power steering	● Electric power steering	● Electric power steering	● Electric power steering	● Electric power steering	● Electric power steering	● Electric power steering
Body structure	-	-	-	-	load-bearing	load-bearing	load-bearing	load-bearing

wheel brakes (● Standard ○ Optional - N/A)

Front brake type	● Disc	● Disc	● Disc	● Disc	● Disc	● Disc	● Disc	● Disc
Rear brake type	● Disc	● Disc	● Disc	● Disc	● Disc	● Disc	● Disc	● Disc
Parking brake type	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake
Front tire specifications	● 195/65 R16	● 195/65 R16	● 195/65 R16	● 195/65 R16	● 195/65 R16	● 195/65 R16	● 195/65 R16	● 195/65 R16
Rear tire specifications	● 195/65 R16	● 195/65 R16	● 195/65 R16	● 195/65 R16	● 195/65 R16	● 195/65 R16	● 195/65 R16	● 195/65 R16
Spare tire specifications	-	-	-	-	● Full size	● Full size	● Full size	● Full size

Passive safety (● Standard ○ Optional - N/A)

Driver/passenger seat airbags	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●
Front/rear side airbags	-	-	-	-	-	-	-	-
Front/rear head airbags (curtain airbags)	-	-	-	-	-	-	-	-

Active safety (● Standard ○ Optional - N/A)

ABS anti-lock braking system	●	●	●	●	●	●	●	●
------------------------------	---	---	---	---	---	---	---	---

Braking force distribution (EBD/CBC, etc.)	●	●	●	●	●	●	●	●
Brake assist (EBA/BAS/BA, etc.)	●	●	●	●	●	●	●	●
	●	●	●	●	●	●	●	●
Traction control (ASR/TCS/TRC, etc.)	●	●	●	●	●	●	●	●
Vehicle stability control (ESC/ESP/DSC, etc.)	●	●	●	●	●	●	●	●
Tire pressure monitoring function	●	●	●	●	●	●	●	●
Seat belt unfastened reminder	● Main driver's seat	● Main driver's seat	● Main driver's seat	● Main driver's seat	● Main driver's seat	● Main driver's seat	● Main driver's seat	● Main driver's seat
ISOFIX child seat interface	-	-	-	-	-	-	-	-
Lane Departure Warning System	●	●	-	-	●	●	-	-
Active braking/active safety systems	●	●	-	-	●	●	-	-
Fatigue driving tips	-	-	-	-	-	-	-	-
Forward Collision Warning	●	●	-	-	●	●	-	-
Built-in driving recorder	●	●	-	-	●	●	-	-

Driving control (● Standard ○ Optional - N/A)

Driving mode switch	-	-	-	-	-	-	-	-
Automatic parking	-	-	-	-	-	-	-	-
Hill-start assist	●	●	●	●	●	●	●	●

Driving hardware (● Standard ○ Optional - N/A)

Front/rear parking radar	Front / Back●	Front / Back●	Front / Back●	Front / Back●	Front / Back●	Front / Back●	Front / Back●	Front / Back●
Driving assistance images	● 360-degree panoramic images	● 360-degree panoramic images	● 360-degree panoramic images	● 360-degree panoramic images	● 360-degree panoramic images	● 360-degree panoramic images	● 360-degree panoramic images	● 360-degree panoramic images

Driving functions (● Standard ○ Optional - N/A)

Cruise control system	● Adaptive cruise control	● Adaptive cruise control	-	-	● Adaptive cruise control	● Adaptive cruise control	-	-
Satellite navigation system	●	●	●	●	●	●	●	●
Navigation traffic information display	●	●	●	●	●	●	●	●
Lane change assistance	●	●	●	●	-	-	-	-
Lane Keeping Assist System	●	●	●	●	-	-	-	-
Assisted parking	-	-	-	-	-	-	-	-

Appearance/anti-theft (● Standard ○ Optional - N/A)

Rim material	● aluminum alloy	● aluminum alloy	● aluminum alloy	● aluminum alloy	● aluminum alloy	● aluminum alloy	● aluminum alloy	● aluminum alloy
Sliding door type	● Right manual	● Right manual	● Right manual	● Right manual	● Right manual	● Right manual	● Right manual	● Right manual
Electric trunk	-	-	-	-	-	-	-	-
Central locking system in the car	●	●	●	●	●	●	●	●
Key type	● remote control key ● Bluetooth key	● remote control key ● Bluetooth key	● remote control key ● Bluetooth key	● remote control key ● Bluetooth key	● remote control key ● Bluetooth key	● remote control key ● Bluetooth key	● remote control key ● Bluetooth key	● remote control key ● Bluetooth key
Keyless start system	●	●	●	●	●	●	●	●
Keyless entry function	●	●	●	●	●	●	●	●

Exterior lights (● Standard ○ Optional - N/A)

Low beam light source	● led	● led	● led	● led	● led	● led	● led	● led
High beam light source	● led	● led	● led	● led	● led	● led	● led	● led
LED daytime running lights	●	●	●	●	●	●	●	●
Adaptive high and low beam	-	-	-	-	-	-	-	-
Automatic headlights	●	●	●	●	●	●	●	●
Front fog lights	-	-	-	-	-	-	-	-
Headlight height adjustable	●	●	●	●	●	●	●	●
Headlights delayed off	●	●	●	●	●	●	●	●

Skylight/Glass (● Standard ○ Optional - N/A)

--	--	--	--	--	--	--	--	--

Passenger seat adjustment method	● Front and rear adjustment ● Backrest adjustment	● Front and rear adjustment ● Backrest adjustment	● Front and rear adjustment ● Backrest adjustment	● Front and rear adjustment ● Backrest adjustment	● Front and rear adjustment ● Backrest adjustment	● Front and rear adjustment ● Backrest adjustment	● Front and rear adjustment ● Backrest adjustment	● Front and rear adjustment ● Backrest adjustment
Driver/passenger seat electric adjustment	-	-	-	-	-	-	-	-
Front seat functions	-	-	-	-	-	-	-	-
Electric seat memory function	-	-	-	-	-	-	-	-
Second row seat adjustment	○ Front and rear adjustment	● Front and rear adjustment	○ Front and rear adjustment	● Front and rear adjustment	○ Front and rear adjustment	● Front and rear adjustment	○ Front and rear adjustment	● Front and rear adjustment
Rear seat folding	-	-	-	-	-	-	-	-
Front/rear center armrest	forward● / back-	forward● / back-	forward● / back-	forward● / back-	forward● / back-	forward● / back-	forward● / back-	forward● / back-
Rear cup holder	-	-	-	-	-	-	-	-

Audio/Interior Lighting (● Standard ○ Optional - N/A)

Speaker brand name	-	-	-	-	-	-	-	-
Number of speakers	● 6 speakers	● 6 speakers	● 6 speakers	● 6 speakers	● 6 speakers	● 6 speakers	● 6 speakers	● 6 speakers
Interior ambient lighting	-	-	-	-	-	-	-	-

Air conditioning/refrigerator (● Standard ○ Optional - N/A)

Air conditioning temperature control method	● Manual air conditioning	● Manual air conditioning	● Manual air conditioning	● Manual air conditioning	● Manual air conditioning	● Manual air conditioning	● Manual air conditioning	● Manual air conditioning
Rear independent air conditioning	●	●	●	●	●	●	●	●
Rear seat air vents	●	●	●	●	●	●	●	●
Temperature zone control	-	-	-	-	-	-	-	-
Car air purifier	-	-	-	-	-	-	-	-
In-car PM2.5 filter	-	-	-	-	-	-	-	-