

HILUCK Your Trusted Chinese EV Partner	Yuancheng Xingxiang V 2025 Huanneng V01 Basic Model Guoxuan High-tech 45.15kWh	Yuancheng Xingxiang V 2025 Xingxiang V7E Zhifu Edition Xuanwu 51.4kWh	Remote Xingxiang V 2025 Xingxiang V7E Smart Edition Xuanwu 51.4kWh	Remote Xingxiang V 2025 Xingxiang V7E Zhizun Edition Xuanwu 51.4kWh	Remote Xingxiang V 2025 Xingxiang V7E Functional Edition Smart Edition Xuanwu 51.4kWh
	-	-	-	-	-

Basic parameters (● Standard ○ Optional - N/A)

Manufacturer	remote	remote	remote	remote	remote
level	Microvan	Microvan	Microvan	Microvan	Microvan
Energy type	-	-	-	-	-
Environmental standards	-	-	-	-	-
Time to market	2024.10	2025.07	2025.07	2025.07	2025.07
NEDC pure electric range (km)	-	-	-	-	-
CLTC pure electric range (km)	-	375	375	375	370
Battery fast charging time (hours)	0.58	-	-	-	-
Battery slow charging time (hours)	-	-	-	-	-
Battery fast charge capacity range (%)	20-80	-	-	-	-
Maximum power (kW)	60	-	-	-	-
Maximum torque (N·m)	-	-	-	-	-
gearbox	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission
Body structure	truck	truck	truck	truck	truck
engine	-	-	-	-	-
Motor (Ps)	82	122	122	122	122
Length*Width*Height(mm)	4845*1730*1985	5000*1820*1985	5000*1820*1985	5000*1820*1985	5000*1820*1985
Official 0-100km/h acceleration (s)	-	-	-	-	-
Maximum speed (km/h)	90	100	100	100	100
Curb mass (kg)	1600	-	-	-	-
Maximum full load mass (kg)	3000	-	-	-	-

body (● Standard ○ Optional - N/A)

Length (mm)	4845	5000	5000	5000	5000
Width (mm)	1730	1820	1820	1820	1820
Height (mm)	1985	1985	1985	1985	1985
Wheelbase (mm)	3100	3200	3200	3200	3200
Front wheelbase (mm)	1470	-	-	-	-
Rear wheelbase (mm)	1471	-	-	-	-

Body structure	truck	truck	truck	truck	truck
Door opening method	swing door	swing door	swing door	swing door	swing door
Number of doors	● 2	-	-	-	● 5
Number of seats	● 2	● 2	● 2	● 2	● 5/6/7/9
Trunk volume (L)	-	-	-	-	-
Cargo box size (mm)	-	-	-	-	-
Drag coefficient (Cd)	-	-	-	-	-
Rear door opening method	-	● Double doors	● Double doors	● Double doors	● Double doors
Maximum load mass (kg)	-	-	-	-	-

engine (● Standard ○ Optional - N/A)

Engine model	-	-	-	-	-
Displacement (mL)	-	-	-	-	-
Displacement (L)	-	-	-	-	-
Intake form	-	-	-	-	-
Engine layout	-	-	-	-	-
Cylinder arrangement	-	-	-	-	-
Number of cylinders	-	-	-	-	-
Number of valves per cylinder	-	-	-	-	-
valve train	-	-	-	-	-
Maximum horsepower (Ps)	82	-	-	-	-
Maximum power (kW)	60	-	-	-	-
Maximum power speed (rpm)	-	-	-	-	-
Maximum torque (N·m)	-	-	-	-	-
Maximum torque speed (rpm)	-	-	-	-	-
Maximum net power (kW)	-	-	-	-	-
Energy type	-	-	-	-	-
Fuel grade	-	-	-	-	-
Oil supply method	-	-	-	-	-
Cylinder head material	-	-	-	-	-
Cylinder material	-	-	-	-	-
Environmental standards	-	-	-	-	-

electric motor (● Standard ○ Optional - N/A)

Motor type	-	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	60	90	90	90	90
Total motor horsepower (Ps)	82	122	122	122	122

Total torque of the motor (N·m)	175	220	190	190	220
Maximum power of rear motor (kW)	60	-	-	-	-
Maximum torque of rear motor (N·m)	175	-	-	-	-
Number of drive motors	Single motor	Single motor	Single motor	Single motor	Single motor
Motor layout	Post	Pre	Pre	Pre	Pre

Battery/Charging (● Standard ○ Optional - N/A)

Battery Type	● lithium iron phosphate battery	-	-	-	-
Battery cell brand	● Guoxuan High-tech	● Xuanwu	● Xuanwu	● Xuanwu	● Xuanwu
Battery cooling method	Air cooling	-	-	-	-
Battery swapping	support	-	-	-	-
NEDC pure electric range (km)	-	-	-	-	-
CLTC pure electric range (km)	-	375	375	375	370
Battery energy (kWh)	45.15	51.4	51.4	51.4	51.4
Battery energy density (Wh/kg)	-	-	-	-	-
Power consumption per 100 kilometers (kWh/100km)	-	-	-	-	-
Fast charging function	support	support	support	support	support
Battery fast charging time (hours)	0.58	-	-	-	-
Battery slow charging time (hours)	-	-	-	-	-
Battery fast charge capacity range (%)	20-80	-	-	-	-

gearbox (● Standard ○ Optional - N/A)

Abbreviation	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission
Number of gears	1	1	1	1	1
Transmission type	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox

Chassis steering (● Standard ○ Optional - N/A)

Drive mode	● Rear-engine, rear-wheel drive	● Front-engine, front-wheel drive	● Front-engine, front-wheel drive	● Front-engine, front-wheel drive	● Front-engine, front-wheel drive
Front suspension type	● McPherson independent suspension	● McPherson independent suspension	● McPherson independent suspension	● McPherson independent suspension	● McPherson independent suspension
Rear suspension type	● Leaf spring non-independent suspension	● Leaf spring non-independent suspension	● Leaf spring non-independent suspension	● Leaf spring non-independent suspension	● Leaf spring non-independent suspension
Power type	● Electric power steering	● Electric power steering	● Electric power steering	● Electric power steering	● Electric power steering
Body structure	load-bearing	-	-	-	-

wheel brakes (● Standard ○ Optional - N/A)

Front brake type	● Disc	● Disc	● Disc	● Disc	● Disc
Rear brake type	● Drum	● Disc	● Disc	● Disc	● Disc
Parking brake type	● parking brake	-	-	-	-
Front tire specifications	● 185R14LT	● 195/70 R15LT	● 195/70 R15LT	● 195/70 R15LT	● 195/70 R15LT
Rear tire specifications	● 185R14LT	● 195/70 R15LT	● 195/70 R15LT	● 195/70 R15LT	● 195/70 R15LT
Spare tire specifications	-	-	-	-	-

Passive safety (● Standard ○ Optional - N/A)

Driver/passenger seat airbags	-	-	-	-	-
Front/rear side airbags	-	-	-	-	-
Front/rear head airbags (air curtain)	-	-	-	-	-

Active safety (● Standard ○ Optional - N/A)

ABS anti-lock braking system	-	●	●	●	●
Braking force distribution (EBD/CBC, etc.)	-	●	●	●	●
Brake assist (EBA/BAS/BA, etc.)	-	-	-	-	-
Traction control (ASR/TCS/TRC, etc.)	-	-	-	-	-
Vehicle stability control (ESC/ESP/DSC, etc.)	-	-	-	-	-
Tire pressure monitoring function	-	-	-	-	-
Seat belt unfastened reminder	-	-	-	-	-
ISOFIX child seat interface	-	-	-	-	-
Lane Departure Warning System	-	-	-	-	-
Active braking/active safety systems	-	-	-	-	-
Fatigue driving tips	-	-	-	-	-
Low speed warning	-	-	-	-	-

Driving control (● Standard ○ Optional - N/A)

Driving mode switch	-	-	-	-	-
Energy recovery system	-	●	●	●	●
Automatic parking	-	-	-	-	-

Driving hardware (● Standard ○ Optional - N/A)

Front/rear parking radar	-	-	-	-	-
Driving assistance images	-	-	-	-	-

Driving functions (● Standard ○ Optional - N/A)

Cruise control system	-	-	-	-	-
Satellite navigation system	-	-	-	-	-
Navigation traffic information display	-	-	-	-	-
Lane change assistance	-	-	-	-	-
Lane Keeping Assist System	-	-	-	-	-
Assisted parking	-	-	-	-	-

Appearance/anti-theft (● Standard ○ Optional - N/A)

Rim material	-	-	-	-	-
Sliding door type	-	-	-	-	-
Electric trunk	-	-	-	-	-
Central locking system in the car	-	-	-	-	-
Key type	-	● remote control key	● remote control key	● remote control key	● remote control key
Keyless start system	-	-	-	-	-
Keyless entry function	-	-	-	-	-

Exterior lights (● Standard ○ Optional - N/A)

Low beam light source	● led	● led	● led	● led	● led
High beam light source	● led	● led	● led	● led	● led
LED daytime running lights	●	●	●	●	●
Adaptive high and low beam	-	-	-	-	-
Automatic headlights	-	-	-	-	-
Front fog lights	-	-	-	-	-
Headlight height adjustable	●	-	-	-	-
Headlights delayed off	-	-	-	-	-

Skylight/Glass (● Standard ○ Optional - N/A)

Skylight Type	-	-	-	-	-
Front/rear electric windows	-	forward● / back-	forward● / back-	forward● / back-	forward● / back-
One-touch window lift function	-	-	-	-	-
Window anti-pinch function	-	-	-	-	-
Car makeup mirror	-	-	-	-	-
rear wiper	-	-	-	-	-
Rain sensor wiper function	-	-	-	-	-

exterior rearview mirror (● Standard ○ Optional - N/A)

--	--	--	--	--	--

Exterior rearview mirror function	-	-	-	-	-
-----------------------------------	---	---	---	---	---

Screen/System (● Standard ○ Optional - N/A)

Central control color screen	-	-	-	-	-
Central control screen size	-	-	-	-	-
Bluetooth/car phone	●	-	-	-	-
Mobile phone interconnection/mapping	-	-	-	-	-
Voice recognition control system	-	-	-	-	-

Intelligent configuration (● Standard ○ Optional - N/A)

Internet of Vehicles	-	-	-	-	-
OTA upgrade	●	-	-	-	-

Steering wheel/interior rearview mirror (● Standard ○ Optional - N/A)

Steering wheel material	-	-	-	-	-
Steering wheel position adjustment	-	-	-	-	-
Gear shifting	-	● Electronic hand-shift gear	● Electronic hand-shift gear	● Electronic hand-shift gear	● Electronic hand-shift gear
Multi-function steering wheel	-	-	-	-	-
Heated steering wheel	-	-	-	-	-
Steering wheel memory	-	-	-	-	-
Trip computer display screen	●	● color	● color	● color	● color
Full LCD instrument panel	-	●	●	●	●
LCD instrument size	● 8.8 inches	-	-	-	-
Interior rearview mirror function	-	-	-	-	-

In-car charging (● Standard ○ Optional - N/A)

Multimedia/charging port	-	-	-	-	-
Number of USB/Type-C ports	-	-	-	-	-
Mobile phone wireless charging function	-	-	-	-	-

Seat configuration (● Standard ○ Optional - N/A)

Seat material	● fabric	● fabric	● fabric	● fabric	● fabric
Main seat adjustment method	-	● Front and rear adjustment ● Backrest adjustment	● Front and rear adjustment ● Backrest adjustment	● Front and rear adjustment ● Backrest adjustment	● Front and rear adjustment ● Backrest adjustment

Passenger seat adjustment method	-	● Backrest adjustment	● Backrest adjustment	● Backrest adjustment	● Backrest adjustment
Electric adjustment of driver's seat and passenger seat	-	-	-	-	-
Front seat functions	-	-	-	-	-
Electric seat memory function	-	-	-	-	-
Second row seat adjustment	-	-	-	-	-
Rear seat folding	-	-	-	-	-
Front/rear center armrest	-	-	-	-	-
Rear cup holder	-	-	-	-	-

Audio/Interior Lighting (● Standard ○ Optional - N/A)

Speaker brand name	-	-	-	-	-
Number of speakers	● 1 speaker	-	-	-	-
Interior ambient lighting	-	-	-	-	-

Air conditioning/refrigerator (● Standard ○ Optional - N/A)

Air conditioning temperature control method	-	-	-	-	-
Rear independent air conditioning	-	-	-	-	-
Rear seat air vents	-	-	-	-	-
Temperature zone control	-	-	-	-	-
Car air purifier	-	-	-	-	-
In-car PM2.5 filter	-	-	-	-	-