HILUCK Your Trusted Chinese EV	ID.6 CROZZ 2024 PURE	ID.6 CROZZ 2024 facelift PURE+	ID.6 CROZZ 2024 PRO	ID.6 CROZZ 2024 PRIME
Partner	-	-	-	-

Basic parameters (• Standard ○ Optional - N/A)

Manufacturer	FAW-Volkswagen	FAW-Volkswagen	FAW-Volkswagen	FAW-Volkswagen
wanutacturer	ravv-voikswageri	ravv-voikswageri	ravv-voikswageri	rAvv-voikswageii
level	mid-to-large SUVs	mid-to-large SUVs	mid-to-large SUVs	mid-to-large SUVs
Energy type	Pure electric	Pure electric	Pure electric	Pure electric
Time to market	2023.09	2024.04	2024.04	2024.04
CLTC pure electric range (km)	480	601	601	560
Battery fast charging time (hours)	0.67	0.67	0.67	0.67
Battery slow charging time (hours)	9.5	12.5	12.5	12.5
Battery fast charge capacity range (%)	80	80	80	80
Maximum power (kW)	132	150	150	230
Maximum torque (N·m)	310	310	310	472
Body structure	5-door, 7-seater SUV	5-door, 7-seater SUV	5-door, 7-seater SUV	5-door, 6-seater SUV
Motor (Ps)	180	204	204	313
Length*Width*Height(mm)	4891*1848*1679	4891*1848*1679	4891*1848*1679	4891*1848*1679
Official 0-100km/h acceleration (s)	-	-	-	-
Official 0-50km/h acceleration (s)	3.4	3.5	3.5	2.6
Maximum speed (km/h)	160	160	160	160
Curb mass (kg)	2161	2290	2290	2383
Maximum full load mass (kg)	2730	2880	2880	2900

body (• Standard ○ Optional - N/A)

Length (mm)	4891	4891	4891	4891
Width (mm)	1848	1848	1848	1848
Height (mm)	1679	1679	1679	1679
Wheelbase (mm)	2965	2965	2965	2965
Front wheelbase (mm)	1587	1587	1587	1587
Rear track (mm)	1563	1563	1563	1563
Approach angle (°)	15	15	15	15
Departure angle (°)	18	18	18	18
Body structure	SUV	SUV	SUV	SUV
Door opening method	swing door	swing door	swing door	swing door

Number of doors	• 5	• 5	• 5	• 5
Number of seats	• 7	• 7	• 7	• 6
Trunk volume (L)	271-651	271-651	271-651	271-651
Drag coefficient (Cd)	-	-	-	-

electric motor (• Standard ○ Optional - N/A)

Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	AC/asynchronous at the front and permanent magnet/synchronous at the back
Total motor power (kW)	132	150	150	230
Total motor horsepower (Ps)	180	204	204	313
Total torque of the motor (N·m)	310	310	310	472
Maximum power of front motor (kW)	-	-	-	80
Maximum torque of front motor (N·m)	-	-	-	162
Maximum power of rear motor (kW)	132	150	150	150
Maximum torque of rear motor (N·m)	310	310	310	310
Number of drive motors	Single motor	Single motor	Single motor	Dual motors
Motor layout	Post	Post	Post	Front + rear

Battery/Charging (• Standard ○ Optional - N/A)

Battery Type	• Ternary lithium battery			
Battery cell brand	• CATL	• CATL	• CATL	• CATL
Battery cooling method	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling
Battery swapping	Not supported	Not supported	Not supported	Not supported
CLTC pure electric range (km)	480	601	601	560
Battery energy (kWh)	62.6	80.4	80.4	80.4
Battery energy density (Wh/kg)	170	-	-	-
Fast charging function	support	support	support	support
Battery fast charging time (hours)	0.67	0.67	0.67	0.67
Battery slow charging time (hours)	9.5	12.5	12.5	12.5
Battery fast charge capacity range (%)	80	80	80	80

Abbreviation	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission		
Number of gears	1	1	1	1		
Transmission type	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox		
Chassis steering (● Standard ○ Optional - N/A)						
Drive mode	Rear-engine, rear-wheel drive	Rear-engine, rear-wheel drive	Rear-engine, rear-wheel drive	Dual-motor four-wheel drive		
Four-wheel drive	-	-	-	Electric four-wheel drive		
Front suspension type	 McPherson independent suspension 	 McPherson independent suspension 	McPherson independent suspension	 McPherson independent suspension 		
Rear suspension type	Five-link independent suspension	 Five-link independent suspension 	Five-link independent suspension	 Five-link independent suspension 		
Power type	Electric power steering	Electric power steering	Electric power steering	Electric power steering		
Body structure	load-bearing	load-bearing	load-bearing	load-bearing		
wheel brakes (• Standard ○ Op	otional - N/A)					
Front brake type	Ventilated disc	Ventilated disc	 Ventilated disc 	 Ventilated disc 		
Rear brake type	• Drum	• Drum	• Drum	• Drum		
Parking brake type	Electronic parking brake	 Electronic parking brake 	 Electronic parking brake 	Electronic parking brake		
Front tire specifications	• 235/50 R20	• 235/50 R20	• 235/50 R20	• 235/45 R21		
Rear tire specifications	• 265/45 R20	• 265/45 R20	• 265/45 R20	• 265/40 R21		
Spare tire specifications	• none	• none	• none	• none		
Passive safety (• Standard ○ ○	Optional - N/A)					
Driver/passenger seat airbags	host∙ / Vice∙	host∙ / Vice∙	host∙ / Vice∙	host∙ / Vice∙		
Front/rear side airbags						
	forward• / back-	forward• / back-	forward∙ / back-	forward● / back-		
Front/rear head airbags (air curtain)	forward• / back- forward• / back•	forward• / back-	forward• / back•	forward• / back•		
curtain)	forward• / back•	forward• / back•	forward∙ / back•	forward• / back•		
curtain) Run-flat tires	forward• / back•	forward• / back•	forward∙ / back•	forward• / back•		
curtain) Run-flat tires Active safety (• Standard O Op	forward• / back•	forward• / back•	forward∙ / back•	forward• / back•		
curtain) Run-flat tires Active safety (• Standard • Op ABS anti-lock braking system Braking force distribution	forward• / back•	forward• / back•	forward∙ / back•	forward• / back•		
Active safety (• Standard O Open ABS anti-lock braking system Braking force distribution (EBD/CBC, etc.)	forward• / back•	forward• / back• •	forward∙ / back•	forward• / back•		

Tire pressure monitoring function	• Tire pressure alarm	Tire pressure alarm	• Tire pressure alarm	• Tire pressure alarm
Seat belt unfastened reminder	• front row	• front row	• whole vehicle	• whole vehicle
ISOFIX child seat interface	•	•	•	•
Lane Departure Warning System	•	•	•	•
Active braking/active safety systems	•	•	•	•
Fatigue driving tips	•	•	•	•
DOW door opening warning	-	-	•	•
Low speed warning	•	•	•	•
Roadside assistance call	•	•	•	•

Driving control (• Standard ○ Optional - N/A)

Driving mode switch	sportseconomyStandard/Comfort	sportseconomyStandard/Comfort	sportseconomyStandard/Comfort	sportseconomyStandard/Comfort
Energy recovery system	• Standard/Connort	• Standard/Connort	• Standard/Connort	• Standard/Connort
Automatic parking	•		•	•
Hill-start assist	•	. 60	•	•
Variable suspension function	-		-	Suspension hardness adjustment

Driving hardware (• Standard O Optional - N/A)

Front/rear parking radar	forward∙ / back•	forward• / back•	forward• / back•	forward• / back•
Driving assistance images	Reversing image	 Reversing image 	• 360-degree panoramic images	• 360-degree panoramic images
Forward perception camera	 Monocular 	Monocular	Monocular	 Monocular
Number of cameras	• 2	• 2	• 5	• 5
Number of ultrasonic radars	• 8	• 8	• 12	• 12
Number of millimeter-wave radars	• 1	• 1	• 3	• 3

Driving functions (• Standard ○ Optional - N/A)

Cruise control system	 Full-speed adaptive cruise control 	• Full-speed adaptive cruise control	 Full-speed adaptive cruise control 	• Full-speed adaptive cruise control
Assisted driving system	• IQ. Drive	• IQ. Drive	• IQ. Drive	• IQ. Drive
Driving assistance level	• L2	• L2	• L2	• L2
Reversing side warning system	-	-	•	•
Satellite navigation system	•	•	•	•

Navigation traffic information display	•	•	•	•
Lane change assistance	-	-	•	•
Lane Keeping Assist System	•	•	•	•
Lane centering	•	•	•	•
Road traffic sign recognition	•	•	•	•
Assisted parking	-	-	•	•

Appearance/anti-theft (• Standard ○ Optional - N/A)

Rim material	aluminum alloy	aluminum alloy	• aluminum alloy	• aluminum alloy
Electric trunk	0	•	•	•
Sensor trunk	0	•	•	•
Electric trunk position memory	0	•	•	•
Roof rack	•	•	•	•
Central locking system in the car	•	•	•	•
Key type	• remote control key	• remote control key	• remote control key	• remote control key
Keyless start system	•	•	•	•
Keyless entry function	whole vehicle	whole vehicle	• whole vehicle	whole vehicle
Active closed grille	•		•	•
Remote start function	•		•	•
Battery preheating	•	•	•	•

Exterior lights (• Standard O Optional - N/A)

Low beam light source	• led	• led	• led	• led
High beam light source	• led	• led	• led	• led
Lighting features	Matrix	Matrix	Matrix	Matrix
LED daytime running lights	•	•	•	•
Adaptive high and low beam	•	•	•	•
Automatic headlights	•	•	•	•
Turn headlights	•	•	•	•
Front fog lights	-	-	-	-
Headlight rain and fog mode	•	•	•	•
Headlight height adjustable	•	•	•	•
Headlights delayed off	•	•	•	•

Skylight Type	 The panoramic sunroof cannot be opened 	 The panoramic sunroof cannot be opened 	 Openable panoramic sunroof (1000 yuan) The panoramic sunroof cannot be opened 	 Openable panoramic sunroof (1000 yuan) The panoramic sunroof cannot be opened
Front/rear electric windows	forward• / back•	forward● / back●	forward● / back●	forward• / back•
One-touch window lift function	• whole vehicle	• whole vehicle	• whole vehicle	• whole vehicle
Window anti-pinch function	•	•	•	•
Rear side privacy glass	•	•	•	•
Car makeup mirror	Main driving light + lightingCo-pilot + lighting	Main driving light + lightingCo-pilot + lighting	Main driving light + lightingCo-pilot + lighting	Main driving light + lightingCo-pilot + lighting
rear wiper	•	•	•	•
Rain sensor wiper function	• Rain sensor	• Rain sensor	• Rain sensor	• Rain sensor
Heated water nozzle	-	0	0	•

exterior mirrors (• Standard O Optional - N/A)

Exterior rearview mirror function	Electric adjustmentHeated rearview mirrors	Electric adjustmentHeated rearview mirrors	 Electric adjustment Electric folding Rearview mirror memory Heated rearview mirrors Automatically tilt down when reversing Automatic folding when the car is locked 	 Electric adjustment Electric folding Rearview mirror memory Heated rearview mirrors Automatically tilt down when reversing Automatic folding when the car is locked Automatic anti-glare
-----------------------------------	---	---	--	--

Screen/System (• Standard ○ Optional - N/A)

Central control color screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen
Central control screen size	• 12 inches	• 12 inches	• 12 inches	• 12 inches
Central control screen type	• LCD	• LCD	• LCD	• LCD
Central control screen resolution	• 1920x860	• 1920x860	• 1920x860	• 1920x860
Bluetooth/car phone	•	•	•	•
Mobile phone interconnection/mapping	CarPlay supportSupport CarLife	CarPlay supportSupport CarLife	CarPlay supportSupport CarLife	CarPlay supportSupport CarLife
Voice recognition control system	Multimedia systemnavigationTelephoneair conditioner	Multimedia systemnavigationTelephoneair conditioner	 Multimedia system navigation Telephone air conditioner 	Multimedia systemnavigationTelephoneair conditioner
Voice assistant wake-up word	 Hello, Volkswagen 	 Hello, Volkswagen 	 Hello, Volkswagen 	 Hello, Volkswagen
Voice wake-up word-free	•	•	•	•
Voice wake-up recognition by region	• Dual Region	Dual Region	• Dual Region	• Dual Region
Continuous Speech Recognition	•	•	•	•
In-vehicle intelligent system	MOS Smart Car Connectivity	MOS Smart Car Connectivity	MOS Smart Car Connectivity	MOS Smart Car Connectivity

Intelligent configuration (• Standard O Optional - N/A)

Internet of Vehicles	•	•	•	•
4G/5G network	• 4G	• 4G	• 4G	• 4G
OTA upgrade	•	•	•	•
Mobile APP remote function	Air conditioning controlVehicle condition inquiry/diagnosis			

Steering wheel/interior rearview mirror (• Standard O Optional - N/A)

Steering wheel material	• cortex	• cortex	• cortex	• cortex
Steering wheel position adjustment	 Manual up and down + front and back adjustment 	 Manual up and down + front and back adjustment 	 Manual up and down + front and back adjustment 	 Manual up and down + front and back adjustment
Gear shifting	 Instrument panel integrated gear shift 			
Multi-function steering wheel	•	•	•	•
Heated steering wheel	•	•	•	•
Steering wheel memory	-	-	-	-
Trip computer display screen	• color	• color	• color	• color
Full LCD instrument panel	•	•	•	•
LCD instrument size	• 5.3 inches	• 5.3 inches	• 5.3 inches	• 5.3 inches
Instrument panel screen material	• LCD	• LCD	• LCD	• LCD
Dashboard screen resolution (px)	• 860x480	• 860x480	• 860x480	• 860x480
AR-HUD Augmented Reality Head-Up Display	-	-	•	•
Interior rearview mirror function	Automatic anti-glare	Automatic anti-glare	 Automatic anti-glare 	 Automatic anti-glare

In-car charging (• Standard ○ Optional - N/A)

Multimedia/charging port	• Type-C	• Type-C	• Type-C	• Type-C
Number of USB/Type-C ports	• 2 front seats/2 back seats			
Mobile phone wireless charging function	• front row	• front row	• front row	• front row
Luggage compartment 12V power socket	•	•	•	•

Seat configuration (• Standard ○ Optional - N/A)

Seat material • imitation leather	• imitation leather	Genuine Leather	• Leather/suede material mix
-----------------------------------	---------------------	-----------------	------------------------------

Main seat adjustment method	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Lumbar support (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Lumbar support (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Lumbar support (4-way)
Passenger seat adjustment method	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Lumbar support (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Lumbar support (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Lumbar support (4-way)
Electric adjustment of driver's seat and passenger seat	host∙ / Vice∙	host∙ / Vice∙	host∙ / Vice∙	host• / Vice•
Front seat functions	-	heating	heatingmassage	heatingmassage
Electric seat memory function	-	-	Driver's seatco-pilot seat	Driver's seatco-pilot seat
Co-pilot rear seat adjustable buttons	-	-	-	-
Second row seat adjustment	Front and rear adjustmentBackrest adjustment			
Second row seat functions	-	-	heating	heating
Second row independent seats	-	-	0	•
Seat layout	• 2-3-2	• 2-3-2	• 2-3-2 ○ 2-2-2	• 2-2-2
Rear seat folding	 Proportional down 			
Front/rear center armrest	forward● / back●	forward• / back•	forward● / back●	forward● / back●
Rear cup holder	•	•	•	•

Audio/Interior Lighting (• Standard ○ Optional - N/A)

Speaker brand name	-	-	○ Harman/Kardon (4000 yuan)	○ Harman/Kardon (4000 yuan)
Number of speakers	• 9 speakers	• 9 speakers	9 speakers12 speakers	9 speakers12 speakers
Touch-sensitive reading light	•	•	•	•
Interior ambient lighting	-	-	• 30 colors	• 30 colors
Active ambient lighting	•	•	•	•

Air conditioning/refrigerator (• Standard O Optional - N/A)

Air conditioning temperature control method	Automatic air conditioning	Automatic air conditioning	Automatic air conditioning	Automatic air conditioning
heat pump air conditioner	-	0	0	•
Rear independent air conditioning	-	-	•	•
Rear seat air vents	•	•	•	•

Temperature zone control	•	•	•	•
Car air purifier	•	•	•	•
In-car PM2.5 filter	•	•	•	•
Negative ion generator	-	-	•	•
color (• Standard ○ Optional - N/A)				
Appearance color	Pearlescent White ¥ 2000 Star Blue Gaia Orange Dusk Gold	Pearlescent White ¥ 2000 Star Blue Gaia Orange Dusk Gold	Pearlescent White ¥ 2000 Star Blue Gaia Orange Dusk Gold	Pearlescent White ¥ 2000 Star Blue Gaia Orange Dusk Gold
Interior color	Urban Energy Black/Gray	Urban Energy Black/Gray	Trendy and strong style black/gray Urban Energy Black/Gray Elegant beige/black	Trendy and strong style black/gray
Optional Package (• Standard O Optional - N/A)				
Comfort tailgate bag	Includes: electric tailgate, Easy open trunk foot sensor opening, Easy close trunk foot	_	-	_

sensor closing

Optional (3000 yuan)