HILUCK Your Trusted Chinese EV Partner	Zeekr X 2025 five-seat rear- wheel drive version	Zeekr X 2025 five-seat long- range version	Zeekr X 2025 five-seat four- wheel drive sports version	Zeekr X 2025 four-seat rear- wheel drive Cube version	Zeekr X 2025 four-seat four-wheel drive Rubik's Cube Edition
raithei	-	-	-	-	-
Basic parameters (• Standard	○ Optional - N/A)				
Manufacturer	Zeekr	Zeekr	Zeekr	Zeekr	Zeekr
evel	compact SUV	compact SUV	compact SUV	compact SUV	compact SUV
Energy type	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric
Fime to market	2024.11	2024.11	2024.07	2024.07	2024.07
CLTC pure electric range (km)	420	560	512	560	500
Battery fast charging time	0.5	0.5	0.5	0.5	0.5
Battery slow charging time	7	9.5	9.5	9.5	9.5
Battery fast charge capacity ange (%)	10-80	10-80	10-80	10-80	10-80
Maximum power (kW)	200	200	315	200	315
∕laximum torque (N·m)	343	343	543	343	543
ody structure	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 4-seater SUV	5-door, 4-seater SUV
Motor (Ps)	272	272	428	272	428
ength*Width*Height(mm)	4450*1836*1572	4450*1836*1572	4450*1836*1572	4450*1836*1572	4450*1836*1572
fficial 0-100km/h acceleration	5.8	5.8	3.7	5.8	3.8
laximum speed (km/h)	185	185	190	185	190
lectric energy equivalent fuel onsumption (L/100km)	1.56	1.52	1.63	1.63	1.63
urb mass (kg)	1860	1850	1945	1885	1990
laximum full load mass (kg)	2280	2240	2340	2210	2320
ody (• Standard ○ Optional - N//	A)				
ength (mm)	4450	4450	4450	4450	4450
Vidth (mm)	1836	1836	1836	1836	1836
eight (mm)	1572	1572	1572	1572	1572
Vheelbase (mm)	2750	2750	2750	2750	2750
ront wheelbase (mm)	1588	1588	1588	1588	1588
lear track (mm)	1593	1593	1593	1593	1593
linimum ground clearance hen fully loaded (mm)	170	170	170	170	170
linimum ground clearance hen unloaded (mm)	191	191	191	191	191
Approach angle (°)	19	19	19	19	19
Peparture angle (°)	twenty four	twenty four	twenty four	twenty four	twenty four
ody structure	SUV	SUV	SUV	SUV	SUV
Ooor opening method	swing door	swing door	swing door	swing door	swing door
lumber of doors	• 5	• 5	• 5	• 5	• 5
Number of seats	• 5	• 5	• 5	• 4	• 4
runk volume (L)	-	-	-	-	-
rag coefficient (Cd)	_		_	_	

electric motor (• Standard ○ Optional - N/A)

former motor brand	-	-	Weirui Electric	-	Weirui Electric
Rear motor brand	Weirui Electric				
Front motor model	-	-	TZ180XSB01	-	TZ180XSB01
Rear motor model	TZ220XSA02	TZ220XSA02	TZ220XSA02	TZ220XSA02	TZ220XSA02
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	200	200	315	200	315
Total motor horsepower (Ps)	272	272	428	272	428
Total torque of the motor (N·m)	343	343	543	343	543
Maximum power of front motor (kW)	-	-	115	-	115
Maximum torque of front motor (N·m)	-	-	200	-	200
Maximum power of rear motor (kW)	200	200	200	200	200
Maximum torque of rear motor (N·m)	343	343	343	343	343
Number of drive motors	Single motor	Single motor	Dual motors	Single motor	Dual motors
Motor layout	Post	Post	Front + rear	Post	Front + rear

Battery/Charging (• Standard ○ Optional - N/A)

Battery Type	lithium iron phosphate battery	• Ternary lithium battery	• Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery cell brand	• Ruipu Lanjun	• Times Geely	• Times Geely	• Times Geely	• Times Geely
Battery cooling method	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling
CLTC pure electric range (km)	420	560	512	560	500
Battery energy (kWh)	49	66	66	66	66
Power consumption per 100 kilometers (kWh/100km)	13.4	13.1	14.4	13.1	14.4
Fast charging function	support	support	support	support	support
Fast charging power (kW)	130	150	150	150	150
Battery fast charging time (hours)	0.5	0.5	0.5	0.5	0.5
Battery slow charging time (hours)	7	9.5	9.5	9.5	9.5
Battery fast charge capacity range (%)	10-80	10-80	10-80	10-80	10-80
Slow charging port location	Left rear side of the car	Left rear side of the car	Left rear side of the car	Left rear side of the car	Left rear side of the car
Fast charging port location	Left rear side of the car	Left rear side of the car	Left rear side of the car	Left rear side of the car	Left rear side of the car
External AC discharge power (kW)	3.3	3.3	3.3	3.3	3.3

gearbox (• Standard ○ Optional - N/A)

Abbreviation	Electric vehicle single-speed transmission				
Number of gears	1	1	1	1	1
Transmission type	Fixed gear ratio gearbox				

Chassis steering (• Standard ○ Optional - N/A)

Drive mode	Rear-engine, rear-wheel drive	• Rear-engine, rear-wheel drive	 Dual-motor four-wheel drive 	 Rear-engine, rear-wheel drive 	 Dual-motor four-wheel drive
------------	-------------------------------	---------------------------------	---	---	---

Four-wheel drive	-	-	Electric four-wheel drive	-	Electric four-wheel drive				
Front suspension type	 McPherson independent suspension 	 McPherson independent suspension 	 McPherson independent suspension 	 McPherson independent suspension 	 McPherson independent suspension 				
Rear suspension type	Multi-link independent suspension	Multi-link independent suspension	 Multi-link independent suspension 	Multi-link independent suspension	 Multi-link independent suspension 				
Power type	Electric power steering	Electric power steering	Electric power steering	Electric power steering	Electric power steering				
Body structure	load-bearing	load-bearing	load-bearing	load-bearing	load-bearing				
wheel brakes (• Standard O Optional - N/A)									
Front brake type	 Ventilated disc type 	 Ventilated disc type 	 Ventilated disc type 	 Ventilated disc type 	Ventilated disc type				
Rear brake type	 Ventilated disc type 	 Ventilated disc type 	 Ventilated disc type 	 Ventilated disc type 	Ventilated disc type				
Parking brake type	• Electronic parking brake	Electronic parking brake	• Electronic parking brake	• Electronic parking brake	Electronic parking brake				
Front tire specifications	• 235/55 R18 ○ 235/50 R19 (8000 yuan) ○ 245/45 R20 (16,000 yuan)	• 235/55 R18 ○ 235/50 R19 (8000 yuan) ○ 245/45 R20 (16,000 yuan)	• 235/50 R19 ○ 245/45 R20 (16,000 yuan)	• 235/50 R19 ○ 245/45 R20 (16,000 yuan)	• 235/50 R19 ○ 245/45 R20 (16,000 yuan)				
Rear tire specifications	235/55 R18235/50 R19245/45 R20	235/55 R18235/50 R19245/45 R20	● 235/50 R19 ○ 245/45 R20	• 235/50 R19 ○ 245/45 R20	• 235/50 R19 ○ 245/45 R20				
Spare tire specifications	• none	• none	• none	• none	• none				
Passive safety (• Standard ○ ○	otional - N/A)								
Driver/passenger seat airbags	host₀ / Vice₀	host₀ / Vice₀	host● / Vice●	host _• / Vice _•	host₀ / Vice₀				
Front/rear side airbags	forward• / back-	forward∙ / back-	forward• / back-	forward• / back-	forward∙ / back-				
Front/rear head airbags (curtain airbags)	forward● / back●	forward● / back●	forward• / back•	forward● / back●	forward● / back●				
Run-flat tires	0	0	0	0	0				
Active safety (• Standard ○ Op	tional N/A)								
ABS anti-lock braking system	•								
Braking force distribution	•		•	•	•				
(EBD/CBC, etc.)	•	•	•	•	•				
Brake assist (EBA/BAS/BA, etc.)	•	•	•	•	•				
Traction control (ASR/TCS/TRC, etc.)	•	•	•	•	•				
Vehicle stability control (ESC/ESP/DSC, etc.)	•	•	•	•	•				
Tire pressure monitoring function	• Tire pressure display	• Tire pressure display	• Tire pressure display	• Tire pressure display	• Tire pressure display				
Seat belt unfastened reminder	• whole vehicle	• whole vehicle	• whole vehicle	• whole vehicle	whole vehicle				
ISOFIX child seat interface	•	•	•	•	•				
Lane Departure Warning System	•	•	•	•	•				
Active braking/active safety			•	_					
systems	•	•	,	•	•				
systems Fatigue driving tips	•	•	•	•	•				
•	•	•	•	•	•				
Fatigue driving tips			-	•	•				
Fatigue driving tips DOW door opening warning	•	•	-	•	•				
Fatigue driving tips DOW door opening warning Forward Collision Warning	•	•	-	•	•				
Fatigue driving tips DOW door opening warning Forward Collision Warning Rear Collision Warning	•	•	-	• • • • • • •	•				
Fatigue driving tips DOW door opening warning Forward Collision Warning Rear Collision Warning Sentry Mode/Clairvoyance	•	•	-	•	•				

Anti-rollover system	•	•	•	•	•
Driving control (• Standard ○	Optional - N/A)				
Driving mode switch	sportseconomyStandard/ComfortCustomization/Personalization	 sports economy Standard/Comfort Customization/Personalization 	 sports economy Standard/Comfort Off-road Customization/Personalization 	sportseconomyStandard/ComfortCustomization/Personalization	 sports economy Standard/Comfort Off-road Customization/Personalizat
Single pedal mode	•	•	•	•	•
Energy recovery system	•	•	•	•	•
Automatic parking	•	•	•	•	•
Hill-start assist	•	•	•	•	•
Steep slope descent	•	•	•	•	•
Driving hardware (• Standard	○ Optional - N/A)				
Front/rear parking radar	forward• / back•	forward• / back•	forward• / back•	forward• / back•	forward• / back•
Driving assistance images	• 360-degree panoramic images	• 360-degree panoramic images	• 360-degree panoramic images	• 360-degree panoramic images	• 360-degree panoramic images
Assisted driving chip	Mobileye EyeQ4	Mobileye EyeQ4	Mobileye EyeQ4	Mobileye EyeQ4	Mobileye EyeQ4
Total chip computing power	• 2.5 TOPS	• 2.5 TOPS	• 2.5 TOPS	• 2.5 TOPS	• 2.5 TOPS
Forward perception camera	Monocular	Monocular	Monocular	Monocular	Monocular
Number of cameras	• 5	• 5	• 5	• 5	• 5
Number of cameras in the car	• 1 • 2	• 1 ○ 2	• 1 • 2	• 1 • 2	• 1 • 2
Number of ultrasonic radars	• 12	• 12	• 12	• 12	• 12
Number of millimeter-wave radars	• 5	• 5	• 5	• 5	• 5
Driving functions (• Standard	O Optional - N/A)				
Cruise control system	 Full-speed adaptive cruise control 	 Full-speed adaptive cruise control 	 Full-speed adaptive cruise control 	 Full-speed adaptive cruise control 	 Full-speed adaptive cruise control
Assisted driving system	• ZEEKR AD	• ZEEKR AD	• ZEEKR AD	• ZEEKR AD	• ZEEKR AD
Driving assistance level	• L2	• L2	• L2	• L2	• L2
Reversing side warning system	•	•	•	•	•
Satellite navigation system	•	•	•	•	•
Navigation traffic information display	•	•	•	•	•
Map Brand	• Gaode	• Gaode	• Gaode	• Gaode	Gaode
Lane change assistance	•	•	•	•	•
Lane Keeping Assist System	•	•	•	•	•
Lane centering	•	•	•	•	•
Road traffic sign recognition	•	•	•	•	•
Assisted parking	•	•	•	•	•
Remote control parking	•	•	•	•	•
Assisted lane change	•	•	•	•	•
Appearance/anti-theft (• S	tandard O Optional - N/A)				
Rim material	aluminum alloy	• aluminum alloy	• aluminum alloy	aluminum alloy	aluminum alloy

Automatic door opening and closing	0	0	0	0	0
Frameless design doors	•	•	•	•	•
Electric trunk	•	•	•	•	•
Electric trunk position memory	•	•	•	•	•
Central locking system in the car	•	•	•	•	•
Key type	remote control keyBluetooth keyUWB digital key				
Keyless start system	•	•	•	•	•
Keyless entry function	whole vehicle	• whole vehicle	• whole vehicle	• whole vehicle	• whole vehicle
Hidden electric door handles	•	•	•	•	•
Push-button door opening	0	0	0	0	0
Active closed grille	•	•	•	•	•
Remote start function	•	•	•	•	•
Battery preheating	•	•	•	•	•
Discharge to the outside	•	•	•	•	•
Exterior lights (• Standard O O	ptional - N/A)				
Low beam light source	• led				
High beam light source	• led				
LED daytime running lights	•	•		•	•
Adaptive high and low beam	•	•	. 0	•	•
Automatic headlights	•			•	•
Front fog lights	-	-	-	-	-
Headlight height adjustable	•		•	•	•
Headlights delayed off	•		•	•	•
Skylight/Glass (• Standard ○ C	Optional - N/A)				
Skylight Type	 The panoramic sunroof cannot be opened 				
Front/rear electric windows	forward• / back•	forward∙ / back•	forward• / back•	forward● / back●	forward• / back•
One-touch window lift function	• whole vehicle	• whole vehicle	• whole vehicle	whole vehicle	• whole vehicle
Window anti-pinch function	•	•	•	•	•
Rear side privacy glass	•	•	•	•	•
Car makeup mirror	Main driving light + lightingCo-pilot + lighting				
rear wiper	•	•	•	•	•
Rain sensor wiper function	• Rain sensor				
exterior rearview mirror (•	Standard ○ Optional - N/A)				
Exterior rearview mirror function	 Electric adjustment Electric folding Rearview mirror memory Heated rearview mirrors Automatically tilt down when reversing Automatic folding when locking the car 	 Electric adjustment Electric folding Rearview mirror memory Heated rearview mirrors Automatically tilt down when reversing Automatic folding when locking the car 	 Electric adjustment Electric folding Rearview mirror memory Heated rearview mirrors Automatically tilt down when reversing Automatic folding when locking the car 	 Electric adjustment Electric folding Rearview mirror memory Heated rearview mirrors Automatically tilt down when reversing Automatic folding when locking the car 	 Electric adjustment Electric folding Rearview mirror memory Heated rearview mirrors Automatically tilt down when reversing Automatic folding when locking the car

Central control color screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen
Central control screen size	• 14.6 inches				
Bluetooth/car phone	•	•	•	•	•
Mobile phone interconnection/mapping	Original factory interconnection/mapping	 Original factory interconnection/mapping 	 Original factory interconnection/mapping 	 Original factory interconnection/mapping 	Original factory interconnection/mapping
Voice recognition control system	Multimedia systemnavigationTelephoneair conditioner	Multimedia systemnavigationTelephoneair conditioner	Multimedia systemnavigationTelephoneair conditioner	 Multimedia system navigation Telephone air conditioner 	 Multimedia system navigation Telephone air conditioner
Voice assistant wake-up word	• Hi, EVA				
Voice wake-up word-free	•	•	•	•	•
Voice wake-up recognition by region	• Dual Region	• Dual Region	• Dual Region	• Dual Region	• Dual Region
Continuous Speech Recognition	•	•	•	•	•
Seeing is telling	•	•	•	•	•
Gesture control	•	•	•	•	•
Facial Recognition	•	•	•	•	•
DeepSeek Application	 Coming soon 	Coming soon	Coming soon	Coming soon	Coming soon
App Store	•	•	•	•	•
In-vehicle intelligent system	• ZEEKR OS				
Car computer smart chip	Qualcomm Snapdragon 8155				
Intelligent configuration (• Standard 〇 Optional - N/A)				
Internet of Vehicles	•	•	.00.	•	•
4G/5G network	• 5G				
OTA upgrade	•		•	•	•
Wi-Fi hotspots	•		•	•	•
In-vehicle biological monitoring system	0	0	0	0	0
Mobile APP remote function	 Door control Vehicle start Charging Management Air conditioning control Vehicle condition inquiry/diagnosis Vehicle positioning/search Car owner services (find 	 Door control Vehicle start Charging Management Air conditioning control Vehicle condition inquiry/diagnosis Vehicle positioning/search Car owner services (find 	 Door control Vehicle start Charging Management Air conditioning control Vehicle condition inquiry/diagnosis Vehicle positioning/search Car owner services (find 	 Door control Vehicle start Charging Management Air conditioning control Vehicle condition inquiry/diagnosis Vehicle positioning/search Car owner services (find 	 Door control Vehicle start Charging Management Air conditioning control Vehicle condition inquiry/diagnosis Vehicle positioning/search Car owner services (find

Steering wheel/interior rearview mirror (• Standard O Optional - N/A)

Car KTV

charging stations, gas stations,

parking lots, etc.)

• Schedule maintenance/repair

Steering wheel material	• cortex				
Steering wheel position adjustment	Manual up and down + front and back adjustment	Manual up and down + front and back adjustment	Manual up and down + front and back adjustment	Manual up and down + front and back adjustment	Manual up and down + front and back adjustment
Gear shifting	Electronic hand-shift gear	• Electronic hand-shift gear	• Electronic hand-shift gear	• Electronic hand-shift gear	• Electronic hand-shift gear
Multi-function steering wheel	•	•	•	•	•
Heated steering wheel	•	•	•	•	•
Steering wheel memory	-	-	-	-	-
Trip computer display screen	• color				
Full LCD instrument panel	•	•	•	•	•

charging stations, gas stations,

parking lots, etc.)

• Schedule maintenance/repair

charging stations, gas stations,

parking lots, etc.)

• Schedule maintenance/repair

charging stations, gas stations,

parking lots, etc.)

• Schedule maintenance/repair

charging stations, gas stations,

parking lots, etc.)

• Schedule maintenance/repair

LCD instrument size	• 8.8 inches	• 8.8 inches	• 8.8 inches	• 8.8 inches	• 8.8 inches				
HUD Head-up digital display	•	•	•	•	•				
AR-HUD Augmented Reality Head-Up Display	•	•	•	•	•				
HUD head-up size	• 24.3 inches	• 24.3 inches	• 24.3 inches	• 24.3 inches	• 24.3 inches				
Interior rearview mirror function	Automatic anti-glare	 Automatic anti-glare 	Automatic anti-glare	Automatic anti-glare	Automatic anti-glare				
In-car charging (• Standard O Optional - N/A)									
Multimedia/charging port	• USB • Type-C	USBType-C	USBType-C	USBType-C	• USB • Type-C				
Number of USB/Type-C ports	• 2 front seats/2 back seats	• 2 front seats/2 back seats							
USB/Type-C maximum charging power	• 60W	• 60W	• 60W	• 60W	• 60W				
Mobile phone wireless charging function	• front row	• front row	• front row	• front row	• front row				
Mobile phone wireless charging power	• 50W	• 50W	• 50W	• 50W	• 50W				
Seat configuration (• Standa	rd O Optional - N/A)								
Seat material	• imitation leather	• imitation leather	• imitation leather	• imitation leather	• imitation leather				
Main seat adjustment method	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) Lumbar support (4-way) 				
Passenger seat adjustment method	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Shoulder adjustment Leg rest adjustment Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Shoulder adjustment Leg rest adjustment Lumbar support (4-way) 				
Driver/passenger seat electric adjustment	host∙ / Vice∙	host∙ / Vice∙	host● / Vice●	host● / Vice●	host∙ / Vice∙				
Front seat functions	heatingventilationMassage (driver's seat only)	heatingventilationMassage (driver's seat only)	heatingventilationMassage (driver's seat only)	heatingventilationmassage	heatingventilationmassage				
Electric seat memory function	• Driver's seat	• Driver's seat	Driver's seat	Driver's seat	• Driver's seat				
Co-pilot rear seat adjustable buttons	-	-	-	-	-				
Second row seat adjustment	-	-	-	-	-				
Zero Gravity Chair		-	-	• co-pilot	• co-pilot				
Rear seat folding	Proportional down	Proportional down	Proportional down	Proportional down	Proportional down				
Front/rear center armrest	forward∙ / back•	forward● / back●	forward● / back●	forward● / back●	forward• / back•				
Rear cup holder	•	•	•	•	•				
Audio/Interior Lighting (•	Standard O Optional - N/A)								
Speaker brand name	• YAMAHA	YAMAHA	• YAMAHA	• YAMAHA	YAMAHA				
Number of speakers	• 13 speakers	• 13 speakers	• 13 speakers	• 13 speakers	• 13 speakers				
Touch-sensitive reading light	•	•	•	•	•				
Interior ambient lighting	Multicolor	• Multicolor	Multicolor	Multicolor	• Multicolor				
Active ambient lighting	•	•	•	•	•				

Air conditioning temperature control method	Automatic air conditioning				
heat pump air conditioner	•	•	•	•	•
Rear independent air conditioning	-	-	-	-	-
Rear seat air vents	•	•	•	•	•
Temperature zone control	•	•	•	•	•
Car air purifier	-	-	-	-	-
In-car PM2.5 filter	•	•	•	•	•
Car fragrance device	•	•	•	•	•
Air quality monitoring	•	•	•	•	•
Car refrigerator	○ (1999 yuan)				

Featured Configuration (• Standard ○ Optional - N/A)

Lightning-switch intelligent four-wheel drive system	-	-	•	-	•
Electric folding rear seat cushions	-	-	-	•	•
Smart and dynamic center island	-	-	-	•	•
Electric sliding smart screen	○ (8000.00)	(8000.00)	(8000.00)	•	•
4D cloud-based zero-gravity chair	-	-		•	•
SEA Architecture	•	•	.09	•	•
Magic Island	•	•	ις .	-	-

color (• Standard ○ Optional - N/A)

Appearance color	Hangqinglu¥5000	Hangqinglu ¥ 5000	Hangqinglu ¥ 5000	Hangqinglu¥5000	Hangqinglu ¥ 5000
	California Pink				
	Athens Cloud White				
	Paris Genmi ¥ 5000				
	Berlin Silver Gray				
	Su Mohui¥5000				
	Miami Orange				
Interior color	Blue-Green	Blue-Green	Blue-Green	Blue-Green	Blue-Green
	blue and white				
	Black and gray				
	Purple Rose				

Optional Package (◆ Standard ○ Optional - N/A)

Smart sensor automatic door set	Includes: front-row sensor-type frameless automatic doors, and a car-wide door handle-free design O Optional (8000 yuan)	Includes: front-row sensor-type frameless automatic doors, and a car-wide door handle-free design O Optional (8000 yuan)	Includes: front-row sensor-type frameless automatic doors, and a car-wide door handle-free design O Optional (8000 yuan)	Includes: front-row sensor-type frameless automatic doors, and a car-wide door handle-free design O Optional (8000 yuan)	Includes: front-row sensor-type frameless automatic doors, and a car-wide door handle-free design O Optional (8000 yuan)
Smart Interactive Technology Suite	Includes: intelligent B-pillar interaction system (face recognition, information interaction, etc.), OMS intelligent cockpit perception system Optional (8000 yuan)	Includes: intelligent B-pillar interaction system (face recognition, information interaction, etc.), OMS intelligent cockpit perception system Optional (8000 yuan)	Includes: intelligent B-pillar interaction system (face recognition, information interaction, etc.), OMS intelligent cockpit perception system Optional (8000 yuan)	Includes: intelligent B-pillar interaction system (face recognition, information interaction, etc.), OMS intelligent cockpit perception system Optional (8000 yuan)	Includes: intelligent B-pillar interaction system (face recognition, information interaction, etc.), OMS intelligent cockpit perception system Optional (8000 yuan)