HILUCK Your Trusted Chinese EV Partner	AION RT 2025 520 Smart Edition	AION RT 2025 520 Zhihao Edition	AION RT 2025 520 LiDAR Edition	AION RT 2025 650 Smart Edition	AION RT 2025 650 Zhihao Edition	AION RT 2025 650 LiDAR Edition
Basic parameters (• Standard	○ Optional - N/A)					
Manufacturer	Aion	Aion	Aion	Aion	Aion	Aion
evel	compact car	compact car	compact car	compact car	compact car	compact car
inergy type	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric
ime to market	2024.11	2024.11	2024.11	2025.02	2024.11	2024.11
CLTC pure electric range (km)	520	520	520	650	650	650
Battery fast charging time hours)	0.3	0.3	0.3	0.3	0.3	0.3
Battery fast charge capacity range (%)	30-80	30-80	30-80	30-80	30-80	30-80
Maximum power (kW)	150	150	150	165	165	165
∕laximum torque (N·m)	240	240	240	240	240	240
ody structure	4-door, 5-seater sedan	4-door, 5-seater sedan	4-door, 5-seater sedan	4-door, 5-seater sedan	4-door, 5-seater sedan	4-door, 5-seater sedan
Motor (Ps)	204	204	204	224	224	224
.ength*Width*Height(mm)	4865*1875*1520	4865*1875*1520	4865*1875*1520	4865*1875*1520	4865*1875*1520	4865*1875*1520
Official 0-100km/h acceleration (s)	7.5	7.5	7.5	7.7	7.7	7.7
Maximum speed (km/h)	163	163	163	163	163	163
Electric energy equivalent fuel consumption (L/100km)	1.36	1.36	1.36	1.38	1.38	1.38
Curb mass (kg)	1670	1670	1700	1750	1750	1780
Maximum full load mass (kg)	2120	2120	2120	2220	2220	2220
oody (• Standard ○ Optional - N/A	(A)					
Length (mm)	4865	4865	4865	4865	4865	4865
Vidth (mm)	1875	1875	1875	1875	1875	1875
Height (mm)	1520	1520	1520	1520	1520	1520
Wheelbase (mm)	2775	2775	2775	2775	2775	2775
ront wheelbase (mm)	1602	1602	1602	1602	1602	1602
Rear track (mm)	1606	1606	1606	1606	1606	1606
Approach angle (°)	14	14	14	14	14	14
Departure angle (°)	17	17	17	17	17	17
Body structure	sedan	sedan	sedan	sedan	sedan	sedan
Door opening method	swing door	swing door	swing door	swing door	swing door	swing door
Number of doors	• 4	• 4	• 4	• 4	• 4	• 4
Number of seats	• 5	• 5	• 5	• 5	• 5	• 5
Trunk volume (L)	540	540	540	540	540	540
Orag coefficient (Cd)	-	-	-	-	-	-
electric motor (• Standard O O	ptional - N/A)					
ormer motor brand	Sharp Power	Sharp Power	Sharp Power	Sharp Power	Sharp Power	Sharp Power
ront motor model	TZ180XYXOF51	TZ180XYXOF51	TZ180XYXOF51	TZ180XYXOF51	TZ180XYXOF51	TZ180XYXOF51
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	150	150	150	165	165	165
Total motor horsepower (Ps)	204	204	204	224	224	224
Total torque of the motor (N⋅m)	240	240	240	240	240	240

AION RT 2025 520

AION RT 2025 520

AION RT 2025 520

AION RT 2025 650

AION RT 2025 650

Maximum power of front motor (kW)	150	150	150	165	165	165					
Maximum torque of front motor (N·m)	240	240	240	240	240	240					
Number of drive motors	Single motor	Single motor	Single motor	Single motor	Single motor	Single motor					
Motor layout	Pre	Pre	Pre	Pre	Pre	Pre					
Battery/Charging (• Standard	Battery/Charging (• Standard O Optional - N/A)										
Battery Type	 lithium iron phosphate battery 	 lithium iron phosphate battery 	 lithium iron phosphate battery 	 lithium iron phosphate battery 	 lithium iron phosphate battery 	 lithium iron phosphate battery 					
Battery cell brand	• CATL	• CATL	• CATL	• CATL	• CATL	• CATL					
Battery-specific technology	Magazine Battery	Magazine Battery	Magazine Battery	Magazine Battery	Magazine Battery	Magazine Battery					
Battery cooling method	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling					
CLTC pure electric range (km)	520	520	520	650	650	650					
Battery energy (kWh)	55.1	55.1	55.1	68.1	68.1	68.1					
Power consumption per 100 kilometers (kWh/100km)	11.7	11.7	11.7	11.9	11.9	11.9					
Fast charging function	support	support	support	support	support	support					
Fast charging power (kW)	150	150	150	150	150	150					
High voltage platform (V)	400	400	400	400	400	400					
Battery fast charging time (hours)	0.3	0.3	0.3	0.3	0.3	0.3					
Battery fast charge capacity range (%)	30-80	30-80	30-80	30-80	30-80	30-80					
Slow charging port location	right front side of the car	right front side of the car	right front side of the car	right front side of the car	right front side of the car	right front side of the car					
Fast charging port location	right front side of the car	right front side of the car	right front side of the car	right front side of the car	right front side of the car	right front side of the car					
External AC discharge power (kW)	3.3	3.3	3.3	3.3	3.3	3.3					
gearbox (• Standard ○ Optional	- N/A)										
Abbreviation	Electric vehicle single- speed transmission	Electric vehicle single- speed transmission	Electric vehicle single- speed transmission	Electric vehicle single- speed transmission	Electric vehicle single- speed transmission	Electric vehicle single- speed transmission					
Number of gears	1	1	1	1	1	1					
Transmission type	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox					
Chassis steering (• Standard C	O Optional - N/A)										
Drive mode	• Front-engine, front- wheel drive	• Front-engine, front- wheel drive	• Front-engine, front- wheel drive	• Front-engine, front- wheel drive	• Front-engine, front- wheel drive	 Front-engine, front- wheel drive 					
Front suspension type	McPherson independent suspension	McPherson independent suspension	 McPherson independent suspension 	McPherson independent suspension	 McPherson independent suspension 	 McPherson independent suspension 					
Rear suspension type	Torsion beam non- independent suspension	Torsion beam non- independent suspension	Torsion beam non- independent suspension	Torsion beam non- independent suspension	Torsion beam non- independent suspension	Torsion beam non- independent suspension					
Power type	Electric power steering	Electric power steering	Electric power steering	Electric power steering	Electric power steering	Electric power steering					
Body structure	load-bearing	load-bearing	load-bearing	load-bearing	load-bearing	load-bearing					
wheel brakes (• Standard O Op	otional - N/A)										
Front brake type	 Ventilated disc 	 Ventilated disc 	 Ventilated disc 	 Ventilated disc 	 Ventilated disc 	 Ventilated disc 					
				Diag	Disc	Disc					
Rear brake type	• Disc	• Disc	• Disc	• Disc	V =						
Rear brake type Parking brake type	Disc Electronic parking brake	Disc Electronic parking brake	Disc Electronic parking brake	Electronic parking brake	Electronic parking brake	Electronic parking brake					
						 Electronic parking brake 235/45 R18 					
Parking brake type	Electronic parking brake215/55 R17	 Electronic parking brake 215/55 R17 	Electronic parking brake	 Electronic parking brake 215/55 R17 	Electronic parking brake215/55 R17						

Passive safety (• Standard ○ Optional - N/A)

Driver/passenger seat airbags	host∙ / Vice∙	host• / Vice•	host• / Vice•	host∙ / Vice∙	host∙ / Vice∙	host∙ / Vice∙
Front/rear side airbags	forward() / back-	forward● / back-	forward• / back-	forward● / back-	forward• / back-	forward• / back-
Front/rear head airbags (air curtain)	-	forward∙ / back•	forward● / back●	-	forward● / back●	forward∙ / back•

Active safety (• Standard ○ Optional - N/A)

ABS anti-lock braiking system Brake assist (EBA/BAS/BA, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASK/TCS/TRC, etc.) Vehicle stability control (KSC/TS/POSC, etc.) Vehicle stability control (KSC/TS/POSC, etc.) The pressure displiky and the pressure displiky a	Active sarety (• Standard O Op	itional - N/A)					
Brake assist (BA/BAS/BA, etc.)	ABS anti-lock braking system	•	•	•	•	•	•
Traction control (ASR/TCS/TRC, etc.)		•	•	•	•	•	•
etc.) *** Clistor stability control (ESC/ESP/DSC, etc.) *** Tire pressure display ** Tire pressure display * Tire pressure display ** Tire pressure display *	Brake assist (EBA/BAS/BA, etc.)	•	•	•	•	•	•
(ESC/ESP/DSC, etc.) • Tire pressure display		•	•	•	•	•	•
function Seat belt unfastened reminder Seat belt unfastened reminder Lane Departure Warning System Active braking/active safety systems Fatigue driving tips DOW door opening warning Ferward Collision Warning Rear Collision Warning Sentry Mode/Clairvoyance Low speed warning Built-in driving recorder Seat belt unfastened caspiay Seat helt unfastened reminder Seat belt unfastened reminder		•	•	•	•	•	•
ISOFIX child seat interface Lane Departure Warning System -		Tire pressure display	Tire pressure display	• Tire pressure display	• Tire pressure display	• Tire pressure display	Tire pressure display
Lane Departure Warning System Active braking/active safety systems Fatigue driving tips DOW door opening warning Forward Collision Warning Rear Collision Warning Sentry Mode/Clairvoyance Low speed warning Built-in driving recorder	Seat belt unfastened reminder	•	•	•	•	•	•
Active braking/active safety systems Fatigue driving tips	ISOFIX child seat interface	•	•	•	•	•	•
Fatigue driving tips DOW door opening warning Forward Collision Warning Rear Collision Warning Sentry Mode/Clairvoyance Low speed warning Built-in driving recorder Patigue driving tips	Lane Departure Warning System	-	•	•	-	•	•
DOW door opening warning Forward Collision Warning Rear Collision Warning Sentry Mode/Clairvoyance Low speed warning • • • • • • • • • • • • • • • • • •			•	•	-	•	•
Forward Collision Warning -	Fatigue driving tips	-	-	-	-	-	-
Rear Collision Warning	DOW door opening warning	-	-	. 3	-	-	•
Sentry Mode/Clairvoyance	Forward Collision Warning	-	•	0	-	•	•
Low speed warning Built-in driving recorder - • • - • • • • • • • • • • • • • • •	Rear Collision Warning	-	-		-	-	•
Built-in driving recorder • • • • • •	Sentry Mode/Clairvoyance	-	-	16	-	-	-
	Low speed warning	•	•		•	•	•
Roadside assistance call	Built-in driving recorder	-			-	•	•
	Roadside assistance call	•	•	•	•	•	•

Driving control (• Standard ○ Optional - N/A)

Driving mode switch	sportseconomyStandard/Comfort	sportseconomyStandard/Comfort	sportseconomyStandard/Comfort	sportseconomyStandard/Comfort	sportseconomyStandard/Comfort	sportseconomyStandard/Comfort
Energy recovery system	•	•	•	•	•	•
Automatic parking	•	•	•	•	•	•
Hill-start assist	•	•	•	•	•	•

Driving hardware (• Standard ○ Optional - N/A)

Front/rear parking radar	Front / Back●	Front / Back●	forward∙ / back∙	Front / Back●	Front / Back●	forward• / back•
Driving assistance images	• 360-degree panoramic images	• 360-degree panoramic images	• 360-degree panoramic images	• 360-degree panoramic images	• 360-degree panoramic images	• 360-degree panoramic images
Transparent chassis/540-degree imaging	•	•	•	•	•	•
Assisted driving chip	-	-	• 1 NVIDIA Orin-X	-	-	• 1 NVIDIA Orin-X
Total chip computing power	-	-	• 254 TOPS	-	-	• 254 TOPS
Forward perception camera	-	 Monocular 	• Binocular	-	 Monocular 	Binocular
Number of cameras	• 4	• 5	• 11	• 4	• 5	• 11
Number of ultrasonic radars	• 3	• 3	• 12	• 3	• 3	• 12
Number of millimeter-wave radars	-	• 1	• 3	-	• 1	• 3

Number of lidars	-	-	• 1	-	-	• 1
LiDAR line count	-	-	• 126 lines	-	-	• 126 lines

Driving functions (• Standard O Optional - N/A)

Cruise control system	• Cruise control	 Full-speed adaptive cruise control 	 Full-speed adaptive cruise control 	• Cruise control	 Full-speed adaptive cruise control 	 Full-speed adaptive cruise control
Assisted driving system	-	ADiGO	 ADiGO Pilot 	-	• ADiGO	 ADiGO Pilot
Driving assistance level	-	• L2	• L2	-	• L2	• L2
Reversing side warning system	-	-	•	-	-	•
Satellite navigation system	•	•	•	•	•	•
Navigation traffic information display	•	•	•	•	•	•
Map Brand	 Gaode 	• Gaode	• Gaode	• Gaode	• Gaode	• Gaode
Lane change assistance	-	-	•	-	-	•
Lane Keeping Assist System	-	•	•	-	•	•
Lane centering	-	•	•	-	•	•
Road traffic sign recognition	-	•	•	-	•	•
Assisted parking	-	-	•	-	-	•
Remote control parking	-	-	•	-	-	•
Memory Parking	-	-	•	-	-	•
Assisted lane change	-	-	•	-	-	•
Automatic exit (entry) of auxiliary ramp	-	-			-	•
Hands-off steering wheel detection	-	-	77.00	-	-	•
Assisted driving sections	-	-	 Urban roads Expressway section	-	-	 Urban roads Expressway section

Appearance/anti-theft (• Standard O Optional - N/A)

Rim material	aluminum alloy	aluminum alloy	 aluminum alloy 	 aluminum alloy 	 aluminum alloy 	aluminum alloy
Electric trunk	-	-	-	-	-	-
Electric trunk position memory	-	-	-	-	-	-
Central locking system in the car	•	•	•	•	•	•
Key type	remote control keyBluetooth key					
Keyless start system	•	•	•	•	•	•
Keyless entry function	• front row					
Hidden electric door handles	•	•	•	•	•	•
Active closed grille	-	-	-	-	-	-
Remote start function	•	•	•	•	•	•
Battery preheating	•	•	•	•	•	•
Discharge to the outside	•	•	•	•	•	•

Exterior lights (• Standard O Optional - N/A)

Low beam light source	• led					
High beam light source	• led					
LED daytime running lights	•	•	•	•	•	•
Adaptive high and low beam	-	•	•	-	•	•
Automatic headlights	•	•	•	•	•	•

Front fog lights	-	-	-	-	-	-
Headlight height adjustable	•	•	•	•	•	•
Headlights delayed off	•	•	•	•	•	•

Skylight/Glass (• Standard O Optional - N/A)

Skylight Type	-	 Segmented non- openable skylight 	 Segmented non- openable skylight 	-	 Segmented non- openable skylight 	 Segmented non- openable skylight
Front/rear electric windows	forward• / back•	forward• / back•	forward∙ / back∙	forward∙ / back•	forward∙ / back•	forward• / back•
One-touch window lift function	• whole vehicle	• whole vehicle	• whole vehicle	whole vehicle	whole vehicle	• whole vehicle
Window anti-pinch function	•	•	•	•	•	•
Car makeup mirror	Main driving light + lightingCo-pilot + lighting					
rear wiper	-	-	-	-	-	-
Rain sensor wiper function	• Rain sensor					

exterior rearview mirror (• Standard O Optional - N/A)

Exterior rearview mirror function	• Electric adjustment	 Electric adjustment Electric folding Heated rearview mirrors Automatic folding when locking the car 	 Electric adjustment Electric folding Rearview mirror memory Heated rearview mirrors Automatically tilt down when reversing Automatic folding when locking the car 	● Electric adjustment	 Electric adjustment Electric folding Heated rearview mirrors Automatic folding when locking the car 	 Electric adjustment Electric folding Rearview mirror memory Heated rearview mirrors Automatically tilt down when reversing Automatic folding when locking the car
-----------------------------------	-----------------------	--	--	-----------------------	--	--

Screen/System (• Standard ○ Optional - N/A)

Central control color screen	• Touch LCD screen	Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	Touch LCD screen
Central control screen size	• 14.6 inches					
Bluetooth/car phone	•	•		•	•	•
Mobile phone interconnection/mapping	CarPlay supportSupport HUAWEI HiCarSupport Carlink					
Voice recognition control system	 Multimedia system navigation Telephone air conditioner Heated seats Seat ventilation 	 Multimedia system navigation Telephone air conditioner Heated seats Seat ventilation 	 Multimedia system navigation Telephone air conditioner Heated seats Seat ventilation 	 Multimedia system navigation Telephone air conditioner Heated seats Seat ventilation 	 Multimedia system navigation Telephone air conditioner Heated seats Seat ventilation 	 Multimedia system navigation Telephone air conditioner Heated seats Seat ventilation
Voice assistant wake-up word	• Hello, baby					
Voice wake-up recognition by region	• Dual Region	• Dual Region	• Dual Region	• Dual Region	Dual Region	• Dual Region
Continuous Speech Recognition	•	•	•	•	•	•
Seeing is telling	•	•	•	•	•	•
App Store	•	•	•	•	•	•
In-vehicle intelligent system	• ADiGO					

Intelligent configuration (• Standard O Optional - N/A)

Internet of Vehicles	•	•	•	•	•	•
4G/5G network	• 4G					
OTA upgrade	•	•	•	•	•	•
Wi-Fi hotspots	•	•	•	•	•	•

Mobile APP remote function	 Door control Window controls Vehicle start Charging Management Headlight control Air conditioning control Vehicle condition inquiry/diagnosis Vehicle positioning/search Car owner services (find charging stations, gas stations, parking lots, etc.) Schedule maintenance/repair 	 Door control Window controls Vehicle start Charging Management Headlight control Air conditioning control Vehicle condition inquiry/diagnosis Vehicle positioning/search Car owner services (find charging stations, gas stations, parking lots, etc.) Schedule maintenance/repair 	 Door control Window controls Vehicle start Charging Management Headlight control Air conditioning control Vehicle condition inquiry/diagnosis Vehicle positioning/search Car owner services (find charging stations, gas stations, parking lots, etc.) Schedule maintenance/repair 	Door control Window controls Vehicle start Charging Management Headlight control Air conditioning control Vehicle condition inquiry/diagnosis Vehicle positioning/search Car owner services (find charging stations, gas stations, parking lots, etc.) Schedule maintenance/repair	Door control Window controls Vehicle start Charging Management Headlight control Air conditioning control Vehicle condition inquiry/diagnosis Vehicle positioning/search Car owner services (find charging stations, gas stations, parking lots, etc.) Schedule maintenance/repair	 Door control Window controls Vehicle start Charging Management Headlight control Air conditioning control Vehicle condition inquiry/diagnosis Vehicle positioning/search Car owner services (find charging stations, gas stations, parking lots, etc.) Schedule maintenance/repair
	acoarice/repuii	aree.la.ree/repair	a.r.ceriarice/repair	a.rec.arec, reputi	a.rec.arec,repair	ac., repuii

Steering wheel/interior rearview mirror (• Standard O Optional - N/A)

Steering wheel material	• cortex					
Steering wheel position adjustment	Manual up and down + front and back adjustment	Manual up and down + front and back adjustment	Manual up and down + front and back adjustment	Manual up and down + front and back adjustment	Manual up and down + front and back adjustment	Manual up and down + front and back adjustment
Gear shifting	 Electronic hand-shift gear 	• Electronic hand-shift gear	 Electronic hand-shift gear 			
Multi-function steering wheel	•	•	•	•	•	•
Heated steering wheel	-	-	-	-	-	-
Steering wheel memory	-	-	-	-	-	-
Trip computer display screen	• color					
Full LCD instrument panel	•	•	•	•	•	•
LCD instrument size	• 8.88 inches					
Interior rearview mirror function	 Manual anti-glare 	 Manual anti-glare 	Automatic anti-glare	Manual anti-glare	 Manual anti-glare 	Automatic anti-glare
ETC device	(200 yuan)	(200 yuan)	○ (200 yuan)	○ (200 yuan)	(200 yuan)	(200 yuan)

In-car charging (• Standard ○ Optional - N/A)

Multimedia/charging port	• USB	• USB	• USB • Type-C	• USB	• USB	• USB • Type-C
Number of USB/Type-C ports	• 2 in the front row / 1 in the back row	• 3 in the front row / 1 in the back row	• 3 in the front row / 1 in the back row	• 2 in the front row / 1 in the back row	• 3 in the front row / 1 in the back row	• 3 in the front row / 1 in the back row
USB/Type-C maximum charging power	-	-	-	-	-	-
Mobile phone wireless charging function	-	-	• front row	-	-	• front row
Mobile phone wireless charging power	-	-	• 50W	-	-	• 50W

Seat configuration (• Standard ○ Optional - N/A)

Seat material	• imitation leather					
Main seat adjustment method	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way)
Passenger seat adjustment method	Front and rearadjustmentBackrest adjustment	Front and rear adjustmentBackrest adjustment	Front and rearadjustmentBackrest adjustment	Front and rearadjustmentBackrest adjustment	Front and rearadjustmentBackrest adjustment	Front and rear adjustmentBackrest adjustment
Electric adjustment of driver's seat and passenger seat	host● / Vice●	host∙ / Vice∙				
Front seat functions	heatingventilation	heatingventilation	heatingventilation	heatingventilation	heatingventilation	heatingventilation
Electric seat memory function	-	-	Driver's seatco-pilot seat	-	-	Driver's seatco-pilot seat
Co-pilot rear seat adjustable buttons	-	-	-	-	-	-

Second row seat adjustment	-	-	-	-	-	-			
Rear seat folding	Proportional down	Proportional down	Proportional down	• Proportional down	Proportional down	• Proportional down			
Front/rear center armrest	forward• / back-	forward• / back-	forward• / back-	forward• / back-	forward• / back-	forward● / back●			
Rear cup holder	-	-	-	-	-	•			
Audio/Interior Lighting (•	Standard O Optional - N/A)								
Speaker brand name	-	-	-	-	-	-			
Number of speakers	• 6 speakers	• 6 speakers	• 6 speakers	• 6 speakers	• 6 speakers	• 6 speakers			
Interior ambient lighting	-	-	 Multicolor 	-	-	Multicolor			
Active ambient lighting	-	-	•	-	-	•			
Air conditioning/refrigerato	r (• Standard ○ Optional - N/A)								
Air conditioning temperature control method	 Automatic air conditioning 	 Automatic air conditioning 	 Automatic air conditioning 	 Automatic air conditioning 	 Automatic air conditioning 	 Automatic air conditioning 			
heat pump air conditioner	•	•	•	•	•	•			
Rear independent air conditioning	-	-	-	-	-	-			
Rear seat air vents	•	•	•	•	•	•			
Temperature zone control	•	•	•	•	•	•			
Car air purifier	-	-	-	-	-	-			
In-car PM2.5 filter									
color (• Standard O Optional - N/A)									
color (• Standard ○ Optional - N/A	• A)	•	•	•	•	•			
color (• Standard O Optional - N/A		Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red			
	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami			
Appearance color	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red black Black/Orange Black/beige	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red black Black/Orange	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red black Black/Orange	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red black Black/Orange	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red black Black/Orange	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red black Black/Orange			
Appearance color Interior color	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red black Black/Orange Black/beige	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red black Black/Orange	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red black Black/Orange	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red black Black/Orange	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red black Black/Orange	Night Shadow Black Polar White Holographic Silver Sea Fluorescent Gray Crystal Purple Yuehuami Corona Red black Black/Orange			