HILUCK Your Trusted Chinese EV Partner	Changan Qiyuan A07 2025 Extended Range 230 Luxury Edition	Changan Qiyuan A07 2025 Blue Whale Extended Range 140 Elite Edition	Changan Qiyuan A07 2025 Blue Whale Extended Range 230 Premium Edition	Changan Qiyuan A07 2025 Blue Whale Extended Range 230 Flagship Model	Changan Qiyuan A07 2025 Blue Whale Pure Electric Edition 710 Flagship Model	Changan Qiyuan A07 2025 Blue Whale Pure Electric Edition 515 Classic Edition	Changan Qiyuan A07 2025 Blue Whale Pure Electric Edition 525 Luxury Edition	Changan Qiyuan A07 2025 Blue Whale Pure Electric Edition 525 Flagship Model	Changan Qiyuan A07 2025 Blue Whale Pure Electric Edition 625 Luxury Edition	Changan Qiyuan A07 2025 Blue Whale Pure Electric Edition 625 Flagship Model
	-	-	-	-	-	-	-	-	-	-
Basic parameters (• Standard of	O Optional - N/A)									
Manufacturer	Changan	Changan	Changan	Changan	Changan	Changan	Changan	Changan	Changan	Changan
	Qiyuan mid-to-large	Qiyuan mid-to-large	Qiyuan mid-to-large	Qiyuan mid-to-large	Qiyuan mid-to-large	Qiyuan mid-to-large	Qiyuan mid-to-large	Qiyuan mid-to-large	Qiyuan mid-to-large	Qiyuan mid-to-large
level	cars	cars	cars	cars	cars	cars	cars	cars	cars	cars
Energy type	Extended range	Extended range	Extended range	Extended range	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric
Environmental standards	National VI	National VI	National VI	National VI	-	-	-	-	-	-
Time to market	2024.10	2025.02	2025.02	2025.02	2025.02	2025.02	2025.02	2025.02	2025.02	2025.02
WLTC pure electric range (km)	170	100	175	175	-	-	-	-	-	-
CLTC pure electric range (km)	230	140	230	230	710	515	525	525	625	625
Battery fast charging time (hours)	0.5	0.5	0.25	0.25	0.58	0.42	0.25	0.25	0.25	0.25
Battery fast charge capacity range (%)	30-80	30-80	30-80	30-80	30-80	30-80	30-80	30-80	30-80	30-80
Maximum power (kW)	160	175	160	160	160	190	190	190	190	190
Maximum torque (N·m)	320	320	320	320	320	320	320	320	320	320
gearbox	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission
Body structure	5-door, 5-seat hatchback	5-door, 5-seat hatchback	5-door, 5-seat hatchback	5-door, 5-seat hatchback	5-door, 5-seat hatchback	5-door, 5-seat hatchback	5-door, 5-seat hatchback	5-door, 5-seat hatchback	5-door, 5-seat hatchback	5-door, 5-seat hatchback
engine	Range extender 95 horsepower	Range extender 95 horsepower	Range extender 98 horsepower	Range extender 98 horsepower	-	190	-	-	-	-
Motor (Ps)	218	238	218	218	218	258	258	258	258	258
Length*Width*Height(mm)	4905*1910*1480	4905*1910*1480	4905*1910*1480							10*1480 4905*1
Official 0-100km/h acceleration	7.8	7.9	7.6	7.6	7.1	6.1	6.9	6.9	7.3	7.3
(s) Maximum speed (km/h)	172	172	172	172	172	172	172	172	172	172
WLTC comprehensive fuel	0.75	1.15	0.73	0.73	-		_	_	_	_
consumption (L/100km) Lowest state-of-charge fuel	5.0	4.90	4.70	4.70		_				
consumption (L/100km) WLTC Lowest state-of-charge fuel	3.0	4.30	4.70	4.70						
consumption (L/100km) NEDC	-	-	-	-	-	-	-	-	-	-
Lowest state of charge fuel consumption (L/100km) CLTC	4.5	4.5	3.94	3.94	-	-	-	•	-	
Electric energy equivalent fuel consumption (L/100km)	-	-	-	-	1.46	1.39	1.45	1.45	1.47	1.47
Combined fuel consumption (L/100km)	2.55	2.80	2.52	2.52	-	-	-	-	-	-
Curb mass (kg)	1810	1770	1845	1845	1900	1755	1835	1835	1910	1910
Maximum full load mass (kg)	2255	2165	2275	2275	2325	2190	2265	2265	2325	2325
body (• Standard ○ Optional - N/A	()									
Length (mm)	4905	4905	4905	4905	4905	4905	4905	4905	4905	4905
Width (mm)	1910	1910	1910	1910	1910	1910	1910	1910	1910	1910
Height (mm)	1480	1480	1480	1480	1480	1480	1480	1480	1480	1480
Wheelbase (mm)	2900	2900	2900	2900	2900	2900	2900	2900	2900	2900
Front wheelbase (mm)	1640	1640	1640	1640	1640	1640	1640	1640	1640	1640
Rear wheelbase (mm)	1650	1650	1650	1650	1650	1650	1650	1650	1650	1650
Approach angle (°)	15	15	15	15	15	15	15	15	15	15
									10	19
Departure angle (°)	19	19	19	19	19	19	19	19	19	19
Departure angle (°) Body structure	19 hatchback	19 hatchback	19 hatchback	19 hatchback	19 hatchback	19 hatchback	19 hatchback	19 hatchback	hatchback	hatchback

Number of seats	• 5	• 5	• 5	• 5	• 5	• 5	• 5	• 5	• 5	• 5
Fuel tank capacity (L)	45	45	45	45	-	-	-	-	-	-
Front trunk volume (L)	-	-	-	-	74	74	74	74	74	74
Trunk volume (L)	450-1100	450-1100	450-1100	450-1100	475-1125	475-1125	475-1125	475-1125	475-1125	475-1125
Drag coefficient (Cd)	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22	0.22

engine (• Standard ○ Optional - N/A)

Engine model	JL473QJ	JL473QJ	JL469Q1	JL469Q1	-	-	-	-	-	-
Displacement (mL)	1480	1480	1497	1497	-	-	-	-	-	-
Displacement (L)	1.5	1.5	1.5	1.5	-	-	-	-	-	-
Intake form	naturally aspirated	naturally aspirated	naturally aspirated	naturally aspirated	-	-	-	-	-	-
Engine layout	horizontal	horizontal	horizontal	horizontal	-	-	-	-	-	-
Cylinder arrangement	L	L	L	L	-	-	-	-	-	-
Number of cylinders	4	4	4	4	-	-	-	-	-	-
Number of valves per cylinder	4	4	4	4	-	-	-	-	-	-
valve train	DOHC	DOHC	DOHC	DOHC	-	-	-	-	-	-
Maximum horsepower (Ps)	95	95	98	98	-	-	-	-	-	-
Maximum power (kW)	70	70	72	72	-	-	-	-	-	-
Maximum power speed (rpm)	-	-	5600	5600	-	-	-	-	-	-
Maximum torque (N·m)	-	-	125	125	-	-	-	-	-	-
Maximum torque speed (rpm)	-	-	3000	3000	-	-	-	-	-	-
Maximum net power (kW)	66	66	70	70	-	-	-	-	-	-
Energy type	Extended range	Extended range	Extended range	Extended range	Pure electric					
Fuel grade	No. 92	No. 92	No. 92	No. 92	-	1	-	-	-	-
Oil supply method	Multi-point EFI	Multi-point EFI	Multi-point EFI	Multi-point EFI	-	0	-	-	-	-
Cylinder head material	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy	-	9.	-	-	-	-
Cylinder material	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy		-	-	-	-	-
Environmental standards	National VI	National VI	National VI	National VI		-	-	-	-	-

electric motor (◆ Standard ○ Optional - N/A)

Rear motor model	XTDM16	XTDM66	XTDM16	XTDM16	XTDM16	XTDM27	XTDM27	XTDM27	XTDM27	XTDM27	
Motor type	Permanent magnet/synchrono	Permai ous magnet/syn		Permanent magnet/synchronous	Permanent magnet/synchronous	Permaner s magnet/synchi		Permanent gnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronol	Permanent us magnet/synchronous
Total motor power (kW)	160	175	160	160	160	190	190	190	190	190	
Total motor horsepower (Ps)	218	238	218	218	218	258	258	258	258	258	
Total torque of the motor (N·m)	320	320	320	320	320	320	320	320	320	320	
Maximum power of rear motor (kW)	160	175	160	160	160	190	190	190	190	190	
Maximum torque of rear motor (N·m)	320	320	320	320	320	320	320	320	320	320	
Number of drive motors	Single motor	Single motor	Single mote	or Single motor	Single motor	Single motor	Single mot	or Single mot	or Single motor	Single motor	
Motor layout	Post	Post	Post	Post	Post	Post	Post	Post	Post	Post	

Battery/Charging (• Standard ○ Optional - N/A)

Battery Type	lithium iron phosphate battery	lithium iron phosphate battery	 lithium iron phosphate battery 	lithium iron phosphate battery	Ternary lithium battery	• Ternary lithium battery	lithium iron phosphate battery	lithium iron phosphate battery	lithium iron phosphate battery	lithium iron phosphate battery
Battery cell brand	China New Aviation	• CATL	• CATL	• CATL	China New Aviation	China New Aviation	• CATL	• CATL	• CATL	• CATL
Battery-specific technology	Golden Bell Battery	Golden Bell Battery	Golden Bell Battery	Golden Bell Battery	Golden Bell Battery	Golden Bell Battery	Golden Bell Battery	Golden Bell Battery	Golden Bell Battery	Golden Bell Battery
Battery cooling method	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling
WLTC pure electric range (km)	170	100	175	175	-	-	-	-	-	-
CLTC pure electric range (km)	230	140	230	230	710	515	525	525	625	625
CLTC comprehensive endurance (km)	1230	1140	1330	1330	-	-	-	-	-	-
Battery energy (kWh)	28.4	18.4	28.4	28.4	79.97	58.1	56.1	56.1	68.8	68.8
Battery energy density (Wh/kg)		-	-	-	167	-	-	-	-	-

Power consumption per 100 kilometers (kWh/100km)	13.1	13.1	13.1	13.1	12.9	12.3	12.5	12.5	12.7	12.7
Fast charging function	support	support	support	support	support	support	support	support	support	support
Fast charging power (kW)	-	-	85	85	-	-	170	170	170	170
Battery fast charging time (hours)	0.5	0.5	0.25	0.25	0.58	0.42	0.25	0.25	0.25	0.25
Battery fast charge capacity range (%)	30-80	30-80	30-80	30-80	30-80	30-80	30-80	30-80	30-80	30-80
Slow charging port location	Right rear side of the car	Right rear side of the car	Right rear side of the car	Right rear side of the car	Right rear side of the car					
Fast charging port location	Right rear side of the car	Right rear side of the car	Right rear side of the car	Right rear side of the car	Right rear side of the car	Right rear side of the car				
External AC discharge power (kW)	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3	3.3
gearbox (• Standard ○ Optional -	- N/A)									
Abbreviation	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission					
Number of gears	1	1	1	1	1	1	1	1	1	1
Transmission type	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox					
Chassis steering (• Standard ○	Optional - N/A)									
Drive mode	 Rear-engine, rear-wheel drive 	 Rear-engine, rear-wheel drive 	 Rear-engine, rear-wheel drive 	 Rear-engine, rear-wheel drive 	 Rear-engine, rear-wheel drive 					
Front suspension type	 McPherson independent suspension 	 McPherson independent suspension 	 McPherson independent suspension 	 McPherson independent suspension 	 McPherson independent suspension 					
Rear suspension type	 Multi-link independent suspension 	 Multi-link independent suspension 	 Multi-link independent suspension 	 Multi-link independent suspension 	 Multi-link independent suspension 	 Multi-link independent suspension 				
Power type	Electric power steering	Electric power steering	Electric power steering	Electric power steering	Electric power steering	Electric power steering				
Body structure	load-bearing	load-bearing	load-bearing	load-bearing	load-bearing	load-bearing	load-bearing	load-bearing	load-bearing	load-bearing
wheel brakes (• Standard ○ Opt	otional - N/A)									
Front brake type	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	 Ventilated disc 	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc
Rear brake type	• Disc	• Disc	• Disc	• Disc	• Disc					
Parking brake type	Electronic parking brake	Electronic parking brake	 Electronic parking brake 	Electronic parking brake	Electronic parking brake	Electronic parking brake	 Electronic parking brake 	Electronic parking brake	Electronic parking brake	Electronic parking brake
Front tire specifications	• 225/55 R18	• 225/55 R18	• 245/45 R19	• 245/45 R19	• 245/45 R19	• 225/55 R18	• 225/55 R18	• 245/45 R19	• 245/45 R19	• 245/45 R19
Rear tire specifications	• 225/55 R18	• 225/55 R18	• 245/45 R19	• 245/45 R19	• 245/45 R19	• 225/55 R18	• 225/55 R18	• 245/45 R19	• 245/45 R19	• 245/45 R19
Spare tire specifications	Tire repair tools	• Tire repair tools	Tire repair tools	Tire repair tools	Tire repair tools					
Passive safety (• Standard O Op	ptional - N/A)									
Driver/passenger seat airbags	host∙ / Vice∙	host• / Vice•	host• / Vice•	host• / Vice•	host• / Vice•	host∙ / Vice∙				
Front/rear side airbags	forward• /	forward• / back-	forward• / back-	forward• / back-	forward• / back-	forward• /				
Front/rear head airbags (air curtain)	forward• /	forward• /	forward• /	forward• /	forward• /					
Active safety (• Standard ○ Opt	tional - N/A)									
ABS anti-lock braking system	•	•	•	•	•	•	•	•	•	•
Braking force distribution (EBD/CBC, etc.)	•	•	•	•	•	•	•	•	•	•
Brake assist (EBA/BAS/BA, etc.)	•	•	•	•	•	•	•	•	•	•
Traction control (ASR/TCS/TRC, etc.)	•	•	•	•	•	•	•	•	•	•
		•	•	•	•	•	•	•	•	•
Vehicle stability control (ESC/ESP/DSC, etc.)	•									
•	Tire pressure display	Tire pressure display	Tire pressure display	Tire pressure display	Tire pressure display	Tire pressure display	• Tire pressure display	Tire pressure display	Tire pressure display	Tire pressure display

ISOFIX child seat interface	•	•	•	•	•	•	•	•	•	•
Lane Departure Warning System	•	•	•	•	•	•	•	•	•	•
Active braking/active safety systems	•	•	•	•	•	•	•	•	•	•
Fatigue driving tips	-	-	-	-	-	-	-	-	-	-
DOW door opening warning	-	-	•	•	•	-	-	•	-	•
Forward Collision Warning	•	•	•	•	•	•	•	•	•	•
Rear Collision Warning	-	-	•	•	•	-	-	•	-	•
Sentry Mode/Clairvoyance	•	•	•	•	•	•	•	•	•	•
Low speed warning	•	•	•	•	•	•	•	•	•	•
Built-in driving recorder	•	•	•	•	•	•	•	•	•	•
Roadside assistance call	•	•	•	•	•	•	•	•	•	•

Driving control (• Standard ○ Optional - N/A)

Driving mode switch	• spc • econ • Standard, • Customization/	omy /Comfort	sports economy Standard/Comfort Customization/Personalization		sports economy Standard/Comfort Customization/Personalization		sports economy Standard/Comfort Customization/Personalization		ation	sports economy Standard/Comfort Customization/Personalization		• Stan	sports economy Standard/Comfort Customization/Personalization	
Energy recovery system	•	•	•	•	•	•	1	•		•	•	•		
Automatic parking	•	•	•	•	•	•	,	•		•	•	•		
Hill-start assist	•	•	•	•	•	•		•		•	•	•		

Driving hardware (• Standard O Optional - N/A)

Front/rear parking radar	Front / Back•	Front / Back•	forward• / back•	forward• / back•	forward• / back•	Front / Back•	forward• / back•	forward● / back●	forward• / back•	forward● / back●
Driving assistance images	 360-degree panoramic images 	• 360-degree panoramic images	 360-degree panoramic images 	• 360-degree panoramic images	 360-degree panoramic images 	 360-degree panoramic images 				
Transparent chassis/540-degree imaging	•	•	•	•	•	0	•	•	•	•
Forward perception camera	 Monocular 	 Monocular 	Monocular	Monocular	 Monocular 	 Monocular 	Monocular	 Monocular 	Monocular	 Monocular
Number of cameras	• 5	• 5	• 5	• 5	• 5	• 5	• 5	• 5	• 5	• 5
Front perception camera pixels	• 2 million	• 2 million	• 8 million	8 million	8 million	• 2 million	8 million	8 million	8 million	8 million
Surround view camera pixels	• 1 million	• 1 million	• 1 million	• 1 million	• 1 million	• 1 million	• 1 million	• 1 million	• 1 million	• 1 million
Number of ultrasonic radars	• 3	• 3	• 12	• 12	• 12	• 3	• 12	• 12	• 12	• 12
Number of millimeter-wave radars	• 1	• 1	• 3	• 3	• 3	• 1	• 1	• 3	• 1	• 3

Driving functions (• Standard O Optional - N/A)

Cruise control system	 Full-speed adaptive cruise control 									
Assisted driving system	-	-	-	-	-	-	-	-	-	-
Driving assistance level	• L2									
Reversing side warning system	-	-	•	•	•	-	-	•	-	•
Satellite navigation system	•	•	•	•	•	•	•	•	•	•
Navigation traffic information display	•	•	•	•	•	•	•	•	•	•
Map Brand	• Gaode									
AR real-scene navigation	-	•	-	•	•	-	-	•	-	•
Lane change assistance	-	-	•	•	•	-	-	•	-	•
Lane Keeping Assist System	•	•	•	•	•	•	•	•	•	•
Lane centering	•	•	•	•	•	•	•	•	•	•
Road traffic sign recognition	•	•	•	•	•	•	•	•	•	•
Assisted parking	-	-	•	•	•	-	•	•	•	•
Remote control parking	-	-	•	•	•	-	•	•	•	•
Track reverse	-	-	•	•	•	-	•	•	•	•
Assisted lane change	-	-	-	-	-	-	-	-	-	-
Hands-off steering wheel detection	•	•	•	•	•	-	•	•	•	•

m material	aluminumalloy	• aluminum alloy	• aluminum alloy	• aluminum alloy	aluminumalloy	aluminumalloy	• aluminum alloy	aluminumalloy	aluminumalloy	aluminum alloy
ameless design doors	•	•	•	•	•	•	•	•	•	•
ectric trunk	•	•	•	•	•	•	•	•	•	•
ectric trunk position memory	•	•	•	•	•	•	•	•	•	•
entral locking system in the car	•		•	•	•	•	•	•	•	•
	• remote	• remote	• remote	• remote	• remote	• remote	• remote	• remote	• remote	• remote
ey type	control key • Bluetooth key	control key • Bluetooth key	control key • Bluetooth key	control key • Bluetooth key	control key Bluetooth key	control key • Bluetooth key	control key • Bluetooth key	control key Bluetooth key	control key • Bluetooth key	control key • Bluetooth key
eyless start system	•	•	•	•	•	•	•	•	•	•
eyless entry function	• whole	• whole	• whole	• whole	• whole	• whole	• whole	• whole	• whole	• whole
eyless entry function	vehicle	vehicle	vehicle	vehicle	vehicle	vehicle	vehicle	vehicle	vehicle	vehicle
dden electric door handles	•	•	•	•	•	•	•	•	•	•
ctive closed grille	-	-	-	-	-	-	-	-	-	-
emote start function	•	•	•	•	•	•	•	•	•	•
nttery preheating	•	•	•	•	•	•	•	•	•	•
scharge to the outside	•	•	•	•	•	•	•	•	•	•
xterior lights (• Standard ○ C	optional - N/A)									
w beam light source	• led	• led	• led	• led	• led	• led	• led	• led	• led	• led
gh beam light source	• led	• led	• led	• led	• led	• led	• led	• led	• led	• led
D daytime running lights	•	•	•	•	•	•	•	•	•	•
daptive high and low beam	•	•	•	•	•	•	•	•	•	•
utomatic headlights	•	•	•	•	•		•	•	•	•
ont fog lights	-	-	-	-		C.	-	-	-	-
eadlight height adjustable	•	•	•	•	. (•	•	•	•
eadlights delayed off	•	•	•	•		•	•	•	•	•
cylight/Glass (• Standard ○ 0	Optional - N/A)									
rylight Type	 The panoramic sunroof cannot be opened 	The panoramic sunroof cannot be opened	The panoramic sunroof cannot be opened	 The panoramic sunroof cannot be opened 	The panoramic sunroof cannot be opened	 The panoramic sunroof cannot be opened 	The panoramic sunroof cannot be opened	The panoramic sunroof cannot be opened	 The panoramic sunroof cannot be opened 	The panoramic sunroof cannot be opened
ont/rear electric windows	forward• /	forward• /	forward• /	forward• /	forward• /	forward• /	forward• /	forward• /	forward• /	forward• /
ne-touch window lift function	• whole	• whole	• whole	• whole	• whole	• whole	• whole	• whole	• whole	• whole
indow anti-pinch function	vehicle	vehicle	vehicle	vehicle	vehicle	vehicle	vehicle	vehicle	vehicle	vehicle
ear side privacy glass	-	•	-	•	•	•	-	•	-	•
	Driver's seat	Driver's seat	Driver's seat	Driver's seat	Driver's seat	Driver's seat	Driver's seat	Driver's seat	Driver's seat	Driver's seat
r makeup mirror	• co-pilot	• co-pilot	• co-pilot	• co-pilot	• co-pilot	• co-pilot	• co-pilot	• co-pilot	• co-pilot	• co-pilot
ar wiper	-	-	-	-	-	-	-	-	-	-
nin sensor wiper function	• Rain sensor	• Rain sensor	• Rain sensor	• Rain sensor	• Rain sensor	• Rain sensor	• Rain sensor	• Rain sensor	• Rain sensor	• Rain sensor
kterior mirrors (• Standard C	Optional - N/A)									
			• Electric	• Electric	• Electric			• Electric		• Electric
terior rearview mirror nction	 Electric adjustment Electric folding Heated rearview mirrors 	 Electric adjustment Electric folding Heated rearview mirrors 	adjustment	adjustment Electric folding Rearview mirror memory Heated rearview mirrors Automatically	adjustment	Electric adjustment Electric folding Heated rearview mirrors Automatic	Electric adjustment Electric folding Heated rearview mirrors Automatic	adjustment	Electric adjustment Electric folding Heated rearview mirrors Automatic	adjustment

Assisted driving sections - - - - - - - - - - - -

Central control color screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen		
Central control screen size	• 15.4 inches	• 15.4 inches	• 15.4 inches	• 15.4 inches	• 15.4 inches	• 15.4 inches	• 15.4 inches	• 15.4 inches	• 15.4 inches	• 15.4 inches		
Central control screen resolution	• 2.5K	• 2.5K	• 2.5K	• 2.5K	• 2.5K	• 2.5K	• 2.5K	• 2.5K	• 2.5K	• 2.5K		
Central control screen pixel density	• 196PPI	• 196PPI	• 196PPI	• 196PPI	• 196PPI	• 196PPI	• 196PPI	• 196PPI	• 196PPI	• 196PPI		
Bluetooth/car phone	•	•	•	•	•	•	•	•	•	•		
Mobile phone interconnection/mapping	SupportHUAWEI HiCarSupportCarlink	SupportHUAWEI HiCarSupportCarlink	SupportHUAWEI HiCarSupportCarlink	SupportHUAWEI HiCarSupportCarlink	SupportHUAWEI HiCarSupportCarlink	SupportHUAWEI HiCarSupportCarlink	SupportHUAWEI HiCarSupportCarlink	SupportHUAWEI HiCarSupportCarlink	SupportHUAWEI HiCarSupportCarlink	SupportHUAWEI HiCarSupportCarlink		
Voice recognition control system	 Multimedia system navigation Telephone air conditioner car windows 	 Multimedia system navigation Telephone air conditioner car windows 	 Multimedia system navigation Telephone air conditioner car windows Heated seats Seat ventilation 	 Multimedia system navigation Telephone air conditioner car windows Heated seats Seat ventilation Seat massage 	 Multimedia system navigation Telephone air conditioner car windows Heated seats Seat ventilation Seat massage 	 Multimedia system navigation Telephone air conditioner car windows 	 Multimedia system navigation Telephone air conditioner car windows Heated seats Seat ventilation 	 Multimedia system navigation Telephone air conditioner car windows Heated seats Seat ventilation Seat massage 	 Multimedia system navigation Telephone air conditioner car windows Heated seats Seat ventilation 	 Multimedia system navigation Telephone air conditioner car windows Heated seats Seat ventilation Seat massage 		
Voice assistant wake-up word	• Hello, Xiao An	• Hello, Xiao An	• Hello, Xiao An	• Hello, Xiao An	• Hello, Xiao An	• Hello, Xiao An	• Hello, Xiao An	• Hello, Xiao An	• Hello, Xiao An	• Hello, Xiao An		
Voice wake-up recognition by region	• Dual Region	• Dual Region	• Dual Region	• Dual Region	• Dual Region	• Dual Region	• Dual Region	• Dual Region	• Dual Region	• Dual Region		
Continuous speech recognition	•	•	•	•	•	•	•	•	•	•		
Seeing is telling	•	•	•	•	•	•	•	•	•	•		
App Store	•	•	•	•	•	•	•	•	•	•		
In-vehicle intelligent system	• Qiyuan OS	• Qiyuan OS	• Qiyuan OS	• Qiyuan OS	• Qiyuan OS	• Qiyuan OS	• Qiyuan OS	• Qiyuan OS	• Qiyuan OS	• Qiyuan OS		
Car computer smart chip	QualcommSnapdragon8155	QualcommSnapdragon8155	QualcommSnapdragon8155	QualcommSnapdragon8155	QualcommSnapdragon8155	QualcommSnapdragon8155	QualcommSnapdragon8155	QualcommSnapdragon8155	QualcommSnapdragon8155	QualcommSnapdragon8155		
Vehicle system memory (GB)	• 12	• 12	• 12	• 12	• 12	• 12	• 12	• 12	• 12	• 12		
Vehicle system storage (GB)	• 128	• 128	• 128	• 128	• 128	• 128	• 128	• 128	• 128	• 128		
Intelligent configuration (■ Standard ○ Optional	- N/A)										
Internet of Vehicles	•	•	•			•	•	•	•	•		
4G/5G network	• 4G	• 4G	• 4G	• 4G	• 4G	• 4G	• 4G	• 4G	• 4G	• 4G		
OTA upgrade	•	•	•	•	•	•	•	•	•	•		
Wi-Fi hotspots	•	•	•	•	•	•	•	•	•	•		
Mobile APP remote function	Door control Window control Vehicle start Charging Management Air conditionin control Vehicle conditionin inquiry/diagnosi Vehicle positioning/searc Schedule maintenance/repare	Vehicle s Chargin Managem g Air conditicontrol on Vehicle con inquiry/diag Vehicl h positioning/s Schedu	windo very very very very very very very very	we controls we controls we condition in the condition i	Door control findow controls Vehicle start Charging Management ir conditioning control Heated seats chicle condition uiry/diagnosis Vehicle itioning/search Schedule ntenance/repair	Door control Window controls Vehicle start Charging Management Air conditioning control Heated seats Vehicle condition inquiry/diagnosis Vehicle positioning/search Schedule maintenance/repair	Door control Window control Vehicle start Charging Management Air conditioning control Vehicle condition inquiry/diagnosis Vehicle positioning/search Schedule maintenance/repair	Vehicle s Chargi Managem Air conditi control Heated s Vehicle cor inquiry/diag Vehicl positioning/s Schedu	ontrols ontrols ontrols ontrols ontrols overline ontrols ontro	ow controls wicle start arging gement nditioning atted seats e condition verification verific	Door control indow controls Vehicle start Charging Inangement Conditioning Control Heated seats hicle condition uiry/diagnosis Vehicle tioning/search Schedule	Door Window Vehice Cha Manag Air con Con Heate Vehicle inquiry/c Ve positionir Sch maintenan
Car KTV	•	•		•	•	•	•					

Steering wheel/interior rearview mirror (• Standard O Optional - N/A)

Steering wheel material	• cortex									
Steering wheel position adjustment	 Manual up and down + front and back adjustment 	 Manual up and down + front and back adjustment 	 Manual up and down + front and back adjustment 	 Manual up and down + front and back adjustment 	 Manual up and down + front and back adjustment 	 Manual up and down + front and back adjustment 	 Manual up and down + front and back adjustment 	 Manual up and down + front and back adjustment 	 Manual up and down + front and back adjustment 	 Manual up and down + front and back adjustment
Gear shifting	• Electronic hand-shift									
Multi-function steering wheel	•	•	•	•	•	•	•	•	•	•
Heated steering wheel	-	-	-	-	-	-	-	-	-	-
Steering wheel memory	-	-	-	-	-	-	-	-	-	-
Trip computer display screen	• color									
Full LCD instrument panel	-	-	-	-	-	-	-	-	-	-
LCD instrument size	-	-	-	-	-	-	-	-	-	-

AR-HUD Augmented Reality	0	•	(3000 yuan)	•	•	-	(3000 yuan)	•	○ (3000 yuan)	•
Head-Up Display HUD head-up size	-	• 50 inches	○ 50 inches	• 50 inches	• 50 inches	-	○ 50 inches	• 50 inches	○ 50 inches	• 50 inches
Interior rearview mirror function	Manual anti- glare	Manual anti- glare	Manual anti- glare	Manual anti- glare	Manual anti- glare	Manual anti- glare	Manual anti- glare	Manual anti- glare	Manual anti- glare	Manual anti- glare
In-car charging (• Standard O Optional - N/A)										
Multimedia/charging port	• USB • Type-C	• USB • Type-C	• USB • Type-C	• USB • Type-C	• USB • Type-C	• USB • Type-C	• USB	• USB • Type-C	• USB • Type-C	• USB • Type-C
Number of USB/Type-C ports	• 2 in the front row / 1 in the	• 2 in the front row / 1 in the	• 2 in the front row / 1 in the	• 2 in the front row / 1 in the	• 2 in the front row / 1 in the	• 2 in the front row / 1 in the	• 2 in the front row / 1 in the	• 2 in the front row / 1 in the	• 2 in the front row / 1 in the	• 2 in the front row / 1 in the
Mobile phone wireless charging function	back row	o front row	back row O front row	back row O front row	back row O front row	back row O front row	o front row	o front row	back row O front row	back row O front row
Seat configuration (• Standard O Optional - N/A)										
Seat configuration (* Standar	• imitation	• imitation	imitation	• imitation	• imitation	imitation	• imitation	• imitation	imitation	• imitation
Seat material	leather	leather	leather	leather	leather	leather	leather	leather	leather	leather
Main seat adjustment method	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) Lumbar support (4-way)
Passenger seat adjustment method	 Front and rear adjustment Backrest adjustment 	 Front and rear adjustment Backrest adjustment 	 Front and rear adjustment Backrest adjustment 	 Front and rear adjustment Backrest adjustment 	 Front and rear adjustment Backrest adjustment 	 Front and rear adjustment Backrest adjustment 	 Front and rear adjustment Backrest adjustment 			
Electric adjustment of driver's seat and passenger seat	host• / Vice•	host• / Vice•	host• / Vice•	host• / Vice•	host• / Vice•	host• / Vice•	host• / Vice•	host• / Vice•	host• / Vice•	host∙ / Vice∙
Front seat functions	-	-	heatingventilation	heatingventilationmassage	heatingventilationmassage	60,	heatingventilation	heatingventilationmassage	heatingventilation	heatingventilationmassage
Electric seat memory function	-	-	• Driver's seat	• Driver's seat	• Driver's seat	-	-	• Driver's seat	-	• Driver's seat
Co-pilot rear seat adjustable buttons	-	-	-	-	0.	-	-	-	-	-
Second row seat adjustment	-	-	-	-	-	-	-	-	-	-
Rear seat folding	Proportional down	Proportional down	Proportional down	Proportional down	Proportional down	Proportional down	Proportional down	Proportional down	Proportional down	Proportional down
Front/rear center armrest	forward• / back-	forward∙ / back-	forward∙ / back∙	forward∙ / back∙	forward∙ / back∙	forward• / back-	forward• / back-	forward∙ / back∙	forward• / back-	forward● / back●
Rear cup holder	-	-	•	•	•	-	-	•	-	•
Audio/Interior Lighting (•	Standard O Optional -	N/A)								
Speaker brand name	-	-	-	-	-	-	-	-	-	-
Number of speakers	8 speakers	8 speakers	• 16 speakers	• 16 speakers	• 16 speakers	8 speakers	8 speakers	• 16 speakers	8 speakers	• 16 speakers
Touch-sensitive reading light	•	•	•	•	•	•	•	•	•	•
Interior ambient lighting	-	-	• 64 colors	• 64 colors	• 64 colors	-	-	-	-	-
Active ambient lighting	-	-	•	•	•	-	-	-	-	-
Air conditioning/refrigerato	r (• Standard ○ Op	otional - N/A)								
Air conditioning temperature control method	Automatic air conditioning	Automatic air conditioning	Automatic air conditioning	Automatic air conditioning	Automatic air conditioning	Automatic air conditioning	Automatic air conditioning	Automatic air conditioning	Automatic air conditioning	Automatic air conditioning
Rear independent air conditioning	-	-	-	-	-	-	-	-	-	-
Rear seat air vents	•	•	•	•	•	•	•	•	•	•
Temperature zone control	•	•	•	•	•	•	•	•	•	•
Car air purifier	-	-	-	-	-	-	-	-	-	-
In-car PM2.5 filter	•	•	•	•	•	•	•	•	•	•
color (• Standard O Ontional - N/A)										

Appearance color	Distant Mountain Purple Green Bamboo Snow Peak White Obsidian Black	Distant Mountain Purple Green Bamboo Snow Peak White Obsidian Black	Distant Mountain Purple Green Bamboo Snow Peak White Obsidian Black	Distant Mountain Purple Green Bamboo Snow Peak White Obsidian Black	Distant Mountain Purple Green Bamboo Snow Peak White Obsidian Black	Distant Mountain Purple Green Bamboo Snow Peak White Obsidian Black	Distant Mountain Purple Green Bamboo Snow Peak White Obsidian Black	Distant Mountain Purple Green Bamboo Snow Peak White Obsidian Black	Distant Mountain Purple Green Bamboo Snow Peak White Obsidian Black	Distant Mountain Purple Green Bamboo Snow Peak White Obsidian Black
Interior color	Light gray Chiti Red ¥1599 Ebony Brown Dark Night	Light gray Chiti Red ¥1599 Ebony Brown Dark Night	Light gray Chiti Red ¥1599 Ebony Brown Dark Night	Light gray Chiti Red ¥1599 Ebony Brown Dark Night	Light gray Chiti Red ¥1599 Ebony Brown Dark Night	Light gray Chiti Red ¥1599 Ebony Brown Dark Night	Light gray Chiti Red ¥1599 Ebony Brown Dark Night	Light gray Chiti Red ¥1599 Ebony Brown Dark Night	Light gray Chiti Red ¥1599 Ebony Brown Dark Night	
Optional Package (• Stand	ard O Optional - N/A)									
Michelin Comfort Silent Tires	-	-	-	-	-	-	-	-	-	-
Front luggage compartment	-	-		-	Contains: Front luggage compartment 74L Optional (500 yuan)	Contains: Front luggage compartment 74L O Optional (500 yuan)	Contains: Front luggage compartment 74L Optional (500 yuan)	Contains: Front luggage compartment 74L O Optional (500 yuan)	Contains: Front luggage compartment 74L Optional (500 yuan)	Contains: Front luggage compartment 74L Optional (500 yuan)