

HILUCK Your Trusted Chinese EV Partner	Changan Qiyuan E07 2025 Extended Range Two-Wheel Drive 39kWh Pro Smart Edition -	Changan Qiyuan E07 2025 Extended Range 4WD 39kWh Pro Smart Edition -	Changan Qiyuan E07 2025 Extended Range Two-Wheel Drive 39kWh Max Intelligent Driving Edition -	Changan Qiyuan E07 2025 Extended Range 4WD 39kWh Max Intelligent Driving Edition -	Changan Qiyuan E07 2025 Extended Range Four- Wheel Drive 39kWh Ultra High-Performance Edition -
--	--	--	--	--	---

Basic parameters (● Standard ○ Optional - N/A)

Manufacturer	Changan Qiyuan	Changan Qiyuan	Changan Qiyuan	Changan Qiyuan	Changan Qiyuan
level	mid-to-large SUVs	mid-to-large SUVs	mid-to-large SUVs	mid-to-large SUVs	mid-to-large SUVs
Energy type	Extended range	Extended range	Extended range	Extended range	Extended range
Environmental standards	National VI	National VI	National VI	National VI	National VI
Time to market	2024.10	2024.10	2024.10	2024.10	2024.10
WLTC pure electric range (km)	200	185	200	185	185
CLTC pure electric range (km)	245	230	245	230	230
Battery fast charging time (hours)	0.25	0.25	0.25	0.25	0.25
Battery slow charging time (hours)	3	3	3	3	3
Battery fast charge capacity range (%)	30-80	30-80	30-80	30-80	30-80
Battery slow charging capacity range (%)	30-80	30-80	30-80	30-80	30-80
Maximum power (kW)	231	362	231	362	362
Maximum torque (N·m)	375	637	375	637	637
gearbox	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission
Body structure	5-door, 5-seat SUV crossover	5-door, 5-seat SUV crossover	5-door, 5-seat SUV crossover	5-door, 5-seat SUV crossover	5-door, 5-seat SUV crossover
engine	Range extender 150 horsepower	Range extender 150 horsepower	Range extender 150 horsepower	Range extender 150 horsepower	Range extender 150 horsepower
Motor (Ps)	314	492	314	492	492
Length*Width*Height(mm)	5045*1996*1665	5045*1996*1665	5045*1996*1665	5045*1996*1665	5045*1996*1695
Official 0-100km/h acceleration (s)	7.1	5.15	7.1	5.15	5.15
Maximum speed (km/h)	190	190	190	190	190
WLTC comprehensive fuel consumption (L/100km)	0.7	0.75	0.7	0.75	0.75
Lowest state-of-charge fuel consumption (L/100km) WLTC	5.8	6.1	5.8	6.1	6.1
Electric energy equivalent fuel consumption (L/100km)	-	-	-	-	-
Combined fuel consumption (L/100km)	-	-	-	-	-
Curb mass (kg)	2325	2395	2325	2395	2395
Maximum full load mass (kg)	2935	3005	2935	3005	3005

body (● Standard ○ Optional - N/A)

Length (mm)	5045	5045	5045	5045	5045
Width (mm)	1996	1996	1996	1996	1996
Height (mm)	1665	1665	1665	1665	1695
Wheelbase (mm)	3120	3120	3120	3120	3120
Front wheelbase (mm)	1680	1680	1680	1680	1680
Rear track (mm)	1690	1690	1690	1690	1690
Minimum ground clearance (mm)	183	183	183	183	174

Approach angle (°)	twenty one	twenty one	twenty one	twenty one	twenty one
Departure angle (°)	twenty three	twenty three	twenty three	twenty three	twenty three
Maximum wading depth (mm)	600	600	600	600	600
Body structure	SUV crossover	SUV crossover	SUV crossover	SUV crossover	SUV crossover
Door opening method	swing door	swing door	swing door	swing door	swing door
Number of doors	● 5	● 5	● 5	● 5	● 5
Number of seats	● 5	● 5	● 5	● 5	● 5
Fuel tank capacity (L)	50	50	50	50	50
Front trunk volume (L)	-	-	-	-	-
Trunk volume (L)	524	524	524	524	524
Drag coefficient (Cd)	0.237	0.237	0.237	0.237	0.237

engine (● Standard ○ Optional - N/A)

Engine model	JL469ZQ1	JL469ZQ1	JL469ZQ1	JL469ZQ1	JL469ZQ1
Displacement (mL)	1497	1497	1497	1497	1497
Displacement (L)	1.5	1.5	1.5	1.5	1.5
Intake form	turbocharged	turbocharged	turbocharged	turbocharged	turbocharged
Engine layout	horizontal	horizontal	horizontal	horizontal	horizontal
Cylinder arrangement	L	L	L	L	L
Number of cylinders	4	4	4	4	4
Number of valves per cylinder	4	4	4	4	4
valve train	DOHC	DOHC	DOHC	DOHC	DOHC
Maximum horsepower (Ps)	150	150	150	150	150
Maximum power (kW)	110	110	110	110	110
Maximum power speed (rpm)	5000	5000	5000	5000	5000
Maximum torque (N·m)	220	220	220	220	220
Maximum torque speed (rpm)	3200-4200	3200-4200	3200-4200	3200-4200	3200-4200
Maximum net power (kW)	105	105	105	105	105
Energy type	Extended range	Extended range	Extended range	Extended range	Extended range
Fuel grade	No. 92	No. 92	No. 92	No. 92	No. 92
Oil supply method	Direct injection	Direct injection	Direct injection	Direct injection	Direct injection
Cylinder head material	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy
Cylinder material	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy
Environmental standards	National VI	National VI	National VI	National VI	National VI

electric motor (● Standard ○ Optional - N/A)

Front motor model	-	AYDM01	-	AYDM01	AYDM01
Rear motor model	ATDM02	ATDM02	ATDM02	ATDM02	ATDM02
Motor type	Permanent magnet/synchronous	AC/asynchronous at the front and permanent magnet/synchronous at the back	Permanent magnet/synchronous	AC/asynchronous at the front and permanent magnet/synchronous at the back	AC/asynchronous at the front and permanent magnet/synchronous at the back
Total motor power (kW)	231	362	231	362	362
Total motor horsepower (Ps)	314	492	314	492	492
Total torque of the motor (N·m)	375	637	375	637	637
Maximum power of front motor (kW)	-	131	-	131	131

Maximum torque of front motor (N·m)	-	262	-	262	262
Maximum power of rear motor (kW)	231	231	231	231	231
Maximum torque of rear motor (N·m)	375	375	375	375	375
Number of drive motors	Single motor	Dual motors	Single motor	Dual motors	Dual motors
Motor layout	Post	Front + rear	Post	Front + rear	Front + rear

Battery/Charging (● Standard ○ Optional - N/A)

Battery Type	● lithium iron phosphate battery	● lithium iron phosphate battery	● lithium iron phosphate battery	● lithium iron phosphate battery	● lithium iron phosphate battery
Battery cell brand	● Times Changan	● Times Changan	● Times Changan	● Times Changan	● Times Changan
Battery cooling method	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling
WLTC pure electric range (km)	200	185	200	185	185
CLTC pure electric range (km)	245	230	245	230	230
CLTC comprehensive endurance (km)	1190	1130	1190	1130	1130
Battery energy (kWh)	39.05	39.05	39.05	39.05	39.05
Battery energy density (Wh/kg)	125	125	125	125	125
Power consumption per 100 kilometers (kWh/100km)	20	21.7	20	21.7	21.7
Fast charging function	support	support	support	support	support
Fast charging power (kW)	120	120	120	120	120
High-voltage fast charging	-	-	-	-	-
High voltage platform (V)	-	-	-	-	-
Battery fast charging time (hours)	0.25	0.25	0.25	0.25	0.25
Battery slow charging time (hours)	3	3	3	3	3
Battery fast charge capacity range (%)	30-80	30-80	30-80	30-80	30-80
Battery slow charging capacity range (%)	30-80	30-80	30-80	30-80	30-80
Slow charging port location	Left rear side of the car	Left rear side of the car	Left rear side of the car	Left rear side of the car	Left rear side of the car
Fast charging port location	Left rear side of the car	Left rear side of the car	Left rear side of the car	Left rear side of the car	Left rear side of the car
External AC discharge power (kW)	6	6	6	6	6

gearbox (● Standard ○ Optional - N/A)

Abbreviation	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission
Number of gears	1	1	1	1	1
Transmission type	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox

Chassis steering (● Standard ○ Optional - N/A)

Drive mode	● Rear-engine, rear-wheel drive	● Dual-motor four-wheel drive	● Rear-engine, rear-wheel drive	● Dual-motor four-wheel drive	● Dual-motor four-wheel drive
Four-wheel drive	-	● Electric four-wheel drive	-	● Electric four-wheel drive	● Electric four-wheel drive
Front suspension type	● Double wishbone independent suspension	● Double wishbone independent suspension	● Double wishbone independent suspension	● Double wishbone independent suspension	● Double wishbone independent suspension
Rear suspension type	● H-arm multi-link independent suspension	● H-arm multi-link independent suspension	● H-arm multi-link independent suspension	● H-arm multi-link independent suspension	● H-arm multi-link independent suspension

Power type	● Electric power steering	● Electric power steering	● Electric power steering	● Electric power steering	● Electric power steering
Body structure	load-bearing	load-bearing	load-bearing	load-bearing	load-bearing

wheel brakes (● Standard ○ Optional - N/A)

Front brake type	● Ventilated disc type	● Ventilated disc type	● Ventilated disc type	● Ventilated disc type	● Ventilated disc type
Rear brake type	● Ventilated disc type	● Ventilated disc type	● Ventilated disc type	● Ventilated disc type	● Ventilated disc type
Parking brake type	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake
Front tire specifications	● 255/55 R20 ○ 265/45 R21 (20,000 yuan)	● 255/55 R20 ○ 265/45 R21 (20,000 yuan)	● 255/55 R20 ○ 265/45 R21 (20,000 yuan)	● 255/55 R20 ○ 265/45 R21 (20,000 yuan)	● 265/45 R21
Rear tire specifications	● 255/55 R20 ○ 265/45 R21	● 255/55 R20 ○ 265/45 R21	● 255/55 R20 ○ 265/45 R21	● 255/55 R20 ○ 265/45 R21	● 265/45 R21
Spare tire specifications	● Tire repair tools	● Tire repair tools	● Tire repair tools	● Tire repair tools	● Tire repair tools

Passive safety (● Standard ○ Optional - N/A)

Driver/passenger seat airbags	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●
Front/rear side airbags	forward● / back●	forward● / back●	forward● / back●	forward● / back●	forward● / back●
Front/rear head airbags (air curtain)	forward● / back●	forward● / back●	forward● / back●	forward● / back●	forward● / back●
Front center airbag	●	●	●	●	●

Active safety (● Standard ○ Optional - N/A)

ABS anti-lock braking system	●	●	●	●	●
Braking force distribution (EBD/CBC, etc.)	●	●	●	●	●
Brake assist (EBA/BAS/BA, etc.)	●	●	●	●	●
Traction control (ASR/TCS/TRC, etc.)	●	●	●	●	●
Vehicle stability control (ESC/ESP/DSC, etc.)	●	●	●	●	●
Tire pressure monitoring function	● Tire pressure display	● Tire pressure display	● Tire pressure display	● Tire pressure display	● Tire pressure display
Seat belt unfastened reminder	● whole vehicle	● whole vehicle	● whole vehicle	● whole vehicle	● whole vehicle
ISOFIX child seat interface	●	●	●	●	●
Lane Departure Warning System	●	●	●	●	●
Active braking/active safety systems	●	●	●	●	●
Fatigue driving tips	●	●	●	●	●
DOW door opening warning	●	●	●	●	●
Forward Collision Warning	●	●	●	●	●
Rear Collision Warning	●	●	●	●	●
Sentry Mode/Clairvoyance	●	●	●	●	●
Low speed warning	●	●	●	●	●
Built-in driving recorder	●	●	●	●	●
Roadside assistance call	●	●	●	●	●
Anti-rollover system	●	●	●	●	●

Driving control (● Standard ○ Optional - N/A)

--

Driving mode switch	● sports ● economy ● Standard/Comfort ● Customization/Personalization	● sports ● economy ● Standard/Comfort ● Snow ● Customization/Personalization	● sports ● economy ● Standard/Comfort ● Customization/Personalization	● sports ● economy ● Standard/Comfort ● Snow ● Customization/Personalization	● sports ● economy ● Standard/Comfort ● Snow ● Customization/Personalization
Energy recovery system	●	●	●	●	●
Automatic parking	●	●	●	●	●
Hill-start assist	●	●	●	●	●
Steep slope descent	●	●	●	●	●
Variable suspension function	○ Suspension hardness adjustment ○ Suspension height adjustment	○ Suspension hardness adjustment ○ Suspension height adjustment	● Suspension hardness adjustment ● Suspension height adjustment	● Suspension hardness adjustment ● Suspension height adjustment	● Suspension hardness adjustment ● Suspension height adjustment
air suspension	○	○	●	●	●
Magic Carpet Intelligent Suspension	○	○	●	●	●

Driving hardware (● Standard ○ Optional - N/A)

Front/rear parking radar	forward● / back●	forward● / back●	forward● / back●	forward● / back●	forward● / back●
Driving assistance images	● 360-degree panoramic images	● 360-degree panoramic images	● 360-degree panoramic images	● 360-degree panoramic images	● 360-degree panoramic images
Transparent chassis/540-degree imaging	●	●	●	●	●
Assisted driving chip	● Horizon Quest 3	● Horizon Quest 3	● Nvidia Orin-X	● Nvidia Orin-X	● Nvidia Orin-X
Total chip computing power	● 5 TOPS	● 5 TOPS	● 254 TOPS	● 254 TOPS	● 254 TOPS
Forward perception camera	● Monocular	● Monocular	● Binocular	● Binocular	● Binocular
Number of cameras	● 5	● 5	● 11	● 11	● 11
Front perception camera pixels	● 8 million	● 8 million	● 8 million	● 8 million	● 8 million
Environmental perception camera pixels	-	-	● 3 million	● 3 million	● 3 million
Surround view camera pixels	● 1 million	● 1 million	● 2 million	● 2 million	● 2 million
Number of cameras in the car	● 2	● 2	● 2	● 2	● 2
Number of ultrasonic radars	● 12	● 12	● 12	● 12	● 12
Number of millimeter-wave radars	● 5	● 5	● 5	● 5	● 5
LiDAR brand	-	-	● HESAI Hesai Technology	● HESAI Hesai Technology	● HESAI Hesai Technology
LiDAR model	-	-	● AT128	● AT128	● AT128
Number of lidars	-	-	● 1	● 1	● 1
LiDAR line count	-	-	● 128 lines	● 128 lines	● 128 lines
LiDAR 10% reflectivity detection distance	-	-	● 200 meters	● 200 meters	● 200 meters
Number of lidar point clouds	-	-	● 1.53 million/second	● 1.53 million/second	● 1.53 million/second

Driving functions (● Standard ○ Optional - N/A)

Cruise control system	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control
Assisted driving system	● Changan Intelligent Driving	● Changan Intelligent Driving	● Changan Intelligent Driving	● Changan Intelligent Driving	● Changan Intelligent Driving
Driving assistance level	● L2	● L2	● L2	● L2	● L2
Reversing side warning system	●	●	●	●	●
Satellite navigation system	●	●	●	●	●
Navigation traffic information display	●	●	●	●	●

Map Brand	● Gaode	● Gaode	● Gaode	● Gaode	● Gaode
High-precision maps	-	-	●	●	●
Lane change assistance	●	●	●	●	●
Lane Keeping Assist System	●	●	●	●	●
Lane centering	●	●	●	●	●
Road traffic sign recognition	●	●	●	●	●
Assisted parking	●	●	●	●	●
Remote control parking	●	●	●	●	●
Memory Parking	-	-	●	●	●
Track reverse	●	●	●	●	●
Assisted lane change	-	-	●	●	●
Automatic exit (entry) of auxiliary ramp	-	-	●	●	●
Traffic light recognition	-	-	●	●	●
Remote Summon	-	-	●	●	●
Hands-off steering wheel detection	-	-	●	●	●
Start reminder	●	●	●	●	●
Assisted driving sections	-	-	○ Urban road section (28,000 yuan) ● Expressway section	○ Urban road section (28,000 yuan) ● Expressway section	○ Urban road section (28,000 yuan) ● Expressway section

Appearance/anti-theft (● Standard ○ Optional - N/A)

Rim material	● aluminum alloy	● aluminum alloy	● aluminum alloy	● aluminum alloy	● aluminum alloy
Electric suction door	○ whole vehicle	○ whole vehicle	○ whole vehicle	○ whole vehicle	● whole vehicle
Electric trunk	●	●	●	●	●
Electric trunk position memory	●	●	●	●	●
Roof rack	○ (1000 yuan)	○ (1000 yuan)	○ (1000 yuan)	○ (1000 yuan)	●
Engine electronic immobilizer	●	●	●	●	●
Central locking system in the car	●	●	●	●	●
Key type	● remote control key ● Bluetooth key ● NFC/RFID keys	● remote control key ● Bluetooth key ● NFC/RFID keys	● remote control key ● Bluetooth key ● NFC/RFID keys	● remote control key ● Bluetooth key ● NFC/RFID keys	● remote control key ● Bluetooth key ● NFC/RFID keys
Keyless start system	●	●	●	●	●
Keyless entry function	● whole vehicle	● whole vehicle	● whole vehicle	● whole vehicle	● whole vehicle
Hidden electric door handles	●	●	●	●	●
Active closed grille	-	-	-	-	-
Remote start function	●	●	●	●	●
Battery preheating	●	●	●	●	●
Discharge to the outside	●	●	●	●	●

Exterior lights (● Standard ○ Optional - N/A)

Low beam light source	● led	● led	● led	● led	● led
High beam light source	● led	● led	● led	● led	● led
Lighting features	○ Programmable smart headlights (20,000 yuan)	○ Programmable smart headlights (20,000 yuan)	○ Programmable smart headlights (20,000 yuan)	○ Programmable smart headlights (20,000 yuan)	● Programmable smart headlights
LED daytime running lights	●	●	●	●	●
Adaptive high and low beam	●	●	●	●	●

Automatic headlights	●	●	●	●	●
Front fog lights	-	-	-	-	-
Headlight height adjustable	●	●	●	●	●
Headlights delayed off	●	●	●	●	●
Scene Light Language	●	●	●	●	●

Skylight/Glass（● Standard ○ Optional - N/A）

Skylight Type	● The panoramic sunroof cannot be opened	● The panoramic sunroof cannot be opened	● The panoramic sunroof cannot be opened	● The panoramic sunroof cannot be opened	● The panoramic sunroof cannot be opened
Front/rear electric windows	forward● / back●	forward● / back●	forward● / back●	forward● / back●	forward● / back●
One-touch window lift function	● whole vehicle	● whole vehicle	● whole vehicle	● whole vehicle	● whole vehicle
Window anti-pinch function	●	●	●	●	●
Side window multi-layer soundproof glass	● front row ● back row	● front row ● back row	● front row ● back row	● front row ● back row	● front row ● back row
Car makeup mirror	● Main driving light + lighting ● 副驾驶+照明灯	● 主驾驶+照明灯 ● 副驾驶+照明灯	● 主驾驶+照明灯 ● 副驾驶+照明灯	● 主驾驶+照明灯 ● 副驾驶+照明灯	● 主驾驶+照明灯 ● 副驾驶+照明灯
后雨刷	-	-	-	-	-
感应雨刷功能	● 雨量感应式	● 雨量感应式	● 雨量感应式	● 雨量感应式	● 雨量感应式

外后视镜（● Standard ○ Optional - N/A）

外后视镜功能	● 电动调节 ● 电动折叠 ● 后视镜记忆 ● 后视镜加热 ● 倒车自动下翻 ● 锁车自动折叠	● 电动调节 ● 电动折叠 ● 后视镜记忆 ● 后视镜加热 ● 倒车自动下翻 ● 锁车自动折叠	● 电动调节 ● 电动折叠 ● 后视镜记忆 ● 后视镜加热 ● 倒车自动下翻 ● 锁车自动折叠	● 电动调节 ● 电动折叠 ● 后视镜记忆 ● 后视镜加热 ● 倒车自动下翻 ● 锁车自动折叠	● 电动调节 ● 电动折叠 ● 后视镜记忆 ● 后视镜加热 ● 倒车自动下翻 ● 锁车自动折叠
--------	--	--	--	--	--

屏幕/系统（● Standard ○ Optional - N/A）

中控彩色屏幕	● 触控液晶屏	● 触控液晶屏	● 触控液晶屏	● 触控液晶屏	● 触控液晶屏
中控屏幕尺寸	● 15.4英寸	● 15.4英寸	● 15.4英寸	● 15.4英寸	● 15.4英寸
中控屏幕类型	● LCD	● LCD	● LCD	● LCD	● LCD
中控屏幕分辨率	● 2.5K	● 2.5K	● 2.5K	● 2.5K	● 2.5K
中控屏幕像素密度	● 196PPI	● 196PPI	● 196PPI	● 196PPI	● 196PPI
副驾娱乐屏尺寸	○ 12.8英寸	○ 12.8英寸	○ 12.8英寸	○ 12.8英寸	● 12.8英寸
副驾屏幕类型	○ LCD	○ LCD	○ LCD	○ LCD	● LCD
副驾屏幕分辨率	○ 1920x1080	○ 1920x1080	○ 1920x1080	○ 1920x1080	● 1920x1080
副驾屏幕像素密度	○ 172PPI	○ 172PPI	○ 172PPI	○ 172PPI	● 172PPI
旋转大屏	●	●	●	●	●
蓝牙/车载电话	●	●	●	●	●
手机互联/映射	● 支持HUAWEI HiCar	● 支持HUAWEI HiCar	● 支持HUAWEI HiCar	● 支持HUAWEI HiCar	● 支持HUAWEI HiCar
语音识别控制系统	● 多媒体系统 ● 导航 ● 电话 ● 空调 ● 车窗 ● 座椅加热 ● 座椅通风 ● 座椅按摩	● 多媒体系统 ● 导航 ● 电话 ● 空调 ● 车窗 ● 座椅加热 ● 座椅通风 ● 座椅按摩	● 多媒体系统 ● 导航 ● 电话 ● 空调 ● 车窗 ● 座椅加热 ● 座椅通风 ● 座椅按摩	● 多媒体系统 ● 导航 ● 电话 ● 空调 ● 车窗 ● 座椅加热 ● 座椅通风 ● 座椅按摩	● 多媒体系统 ● 导航 ● 电话 ● 空调 ● 车窗 ● 座椅加热 ● 座椅通风 ● 座椅按摩
语音助手唤醒词	● 小安，你好	● 小安，你好	● 小安，你好	● 小安，你好	● 小安，你好
语音免唤醒词	●	●	●	●	●
语音分区域唤醒识别	● 四区域	● 四区域	● 四区域	● 四区域	● 四区域

语音连续识别	●	●	●	●	●
可见即可说	●	●	●	●	●
手势控制	●	●	●	●	●
面部识别	●	●	●	●	●
应用商店	●	●	●	●	●
车载智能系统	● Tops OS	● Tops OS	● Tops OS	● Tops OS	● Tops OS
车机智能芯片	● 高通骁龙8155	● 高通骁龙8155	● 高通骁龙8155	● 高通骁龙8155	● 高通骁龙8155
后排控制多媒体	●	●	●	●	●

智能化配置（● Standard ○ Optional - N/A）

车联网	●	●	●	●	●
4G/5G网络	● 4G	● 4G	● 4G	● 4G	● 4G
OTA升级	●	●	●	●	●
Wi-Fi热点	●	●	●	●	●
手机APP远程功能	● 车门控制 ● 车窗控制 ● 车辆启动 ● 充电管理 ● 空调控制 ● 方向盘加热 ● 座椅加热 ● 座椅通风 ● 车况查询/诊断 ● 车辆定位/寻车 ● 多媒体控制	● 车门控制 ● 车窗控制 ● 车辆启动 ● 充电管理 ● 空调控制 ● 方向盘加热 ● 座椅加热 ● 座椅通风 ● 车况查询/诊断 ● 车辆定位/寻车 ● 多媒体控制	● 车门控制 ● 车窗控制 ● 车辆启动 ● 充电管理 ● 空调控制 ● 方向盘加热 ● 座椅加热 ● 座椅通风 ● 车况查询/诊断 ● 车辆定位/寻车 ● 多媒体控制	● 车门控制 ● 车窗控制 ● 车辆启动 ● 充电管理 ● 空调控制 ● 方向盘加热 ● 座椅加热 ● 座椅通风 ● 车况查询/诊断 ● 车辆定位/寻车 ● 多媒体控制	● 车门控制 ● 车窗控制 ● 车辆启动 ● 充电管理 ● 空调控制 ● 方向盘加热 ● 座椅加热 ● 座椅通风 ● 车况查询/诊断 ● 车辆定位/寻车 ● 多媒体控制
车载KTV	●	●	●	●	●

方向盘/内后视镜（● Standard ○ Optional - N/A）

方向盘材质	● 真皮	● 真皮	● 真皮	● 真皮	● 真皮
方向盘位置调节	● 电动上下+前后调节	● 电动上下+前后调节	● 电动上下+前后调节	● 电动上下+前后调节	● 电动上下+前后调节
换挡形式	● 电子式怀挡换挡	● 电子式怀挡换挡	● 电子式怀挡换挡	● 电子式怀挡换挡	● 电子式怀挡换挡
多功能方向盘	●	●	●	●	●
方向盘加热	●	●	●	●	●
方向盘记忆	●	●	●	●	●
行车电脑显示屏幕	-	-	-	-	-
全液晶仪表盘	-	-	-	-	-
液晶仪表尺寸	-	-	-	-	-
HUD抬头数字显示	●	●	●	●	●
HUD抬头尺寸	● 28.8英寸	● 28.8英寸	● 28.8英寸	● 28.8英寸	● 28.8英寸
内后视镜功能	● 自动防眩目	● 自动防眩目	● 自动防眩目	● 自动防眩目	● 自动防眩目

车内充电（● Standard ○ Optional - N/A）

多媒体/充电接口	● USB ● Type-C	● USB ● Type-C	● USB ● Type-C	● USB ● Type-C	● USB ● Type-C
USB/Type-C接口数量	● 前排2个/后排1个	● 前排2个/后排1个	● 前排2个/后排1个	● 前排2个/后排1个	● 前排2个/后排1个
220V/230V电源	●	●	●	●	●
手机无线充电功能	● 前排	● 前排	● 前排	● 前排	● 前排
手机无线充电功率	● 50W	● 50W	● 50W	● 50W	● 50W
行李厢12V电源接口	●	●	●	●	●

座椅配置（● Standard ○ Optional - N/A）

座椅材质	● 真皮	● 真皮	● 真皮	● 真皮	● 真皮
主座椅调节方式	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)
副座椅调节方式	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)
主/副驾驶座电动调节	主● / 副●	主● / 副●	主● / 副●	主● / 副●	主● / 副●
前排座椅功能	● 加热 ● 通风 ● 按摩	● 加热 ● 通风 ● 按摩	● 加热 ● 通风 ● 按摩	● 加热 ● 通风 ● 按摩	● 加热 ● 通风 ● 按摩
电动座椅记忆功能	● 驾驶位 ● 副驾驶位	● 驾驶位 ● 副驾驶位	● 驾驶位 ● 副驾驶位	● 驾驶位 ● 副驾驶位	● 驾驶位 ● 副驾驶位
副驾驶位后排可调节按钮	-	-	-	-	-
第二排座椅调节	○ 前后调节 ● 靠背调节	○ 前后调节 ● 靠背调节	○ 前后调节 ● 靠背调节	○ 前后调节 ● 靠背调节	● 前后调节 ● 靠背调节
第二排座椅电动调节	○	○	○	○	●
第二排座椅功能	● 加热 ● 通风 ○ 按摩	● 加热 ● 通风 ○ 按摩	● 加热 ● 通风 ○ 按摩	● 加热 ● 通风 ○ 按摩	● 加热 ● 通风 ● 按摩
零重力座椅	● 第一排	● 第一排	● 第一排	● 第一排	● 第一排
后排座椅放倒形式	● 比例放倒	● 比例放倒	● 比例放倒	● 比例放倒	● 比例放倒
后排座椅电动放倒	○	○	○	○	●
前/后中央扶手	前● / 后●	前● / 后●	前● / 后●	前● / 后●	前● / 后●
后排杯架	●	●	●	●	●

音响/车内灯光（● Standard ○ Optional - N/A）

扬声器品牌名称	-	-	-	-	-
扬声器数量	● 18喇叭	● 18喇叭	● 18喇叭	● 18喇叭	● 18喇叭
触摸式阅读灯	●	●	●	●	●
车内环境氛围灯	● 256色	● 256色	● 256色	● 256色	● 256色
主动式环境氛围灯	●	●	●	●	●

空调/冰箱（● Standard ○ Optional - N/A）

空调温度控制方式	● 自动空调	● 自动空调	● 自动空调	● 自动空调	● 自动空调
热泵空调	-	-	-	-	-
后排独立空调	-	-	-	-	-
后座出风口	●	●	●	●	●
温度分区控制	●	●	●	●	●
车载空气净化器	-	-	-	-	-
车内PM2.5过滤装置	●	●	●	●	●
负离子发生器	●	●	●	●	●
车内香氛装置	●	●	●	●	●
空气质量监测	●	●	●	●	●

特色配置（● Standard ○ Optional - N/A）

--

SDA架构					
星际开合穹顶					
折叠隔断					

颜色（ Standard Optional - N/A）

外观颜色	玄武黑 皓月白 墨石灰 松石青 琥珀橙 哑光墨石灰 ¥ 5000	玄武黑 皓月白 墨石灰 松石青 琥珀橙 哑光墨石灰 ¥ 5000	玄武黑 皓月白 墨石灰 松石青 琥珀橙 哑光墨石灰 ¥ 5000	玄武黑 皓月白 墨石灰 松石青 琥珀橙 哑光墨石灰 ¥ 5000	玄武黑 皓月白 墨石灰 松石青 琥珀橙 哑光墨石灰 ¥ 5000
内饰颜色	檀黑 云白 赤橙	檀黑 云白 赤橙	檀黑 云白 赤橙	檀黑 云白 赤橙	檀黑 云白 赤橙

选装包（ Standard Optional - N/A）

科技畅享套装	-	-	-	-	-
家庭舒享套装	硬件配置：副驾屏/后排座椅按摩（12点）/后排电动调节/后排隔断电动放倒/电吸门/流水氛围灯 软件功能：尊享副驾、声控交互氛围灯、一键后舱成床、后排舒适进出、后排观影模式、高级智能化妆灯 选配 (15000元)	硬件配置：副驾屏/后排座椅按摩（12点）/后排电动调节/后排隔断电动放倒/电吸门/流水氛围灯 软件功能：尊享副驾、声控交互氛围灯、一键后舱成床、后排舒适进出、后排观影模式、高级智能化妆灯 选配 (15000元)	硬件配置：副驾屏/后排座椅按摩（12点）/后排电动调节/后排隔断电动放倒/电吸门/流水氛围灯 软件功能：尊享副驾、声控交互氛围灯、一键后舱成床、后排舒适进出、后排观影模式、高级智能化妆灯 选配 (15000元)	硬件配置：副驾屏/后排座椅按摩（12点）/后排电动调节/后排隔断电动放倒/电吸门/流水氛围灯 软件功能：尊享副驾、声控交互氛围灯、一键后舱成床、后排舒适进出、后排观影模式、高级智能化妆灯 选配 (15000元)	-
科技畅享套装2	软件功能：智能视野辅助、车外广播、车外语音控车、调香大师、移动影院、前舱露营、儿童守护、睡眠呵护、共赏星空、灯光魔典、灯光编程、场景编程、AI大模型语音编程*、AI旅程谱曲*、远程挪泊*、EQ调音大师 选配 (5000元)	软件功能：智能视野辅助、车外广播、车外语音控车、调香大师、移动影院、前舱露营、儿童守护、睡眠呵护、共赏星空、灯光魔典、灯光编程、场景编程、AI大模型语音编程*、AI旅程谱曲*、远程挪泊*、EQ调音大师 选配 (5000元)	-	-	-
智能魔毯套装	硬件配置；空气悬架+智能CDC 软件功能：智能侧倾抑制、智能俯仰抑制、动态自适应、轻松载物、维修保护、一键调平 选配 (20000元)	硬件配置；空气悬架+智能CDC 软件功能：智能侧倾抑制、智能俯仰抑制、动态自适应、轻松载物、维修保护、一键调平 选配 (20000元)	-	-	-
社交达人套装	硬件配置：星环式前交互屏 软件功能：行车图案库、驻车图案库、车外歌词显示、惊喜时刻图案库 选配 (20000元)	硬件配置：星环式前交互屏 软件功能：行车图案库、驻车图案库、车外歌词显示、惊喜时刻图案库 选配 (20000元)	硬件配置：星环式前交互屏 软件功能：行车图案库、驻车图案库、车外歌词显示、惊喜时刻图案库 选配 (20000元)	硬件配置：星环式前交互屏 软件功能：行车图案库、驻车图案库、车外歌词显示、惊喜时刻图案库 选配 (20000元)	-
科技畅享套装3	-	-	软件功能：智能视野辅助、车外广播、车外语音控车、调香大师、移动影院、前舱露营、儿童守护、睡眠呵护、共赏星空、营地守护*、灯光魔典、灯光编程、场景编程、AI大模型语音编程*、AI旅程谱曲*、远程挪泊*、EQ调音大师 选配 (5000元)	软件功能：智能视野辅助、车外广播、车外语音控车、调香大师、移动影院、前舱露营、儿童守护、睡眠呵护、共赏星空、营地守护*、灯光魔典、灯光编程、场景编程、AI大模型语音编程*、AI旅程谱曲*、远程挪泊*、EQ调音大师 选配 (5000元)	-
长安高阶智驾包	-	-	软件功能：城区领航辅助 选配 (28000元)	软件功能：城区领航辅助 选配 (28000元)	软件功能：城区领航辅助 选配 (28000元)
科技畅享套装1	-	-	-	-	-