HILUCK Your Trusted Chinese EV Partner	Dajia 9 2025 Super Hybrid Long Range Forest Edition 7- seater	Dajia 9 2025 Super Hybrid Long Range Mountain Travel Edition 7-seater	Dajia 9 2025 Long Range Executive Seven-Seater Edition	Dajia 9 2025 Long Range Grassland Seven-Seater Edition	Dajia 9 2025 Long Range Forest Seven- Seater Edition
	-	-	-	-	-

Basic parameters (• Standard ○ Optional - N/A)

Manufacturer	SAIC Maxus	SAIC Maxus	SAIC Maxus	SAIC Maxus	SAIC Maxus
level	mid-to-large MPVs	mid-to-large MPVs	mid-to-large MPVs	mid-to-large MPVs	mid-to-large MPVs
Energy type	plug-in hybrid	plug-in hybrid	Pure electric	Pure electric	Pure electric
Environmental standards	National VI	National VI	-	-	-
Time to market	2025.07	2025.08	2024.08	2024.08	2024.08
WLTC pure electric range (km)	175	170	-	-	-
CLTC pure electric range (km)	225	220	560	560	560
Battery fast charging time (hours)	0.5	0.5	0.5	0.5	0.5
Battery slow charging time (hours)	-	-	8.5	8.5	8.5
Battery fast charge capacity range (%)	20-80	20-80	30-80	30-80	30-80
Maximum power (kW)	-	-	180	180	180
Maximum torque (N·m)	-	-	350	350	350
gearbox	1st gear DHT	1st gear DHT	Electric vehicle single- speed transmission	Electric vehicle single- speed transmission	Electric vehicle single- speed transmission
Body structure	5-door, 7-seat MPV	5-door, 7-seat MPV	5-door, 7-seat MPV	5-door, 7-seat MPV	5-door, 7-seat MPV
engine	1.5T 150 horsepower L4	1.5T 150 horsepower L4	Pure electric	Pure electric	Pure electric
Motor (Ps)	239	239	245	245	245
Length*Width*Height(mm)	5270*2000*1848	5270*2000*1848	5270*2000*1840	5270*2000*1840	5270*2000*1840
Official 0-100km/h acceleration (s)	-	-	-	-	-
Maximum speed (km/h)	180	180	180	180	180
WLTC comprehensive fuel consumption (L/100km)	0.79	0.79	-	-	-
Lowest state-of-charge fuel consumption (L/100km) WLTC	6.7	6.9	-	-	-
Electric energy equivalent fuel consumption (L/100km)	2.45	2.45	-	-	-
Curb mass (kg)	2440	2520	2310	2410	2410
Maximum full load mass (kg)	2990	3070	2860	2970	2970

body (• Standard ○ Optional - N/A)

Length (mm)	5270	5270	5270	5270	5270
Width (mm)	2000	2000	2000	2000	2000

Height (mm)	1848	1848	1840	1840	1840
Wheelbase (mm)	3200	3200	3200	3200	3200
Front wheelbase (mm)	1700	1700	1690	1690	1690
Rear track (mm)	1722	1722	1712	1712	1712
Approach angle (°)	15	15	15	15	15
Departure angle (°)	19	19	18	18	18
Body structure	MPV	MPV	MPV	MPV	MPV
Door opening method	Casement door + sliding door				
	3	3	3		
Number of doors	• 5	• 5	• 5	• 5	• 5
Number of doors	-	-	-	• 5	• 5
	• 5	• 5	• 5		
Number of seats	• 5	• 5	• 5	• 7	
Number of seats Fuel tank capacity (L)	• 5 • 7 62	• 5	• 5	• 7	• 7

engine (• Standard ○ Optional - N/A)

Engine model	15FKE	15FKE	- 0	-	-
Displacement (mL)	1496	1496		-	-
Displacement (L)	1.5	1.5	0.0	0.0	0.0
Intake form	turbocharged	turbocharged	-	-	-
Engine layout	horizontal	horizontal	-	-	-
Cylinder arrangement	L	L	-	-	-
Number of cylinders	4	4	-	-	-
Number of valves per cylinder	4	4	-	-	-
valve train	DOHC	DOHC	-	-	-
Maximum horsepower (Ps)	150	150	-	-	-
Maximum power (kW)	110	110	-	-	-
Maximum power speed (rpm)	2000-4000	2000-4000	-	-	-
Maximum torque (N·m)	235	235	-	-	-
Maximum torque speed (rpm)	5500	5500	-	-	-
Maximum net power (kW)	108	108	-	-	-
Energy type	plug-in hybrid	plug-in hybrid	Pure electric	Pure electric	Pure electric
Fuel grade	No. 92	No. 92	-	-	-
Oil supply method	Direct injection	Direct injection	-	-	-
Cylinder head material	aluminum alloy	aluminum alloy	-	-	-
Cylinder material	aluminum alloy	aluminum alloy	-	-	-
Environmental standards	National VI	National VI	-	-	-

electric motor (• Standard O Optional - N/A)

former motor brand	-	-	Huayu Automotive	Huayu Automotive	Huayu Automotive
Front motor model	TZ210XY106	TZ210XY106	TZ204XS1351	TZ204XS1351	TZ204XS1351
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	176	176	180	180	180
Total motor horsepower (Ps)	239	239	245	245	245
Total torque of the motor (N·m)	390	390	350	350	350
Maximum power of front motor (kW)	176	176	180	180	180
Maximum torque of front motor (N·m)	390	390	350	350	350
Number of drive motors	Single motor				
Motor layout	Pre	Pre	Pre	Pre	Pre

Battery/Charging (• Standard ○ Optional - N/A)

	Ternary lithium	Ternary lithium	Ternary lithium	 Ternary lithium 	Ternary lithium
Battery Type	battery	battery	battery	battery	battery
Battery cell brand	Xinwangda	Xinwangda	• CATL	• CATL	• CATL
Battery cooling method	Direct cooling	Direct cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling
WLTC pure electric range (km)	175	170		-	-
CLTC pure electric range (km)	225	220	560	560	560
CLTC comprehensive endurance (km)	1309	1304	-	-	-
Battery energy (kWh)	39.7	39.7	90	90	90
Battery energy density (Wh/kg)	-	-	195	195	195
Power consumption per 100 kilometers (kWh/100km)	21.7	21.7	17.1	17.1	17.1
Fast charging function	support	support	support	support	support
Fast charging power (kW)	47.5	47.5	-	-	-
Battery fast charging time (hours)	0.5	0.5	0.5	0.5	0.5
Battery slow charging time (hours)	-	-	8.5	8.5	8.5
Battery fast charge capacity range (%)	20-80	20-80	30-80	30-80	30-80
Slow charging port location	Right rear side of the car	Right rear side of the car	Left rear side of the car	Left rear side of the car	Left rear side of the car
Fast charging port location	Right rear side of the car	Right rear side of the car	Left rear side of the car	Left rear side of the car	Left rear side of the car
External AC discharge power (kW)	6.6	6.6	6.6	6.6	6.6

Number of gases 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1												
Chassis steering *- Sundano Optional Nymid Euromission (DHT)	Abbreviation	1st gear DHT	1st gear DHT		~	Electric vehicle single- speed transmission						
Chassis steering (* Sweleted Optional - N/A) Drive mode	Number of gears	1	1	1	1	1						
Private regime, front wheel drive	Transmission type	*	•	Fixed gear ratio gearbox	Fixed gear ratio gearbox	Fixed gear ratio gearbox						
## Wheel drive whe	Chassis steering (• Standard C	Chassis steering (• Standard O Optional - N/A)										
independent suspension type Prive-flork independent suspension independent suspension independent suspension independent suspension independent suspension type Power type	Drive mode	_	_	_	_	• Front-engine, front- wheel drive						
Supersion type **Ilectric power steering** **Bedric power steering** **Wheel brakes** **Control brake** **Pront brake type** **Parking brake type** **Disc** **Bedric parking** **Bedric pa	Front suspension type					McPherson independent suspension						
Steering	Rear suspension type	· ·	· ·	· ·	·	Five-link independent suspension						
wheel brakes (* Sandard O Optional - N/A) Front brake type	Power type	· ·	· ·	·	· ·	· ·						
Front brake type • Ventilated disc • Ventilated disc • Ventilated disc • Disc	Body structure	load-bearing	load-bearing	load-bearing	load-bearing	load-bearing						
Rear brake type • Disc • Dis	wheel brakes (• Standard ○ Op	otional - N/A)										
Parking brake type Bettornic parking brake brake Front tire specifications Bear tire specific	Front brake type	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	 Ventilated disc 						
brake	Rear brake type	• Disc	• Disc	• Disc	• Disc	• Disc						
Rear tire specifications • 235/55 R19 • 235/55 R19 • 225/60 R18 • 225/50 R18 • 225/60 R18 • 1/14	Parking brake type					• Electronic parking brake						
Spare tire specifications • Tire repair tools • Tools • Noste / Vicee • hoste / Vicee • forwarde / backe • forwarde / ba	Front tire specifications	• 235/55 R19	• 235/55 R19	• 225/60 R18	• 225/60 R18	• 235/55 R19						
Passive safety (• Standard O Optional - N/A) Driver/passenger seat airbags	Rear tire specifications	• 235/55 R19	• 235/55 R19	• 225/60 R18	• 225/60 R18	• 235/55 R19						
Driver/passenger seat airbags Front/rear side airbags forwarde / back- for	Spare tire specifications	• Tire repair tools		• Tire repair tools	• Tire repair tools	• Tire repair tools						
Front/rear side airbags forwarde / back-	Passive safety (• Standard O O	Optional - N/A)										
Front/rear head airbags (curtain airbags) Front center airbag • • • • • • • • • • • • • • • • • • •	Driver/passenger seat airbags	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●						
airbags) Front center airbag Active safety (• Standard O Optional - N/A) ABS anti-lock braking system Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Vehicle stability control	Front/rear side airbags	forward● / back-	forward• / back-	forward● / back-	forward● / back-	forward● / back-						
Active safety (• Standard O Optional - N/A) ABS anti-lock braking system • • • • • • • • • • • • • • • • • • •	-	forward● / back●	forward● / back●	-	forward● / back●	forward _• / back _•						
Active safety (• Standard O Optional - N/A) ABS anti-lock braking system • • • • • • • • • • • • • • • • • • •	Front center airbag	•	•	-	•	•						
ABS anti-lock braking system Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Vehicle stability control	Run-flat tires	-	•	-	0	0						
Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Vehicle stability control	Active safety (• Standard O Optional - N/A)											
(EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Vehicle stability control	ABS anti-lock braking system	•	•	•	•	•						
Traction control (ASR/TCS/TRC, etc.) Vehicle stability control	•	٠	•	•	•	•						
etc.) Vehicle stability control	Brake assist (EBA/BAS/BA, etc.)	•	•	•	•	•						
		•	•	•	•	•						
	Vehicle stability control (ESC/ESP/DSC, etc.)	•	•	•	•	•						

Tire pressure monitoring function	Tire pressure display	Tire pressure display	Tire pressure display	Tire pressure display	Tire pressure display
Seat belt unfastened reminder	 whole vehicle 	• whole vehicle	Main driver's seat	• whole vehicle	• whole vehicle
ISOFIX child seat interface	•	•	•	•	•
Lane Departure Warning System	•	•	•	•	•
Active braking/active safety systems	•	•	•	•	•
Fatigue driving tips	•	•	-	-	•
DOW door opening warning	•	•	-	•	•
Forward Collision Warning	•	•	•	•	•
Low speed warning	•	•	•	•	•
Built-in driving recorder	•	•	-	-	•
Roadside assistance call	•	•	-	•	•

Driving control (• Standard ○ Optional - N/A)

Driving mode switch	sportseconomyStandard/Comfort	sportseconomyStandard/Comfort	sportseconomyStandard/Comfort	sportseconomyStandard/Comfort	sportseconomyStandard/Comfort
Energy recovery system	•	•	•	•	•
Automatic parking	•	•		•	•
Hill-start assist	•	•	•	•	•
Steep slope descent	•		•	•	•

Driving hardware (• Standard O Optional - N/A)

Front/rear parking radar	forward• / back•	forward• / back•	Front / Back●	forward● / back●	forward● / back●
Driving assistance images	• 360-degree panoramic images	• 360-degree panoramic images	• Reversing image	• 360-degree panoramic images	• 360-degree panoramic images
Transparent chassis/540-degree imaging	•	•	-	•	•
Forward perception camera	 Monocular 	Monocular	Monocular	 Monocular 	 Monocular
Number of cameras	• 5	• 5	• 2	• 5	• 5
Number of cameras in the car	• 1	• 2	-	-	-
Number of ultrasonic radars	• 6	• 6	• 4	• 6	• 6
Number of millimeter-wave radars	• 3	• 3	• 1	• 3	• 3

Driving functions (• Standard ○ Optional - N/A)

Cruise control system	Full-speed adaptive cruise control	Full-speed adaptive cruise control	Full-speed adaptive cruise control	• Full-speed adaptive cruise control	 Full-speed adaptive cruise control
Driving assistance level	• L2	• L2	• L2	• L2	• L2
Reversing side warning system	•	•	-	•	•

Satellite navigation system	•	•	-	•	•
Navigation traffic information display	•	•	-	•	•
Map Brand	• Gaode	• Gaode	-	-	-
AR real-scene navigation	•	•	-	-	•
Lane change assistance	•	•	-	•	•
Lane Keeping Assist System	•	•	•	•	•
Lane centering	•	•	•	•	•
Assisted parking	-	-	-	-	-

$\textbf{Appearance/anti-theft} \quad \textbf{(\bullet Standard O Optional - N/A)}$

Rim material	aluminum alloy	• aluminum alloy	• aluminum alloy	aluminum alloy	• aluminum alloy
Sliding door type	Double-sided electric	Double-sided electric	Bilateral manual	 Right side electric, left side manual 	Double-sided electric
Electric trunk	•	•	-	-	•
Sensor trunk	•	•	-	-	•
Electric trunk position memory	•	•	-	-	•
Engine electronic immobilizer	•	•	-	-	-
Central locking system in the car	•	•	•	•	•
Key type	remote control keyBluetooth key	remote control keyBluetooth key	• remote control key	remote control keyBluetooth key	remote control keyBluetooth key
Keyless start system	•	•	•	•	•
Keyless entry function	whole vehicle	• whole vehicle	-	• front row	•
Remote start function	•	•	-	•	•
Battery preheating	•	•	•	•	•
Discharge to the outside	•	•	•	•	•

Exterior lights (• Standard O Optional - N/A)

Low beam light source	• led				
High beam light source	• led				
LED daytime running lights	•	•	•	•	•
Adaptive high and low beam	-	-	•	•	•
Automatic headlights	•	•	•	•	•
Front fog lights	-	-	-	-	-
Headlight height adjustable	•	•	•	•	•
Headlights delayed off	•	•	•	•	•

Skylight/Glass (• Standard O Optional - N/A)

Skylight Type	• Segmented electric sunroof	• Segmented electric sunroof	-	Electric sunroof	• Segmented electric sunroof
Front/rear electric windows	forward● / back●	forward● / back●	forward• / back•	forward● / back●	forward● / back●
One-touch window lift function	• whole vehicle	• whole vehicle	• Driver's seat	• whole vehicle	whole vehicle
Window anti-pinch function	•	•	•	•	•
Side window multi-layer soundproof glass	front rowback row	front rowback row	• front row	front rowback row	front rowback row
Rear side window sunshades	Manual	Manual	-	-	•
Rear side privacy glass	•	•	-	•	•
Car makeup mirror	 Main driving light + lighting Co-pilot + lighting 	 Main driving light + lighting Co-pilot + lighting 	 Main driving light + lighting Co-pilot + lighting 	Main driving light + lightingCo-pilot + lighting	 Main driving light + lighting Co-pilot + lighting
rear wiper	•	•	•	•	•
Rain sensor wiper function	• Rain sensor	• Rain sensor	-	• Rain sensor	• Rain sensor

exterior mirrors (• Standard O Optional - N/A)

Exterior rearview mirror function	Electric adjustment Electric folding Rearview mirror memory Heated rearview mirrors Automatically tilt down when reversing Automatic folding when the car is locked	Electric adjustment Electric folding Rearview mirror memory Heated rearview mirrors Automatically tilt down when reversing Automatic folding when the car is locked	 Electric adjustment Heated rearview mirrors 	 Electric adjustment Electric folding Heated rearview mirrors Automatic folding when the car is locked 	Electric adjustment Electric folding Heated rearview mirrors Automatic folding when the car is locked
-----------------------------------	---	---	--	---	---

Screen/System (• Standard O Optional - N/A)

Central control color screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen
Central control screen size	• 12.3 inches	• 12.3 inches	• 12.3 inches	• 12.3 inches	• 12.3 inches
Passenger car entertainment screen size	• 12.3 inches	• 12.3 inches	-	• 12.3 inches	• 12.3 inches
Bluetooth/car phone	•	•	•	•	•
Mobile phone interconnection/mapping	-	-	•	-	-
Voice recognition control system	 Multimedia system navigation Telephone air conditioner Skylight 	 Multimedia system navigation Telephone air conditioner Skylight 	-	 Multimedia system navigation Telephone air conditioner Skylight 	 Multimedia system navigation Telephone air conditioner Skylight
Voice assistant wake-up word	• Hello, Zebra	• Hello, Zebra	-	• Hello, Zebra	• Hello, Zebra
Voice wake-up recognition by region	• Four regions	• Four regions	-	• Four regions	• Four regions
Facial Recognition	-	•	-	-	•
App Store	•	•	-	-	-
Car computer smart chip	• Qualcomm Snapdragon 8155	QualcommSnapdragon 8155MediaTek 8666	• MediaTek 2712	• Qualcomm Snapdragon 8155	• Qualcomm Snapdragon 8155

Rear LCD screen	-	•	-	-	-
Number of rear multimedia screens	-	• 2	-	-	-
Rear multimedia control	-	•	-	-	-

Intelligent configuration (• Standard O Optional - N/A)

Internet of Vehicles	•	•	•	•	•
4G/5G network	• 4G	• 4G	• 4G	• 4G	• 4G
OTA upgrade	•	•	-	•	•
Wi-Fi hotspots	•	•	•	•	•
In-vehicle biological monitoring system	-	•	-	-	-
Mobile APP remote function	 Door control Window controls Vehicle start Charging Management Air conditioning control Vehicle condition inquiry/diagnosis Vehicle positioning/search 	 Door control Window controls Vehicle start Charging Management Air conditioning control Vehicle condition inquiry/diagnosis Vehicle positioning/search 		•	•

Steering wheel/interior rearview mirror (• Standard O Optional - N/A)

Steering wheel material	• cortex	• cortex	• plastic	• cortex	• cortex
Steering wheel position adjustment	Manual up and down+ front and backadjustment	 Manual up and down + front and back adjustment 	 Manual up and down + front and back adjustment 	 Manual up and down + front and back adjustment 	 Manual up and down + front and back adjustment
Gear shifting	• Electronic hand-shift gear	Electronic hand-shift gear	• Electronic hand-shift gear	• Electronic hand-shift gear	• Electronic hand-shift gear
Multi-function steering wheel	•	•	•	•	•
Heated steering wheel	•	•	-	-	-
Steering wheel memory	-	-	-	-	-
Trip computer display screen	• color	• color	• color	• color	• color
Full LCD instrument panel	•	•	-	•	•
LCD instrument size	• 10.25 inches	• 10.25 inches	• 7 inches	• 10.25 inches	• 10.25 inches
HUD Head-up digital display	-	•	-	-	-
HUD head-up size	-	• 10 inches	-	-	-
Interior rearview mirror function	Automatic anti-glare	Automatic anti-glare Streaming	Manual anti-glare	Manual anti-glare	Automatic anti-glare
ETC device	0	•	0	0	0

In-car charging (• Standard ○ Optional - N/A)

Multimedia/charging port	USBType-C	USBType-C	• USB	USBType-C	USBType-C	
--------------------------	--------------------------------------	--------------------------------------	-------	--------------------------------------	--------------------------------------	--

Number of USB/Type-C ports	• 2 front seats/4 rear seats	• 2 seats in the front row / 7 seats in the back row	• 3 seats in the front row / 4 seats in the back row	• 3 seats in the front row / 4 seats in the back row	• 2 front seats/4 rear seats
USB/Type-C maximum charging power	• 60W	• 60W	-	• 60W	• 60W
220V/230V power supply	•	•	-	-	•
Mobile phone wireless charging function	• front row	• front row	-	-	• front row
Mobile phone wireless charging power	• 15W	• 15W	-	-	• 15W
Luggage compartment 12V power socket	•	•	-	•	•

Seat configuration (• Standard ○ Optional - N/A)

Seat material	Genuine Leather	Genuine Leather	• imitation leather	• imitation leather	Genuine Leather
Main seat adjustment method	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Lumbar support (4- way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Lumbar support (4- way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2- way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment (4 directions) Lumbar support (4- way)
Passenger seat adjustment method	 Front and rear adjustment Backrest adjustment Lumbar support (4- way) 	 Front and rear adjustment Backrest adjustment Lumbar support (4- way) 	Front and rear adjustmentBackrest adjustment	 Front and rear adjustment Backrest adjustment Lumbar support (4- way) 	 Front and rear adjustment Backrest adjustment Lumbar support (4- way)
Driver/passenger seat electric adjustment	host∙ / Vice∙	host∙ / Vice∙	-	host∙ / Vice∙	host∙ / Vice∙
Front seat functions	heatingventilationmassage	heatingventilationmassage	-	-	heatingventilationmassage
Electric seat memory function	Driver's seatco-pilot seat	Driver's seatco-pilot seatback row	-	-	Driver's seatco-pilot seat
Co-pilot rear seat adjustable buttons	-	-	-	-	•
Second row seat adjustment	 Front and rear adjustment Backrest adjustment Waist adjustment Leg rest adjustment 	 Front and rear adjustment Backrest adjustment Waist adjustment Leg rest adjustment Left and right adjustment 	Front and rear adjustmentBackrest adjustment	 Front and rear adjustment Backrest adjustment Waist adjustment Leg rest adjustment 	 Front and rear adjustment Backrest adjustment Waist adjustment Leg rest adjustment
Second row seats electrically adjustable	•	•	-	•	•
Second row seat functions	heatingventilationmassage	heatingventilationmassage	-	-	heatingventilationmassage
Welfare seats	-	-	-	-	-
Rear small table	•	0	-	-	•
Second row independent seats	•	•	•	•	•

Third row seat adjustment	Front and rear adjustmentBackrest adjustment	Front and rear adjustmentBackrest adjustment	Front and rear adjustmentBackrest adjustment	Front and rearadjustmentBackrest adjustment	Front and rear adjustmentBackrest adjustment		
Third row seats electrically adjustable	-	-	-	-	-		
Third row seat functions	-	-	-	-	-		
Seat layout	• 2-2-3	• 2-2-3	• 2-2-3	• 2-2-3	• 2-2-3		
Rear seat folding	Proportional down	Proportional down	Proportional down	Proportional down	Proportional down		
Front/rear center armrest	forward• / back•	forward• / back•	forward∙ / back•	forward● / back●	forward● / back●		
Rear cup holder	•	•	•	•	•		
Audio/Interior Lighting (• Standard O Optional - N/A)							
Speaker brand name	• JBL	• JBL	-	-	• JBL		
Number of speakers	• 12 speakers	• 12 speakers	• 6 speakers	8 speakers	• 12 speakers		
Interior ambient lighting	• 64 colors	• 64 colors	-	-	• 64 colors		
Air conditioning/refrigerator (• Standard O Optional - N/A)							
Air conditioning temperature control method	Automatic air conditioning	 Automatic air conditioning 	Automatic air conditioning	Automatic air conditioning	 Automatic air conditioning 		
heat pump air conditioner	-	-	0	0	0		
Rear independent air conditioning	•		•	•	•		
Rear seat air vents	•	•	•	•	•		
Temperature zone control	•		•	•	•		
Car air purifier	•		-	•	•		
In-car PM2.5 filter	•	•	-	•	•		
Air quality monitoring	•	•	-	-	-		
color (◆ Standard ○ Optional - N/A)							
Appearance color	Obsidian Black Pearlescent White Dynasty Red Black/Meteorite ¥ 5000 White White Black/lce Jade Green Very Source Jade Green	Obsidian Black Pearlescent White Dynasty Red Black/Meteorite Black/Pearl White Black/Ice Jade Green	Obsidian Black Pearlescent White Dynasty Red Black/Meteorite ¥ 5000 White Black/Ice Jade Green Obsidian Black Pearl Pond Pond	Obsidian Black Pearlescent White Dynasty Red Black/Meteorite ¥5000 White Black/Ice Jade Green Obsidian Black Pearlescent White 45000	Obsidian Black Pearlescent Whit Dynasty Red Black/Meteorite ¥ 5 White Black/Ice Jade Green Obsidian Black Pearl White 4 5		
Interior color	Pure Black Yun Shubai Cognac Brown	Pure Black Yun Shubai Cognac Brown	Pure Black	Pure Black Yun Shubai Cognac Brown	Pure Black Yun Shubai Cognac Brown		

Battery swap rental service	-	-	Includes: The market guide price of the vehicle body of the vehicle-battery separation model is 215,900 yuan, and the rental fee of the power battery of the vehicle-battery separation model starts from 1,260 yuan/month O Optional (no price yet)	Includes: The market guide price of the vehicle body of the vehicle-battery separation model is 245,900 yuan, and the rental fee of the power battery of the vehicle-battery separation model starts from 1,260 yuan/month O Optional (no price yet)
-----------------------------	---	---	---	---

