

HILUCK Your Trusted Chinese EV Partner	Zeekr 009 2024 seven-seat aisle version 108kWh -	Zeekr 009 2024 seven-seat aisle version four-wheel drive 108kWh -	Zeekr 009 2024 Six-seat Executive Edition Four-wheel Drive 108kWh -	Zeekr 009 2024 seven-seat aisle version 140kWh -	Zeekr 009 2024 seven-seat aisle version four-wheel drive 140kWh -	Zeekr 009 2024 six-seat executive version, four-wheel drive, 140kWh -	Zeekr 009 2024 Brilliance -	Zeekr 009 2024 Glorious Collector's Edition -
--	--	---	---	--	---	---	---	---

Basic parameters (● Standard ○ Optional - N/A)

Manufacturer	Zeekr	Zeekr	Zeekr	Zeekr	Zeekr	Zeekr	Zeekr	Zeekr
level	mid-to-large MPVs	mid-to-large MPVs	mid-to-large MPVs	mid-to-large MPVs	mid-to-large MPVs	mid-to-large MPVs	mid-to-large MPVs	mid-to-large MPVs
Energy type	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric	Pure electric
Time to market	2024.07	2024.07	2024.07	2024.07	2024.07	2024.07	2024.04	2025.04
CLTC pure electric range (km)	740	702	702	900	850	850	702	702
Battery fast charging time (hours)	0.19	0.19	0.19	0.5	0.5	0.5	0.19	0.19
Battery fast charge capacity range (%)	10-80	10-80	10-80	10-80	10-80	10-80	10-80	10-80
Maximum power (kW)	310	580	580	250	450	450	580	580
Maximum torque (N·m)	440	810	810	373	693	693	810	810
Body structure	5-door, 7-seat MPV	5-door, 7-seat MPV	5-door, 6-seater MPV	5-door, 7-seat MPV	5-door, 7-seat MPV	5-door, 6-seater MPV	5-door, 4-seater MPV	5-door, 4-seater MPV
Motor (Ps)	422	789	789	340	612	612	789	789
Length*Width*Height(mm)	5217*2024*1812	5217*2024*1812	5217*2024*1812	5217*2024*1812	5217*2024*1812	5217*2024*1812	5217*2024*1812	5217*2024*1812
Official 0-100km/h acceleration (s)	6.9	3.9	3.9	7.9	4.5	4.5	3.9	3.9
Maximum speed (km/h)	230	230	230	210	210	210	230	230
Electric energy equivalent fuel consumption (L/100km)	1.95	2.03	2.03	1.96	2.07	2.07	1.99	1.99
Curb mass (kg)	2783	2910	2910	2798	2906	2906	2970	2970
Maximum full load mass (kg)	3362	3477	3420	3378	3477	3420	3340	3340

body (● Standard ○ Optional - N/A)

Length (mm)	5217	5217	5217	5217	5217	5217	5217	5217
Width (mm)	2024	2024	2024	2024	2024	2024	2024	2024
Height (mm)	1812	1812	1812	1812	1812	1812	1812	1812
Wheelbase (mm)	3205	3205	3205	3205	3205	3205	3205	3205
Front wheelbase (mm)	1702	1702	1702	1702	1702	1702	1701	1701
Rear track (mm)	1714	1714	1714	1714	1714	1714	1713	1713
Minimum ground clearance when fully loaded (mm)	142	142	142	142	142	142	142	142
Approach angle (°)	14	14	14	14	14	14	14	14
Departure angle (°)	18	18	18	18	18	18	18	18
Body structure	MPV	MPV	MPV	MPV	MPV	MPV	MPV	MPV
Door opening method	Casement door + sliding door	Casement door + sliding door	Casement door + sliding door	Casement door + sliding door	Casement door + sliding door	Casement door + sliding door	Casement door + sliding door	Casement door + sliding door
Number of doors	● 5	● 5	● 5	● 5	● 5	● 5	● 5	● 5
Number of seats	● 7	● 7	● 6	● 7	● 7	● 6	● 4	● 4
Front trunk volume (L)	29	29	29	29	29	29	-	-
Trunk volume (L)	574-2963	574-2963	574-2963	574-2963	574-2963	574-2963	544	544
Drag coefficient (Cd)	0.27	0.27	0.27	0.27	0.27	0.27	0.27	0.27

electric motor (● Standard ○ Optional - N/A)

former motor brand	Quzhou Jidian	Quzhou Jidian	Quzhou Jidian	Quzhou Jidian	Quzhou Jidian	Quzhou Jidian	Quzhou Jidian	Quzhou Jidian
Rear motor brand	-	Quzhou Jidian	Quzhou Jidian	-	Quzhou Jidian	Quzhou Jidian	Quzhou Jidian	Quzhou Jidian
Front motor model	TZ235XYC01	YS235XYG01	YS235XYG01	TZ220XYA03	YS220XYA01	YS220XYA01	YS235XYG01	YS235XYG01
Rear motor model	-	TZ235XYC01	TZ235XYC01	-	TZ220XYA02	TZ220XYA02	TZ235XYC01	TZ235XYC01
Motor type	Permanent magnet/synchronous	Front induction/asynchronous rear permanent magnet/synchronous	Front induction/asynchronous rear permanent magnet/synchronous	Permanent magnet/synchronous	Front induction/asynchronous rear permanent magnet/synchronous	Front induction/asynchronous rear permanent magnet/synchronous	Front induction/asynchronous rear permanent magnet/synchronous	Front induction/asynchronous rear permanent magnet/synchronous
Total motor power (kW)	310	580	580	250	450	450	580	580
Total motor horsepower (Ps)	422	789	789	340	612	612	789	789

Parking brake type	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake
Front tire specifications	● 255/50 R19 ○ 265/45 R20 (15,000 yuan)	● 255/50 R19 ○ 265/45 R20 (15,000 yuan)	● 255/50 R19 ○ 265/45 R20 (15,000 yuan)	● 255/50 R19 ○ 265/45 R20 (15,000 yuan)	● 255/50 R19 ○ 265/45 R20 (15,000 yuan)	● 255/50 R19 ○ 265/45 R20 (15,000 yuan)	● 265/45 R20	● 265/45 R20
Rear tire specifications	● 255/50 R19 ○ 265/45 R20 (15,000 yuan)	● 255/50 R19 ○ 265/45 R20 (15,000 yuan)	● 255/50 R19 ○ 265/45 R20 (15,000 yuan)	● 255/50 R19 ○ 265/45 R20 (15,000 yuan)	● 255/50 R19 ○ 265/45 R20 (15,000 yuan)	● 255/50 R19 ○ 265/45 R20 (15,000 yuan)	● 265/45 R20	● 265/45 R20
Spare tire specifications	-	-	-	-	-	-	-	-

Passive safety (● Standard ○ Optional - N/A)

Driver/passenger seat airbags	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●
Front/rear side airbags	forward● / back-	forward● / back-	forward● / back-	forward● / back-	forward● / back-	forward● / back-	forward● / back●	forward● / back●
Front/rear head airbags (air curtain)	forward● / back●	forward● / back●	forward● / back●	forward● / back●	forward● / back●	forward● / back●	forward● / back●	forward● / back●
Front center airbag	●	●	●	●	●	●	-	-
Rear seat anti-slip airbags	-	-	-	-	-	-	●	●

Active safety (● Standard ○ Optional - N/A)

ABS anti-lock braking system	●	●	●	●	●	●	●	●
Braking force distribution (EBD/CBC, etc.)	●	●	●	●	●	●	●	●
Brake assist (EBA/BAS/BA, etc.)	●	●	●	●	●	●	●	●
Traction control (ASR/TCS/TRC, etc.)	●	●	●	●	●	●	●	●
Vehicle stability control (ESC/ESP/DSC, etc.)	●	●	●	●	●	●	●	●
Tire pressure monitoring function	● Tire pressure display	● Tire pressure display	● Tire pressure display	● Tire pressure display	● Tire pressure display	● Tire pressure display	● Tire pressure display	● Tire pressure display
Seat belt unfastened reminder	● whole vehicle	● whole vehicle	● whole vehicle	● whole vehicle	● whole vehicle	● whole vehicle	● whole vehicle	● whole vehicle
ISOFIX child seat interface	●	●	●	●	●	●	●	●
Lane Departure Warning System	●	●	●	●	●	●	●	●
Active braking/active safety systems	●	●	●	●	●	●	●	●
Fatigue driving tips	●	●	●	●	●	●	●	●
DOW door opening warning	●	●	●	●	●	●	●	●
Forward Collision Warning	●	●	●	●	●	●	●	●
Rear Collision Warning	●	●	●	●	●	●	●	●
Sentry Mode/Clairvoyance	●	●	●	●	●	●	●	●
Low speed warning	●	●	●	●	●	●	●	●
Built-in driving recorder	●	●	●	●	●	●	●	●
Roadside assistance call	●	●	●	●	●	●	●	●
Anti-rollover system	●	●	●	●	●	●	●	●

Driving control (● Standard ○ Optional - N/A)

Driving mode switch	● sports ● economy ● Standard/Comfort ● Snow ● Customization/Personalization	● sports ● economy ● Standard/Comfort ● Snow ● Customization/Personalization	● sports ● economy ● Standard/Comfort ● Snow ● Customization/Personalization	● sports ● economy ● Standard/Comfort ● Snow ● Customization/Personalization	● sports ● economy ● Standard/Comfort ● Snow ● Customization/Personalization	● sports ● economy ● Standard/Comfort ● Snow ● Customization/Personalization	● sports ● economy ● Standard/Comfort ● Snow ● Customization/Personalization	● Cus
Single pedal mode	●	●	●	●	●	●	●	
Energy recovery system	●	●	●	●	●	●	●	
Automatic parking	●	●	●	●	●	●	●	
Hill-start assist	●	●	●	●	●	●	●	
Steep slope descent	●	●	●	●	●	●	●	
Variable suspension function	● Suspension hardness adjustment ● Suspension height adjustment	● Suspension hardness adjustment ● Suspension height adjustment	● Suspension hardness adjustment ● Suspension height adjustment	● Suspension hardness adjustment ● Suspension height adjustment	● Suspension hardness adjustment ● Suspension height adjustment	● Suspension hardness adjustment ● Suspension height adjustment	● Suspension hardness adjustment ● Suspension height adjustment	● Suspension hardness adjustment ● Suspension height adjustment
air suspension	●	●	●	●	●	●	●	
Magic Carpet Intelligent Suspension	●	●	●	●	●	●	●	

Driving hardware（● Standard ○ Optional - N/A）

Front/rear parking radar	forward● / back●	forward● / back●	forward● / back●	forward● / back●	forward● / back●	forward● / back●	forward● / back●	forward● / back●
Driving assistance images	● 360-degree panoramic images	● 360-degree panoramic images	● 360-degree panoramic images	● 360-degree panoramic images	● 360-degree panoramic images	● 360-degree panoramic images	● 360-degree panoramic images	● 360-degree panoramic images
	●	●	●	●	●	●	●	●
Transparent chassis/540-degree imaging	●	●	●	●	●	●	●	●
Assisted driving chip	○ 2 NVIDIA Orin-X ● 2 Mobileye EyeQ5H	○ 2 NVIDIA Orin-X ● 2 Mobileye EyeQ5H	○ 2 NVIDIA Orin-X ● 2 Mobileye EyeQ5H	○ 2 NVIDIA Orin-X ● 2 Mobileye EyeQ5H	○ 2 NVIDIA Orin-X ● 2 Mobileye EyeQ5H	○ 2 NVIDIA Orin-X ● 2 Mobileye EyeQ5H	○ 2 NVIDIA Orin-X ● 2 Mobileye EyeQ5H	● 2 NVIDIA Orin-X
Total chip computing power	● 48 TOPS ○ 508 TOPS	● 48 TOPS ○ 508 TOPS	● 48 TOPS ○ 508 TOPS	● 48 TOPS ○ 508 TOPS	● 48 TOPS ○ 508 TOPS	● 48 TOPS ○ 508 TOPS	● 48 TOPS ○ 508 TOPS	● 508 TOPS
Forward perception camera	● Binocular	● Binocular	● Binocular	● Binocular	● Binocular	● Binocular	● Binocular	● Binocular
Number of cameras	● 11	● 11	● 11	● 11	● 11	● 11	● 11	● 11
Front perception camera pixels	● 8 million	● 8 million	● 8 million	● 8 million	● 8 million	● 8 million	● 8 million	● 8 million
Environmental perception camera pixels	● 8 million	● 8 million	● 8 million	● 8 million	● 8 million	● 8 million	● 8 million	● 8 million
Number of cameras in the car	● 2	● 2	● 2	● 2	● 2	● 2	● 3	● 3
Number of ultrasonic radars	● 12	● 12	● 12	● 12	● 12	● 12	● 12	● 12
Number of millimeter-wave radars	● 1	● 1	● 1	● 1	● 1	● 1	● 1	● 1
LiDAR brand	● RoboSense	● RoboSense	● RoboSense	● RoboSense	● RoboSense	● RoboSense	● RoboSense	● RoboSense
Number of lidars	● 1	● 1	● 1	● 1	● 1	● 1	● 1	● 1
LiDAR line count	● 126 lines	● 126 lines	● 126 lines	● 126 lines	● 126 lines	● 126 lines	● 126 lines	● 126 lines
LiDAR 10% reflectivity detection distance	● 200 meters	● 200 meters	● 200 meters	● 200 meters	● 200 meters	● 200 meters	● 200 meters	● 200 meters

Driving functions（● Standard ○ Optional - N/A）

Cruise control system	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control
Assisted driving system	● ZEEKR AD	● ZEEKR AD	● ZEEKR AD	● ZEEKR AD	● ZEEKR AD	● ZEEKR AD	● ZEEKR AD	● ZEEKR AD
Driving assistance level	● L2	● L2	● L2	● L2	● L2	● L2	● L2	● L2
Reversing side warning system	●	●	●	●	●	●	●	●
Vehicle-mounted satellite communications	○ (10,000 yuan)	○ (10,000 yuan)	○ (10,000 yuan)	○ (10,000 yuan)	○ (10,000 yuan)	○ (10,000 yuan)	●	●
Satellite navigation system	●	●	●	●	●	●	●	●
Navigation traffic information display	●	●	●	●	●	●	●	●
Map Brand	● Gaode	● Gaode	● Gaode	● Gaode	● Gaode	● Gaode	● Gaode	● Gaode
High-precision maps	●	●	●	●	●	●	●	●
Lane change assistance	●	●	●	●	●	●	●	●
Lane Keeping Assist System	●	●	●	●	●	●	●	●
Lane centering	●	●	●	●	●	●	●	●
Road traffic sign recognition	●	●	●	●	●	●	●	●
Assisted parking	●	●	●	●	●	●	●	●
Remote control parking	●	●	●	●	●	●	●	●
Assisted lane change	●	●	●	●	●	●	●	●
Automatic exit (entry) of auxiliary ramp	○	○	○	○	○	○	○	○
Hands-off steering wheel detection	●	●	●	●	●	●	●	●
Assisted driving sections	○ Urban roads ○ Expressway section	○ Urban roads ○ Expressway section	○ Urban roads ○ Expressway section	○ Urban roads ○ Expressway section	○ Urban roads ○ Expressway section	○ Urban roads ○ Expressway section	○ Urban roads ○ Expressway section	○ Urban roads ○ Expressway section

Appearance/anti-theft（● Standard ○ Optional - N/A）

Rim material	● aluminum alloy	● aluminum alloy	● aluminum alloy	● aluminum alloy	● aluminum alloy	● aluminum alloy	● aluminum alloy	● aluminum alloy
Electric suction door	● front row	● front row	● front row	● front row	● front row	● front row	● front row	● front row
Sliding door type	● Double-sided electric	● Double-sided electric	● Double-sided electric	● Double-sided electric	● Double-sided electric	● Double-sided electric	● Double-sided electric	● Double-sided electric
Electric trunk	●	●	●	●	●	●	●	●
Electric trunk position memory	●	●	●	●	●	●	●	●

仪表盘屏幕材质	● LCD	● LCD	● LCD	● LCD	● LCD	● LCD	● LCD	● LCD
AR-HUD增强现实抬头显示	●	●	●	●	●	●	●	●
HUD抬头尺寸	● 35.95英寸	● 35.95英寸	● 35.95英寸	● 35.95英寸	● 35.95英寸	● 35.95英寸	● 35.95英寸	● 35.95英寸
内后视镜功能	● 自动防眩目 ● 流媒体	● 自动防眩目 ● 流媒体	● 自动防眩目 ● 流媒体	● 自动防眩目 ● 流媒体	● 自动防眩目 ● 流媒体	● 自动防眩目 ● 流媒体	● 自动防眩目 ● 流媒体	● 自动防眩目 ● 流媒体

车内充电（● Standard ○ Optional - N/A）

多媒体/充电接口	● Type-C	● Type-C	● Type-C	● Type-C	● Type-C	● Type-C	● Type-C	● Type-C
USB/Type-C接口数量	● 前排2个/后排6个	● 前排2个/后排6个	● 前排2个/后排6个	● 前排2个/后排6个	● 前排2个/后排6个	● 前排2个/后排6个	● 前排2个/后排4个	● 前排2个/后排4个
USB/Type-C最大充电功率	● 100W	● 100W	● 100W	● 100W	● 100W	● 100W	● 100W	● 100W
220V/230V电源	●	●	●	●	●	●	●	●
手机无线充电功能	● 前排	● 前排	● 前排	● 前排	● 前排	● 前排	● 前排 ● 后排	● 前排 ● 后排
手机无线充电功率	● 50W	● 50W	● 50W	● 50W	● 50W	● 50W	● 50W	● 50W
行李厢12V电源接口	●	●	●	●	●	●	●	●

座椅配置（● Standard ○ Optional - N/A）

座椅材质	● 真皮	● 真皮	● 真皮	● 真皮	● 真皮	● 真皮	● 真皮	● 真皮
主座椅调节方式	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)
副座椅调节方式	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腰部支撑(4向)
主/副驾驶座电动调节	主● / 副●	主● / 副●	主● / 副●	主● / 副●	主● / 副●	主● / 副●	主● / 副●	主● / 副●
前排座椅功能	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器
电动座椅记忆功能	● 驾驶位 ● 副驾驶位 ● 后排	● 驾驶位 ● 副驾驶位 ● 后排	● 驾驶位 ● 副驾驶位 ● 后排	● 驾驶位 ● 副驾驶位 ● 后排	● 驾驶位 ● 副驾驶位 ● 后排	● 驾驶位 ● 副驾驶位 ● 后排	● 驾驶位 ● 副驾驶位 ● 后排	● 驾驶位 ● 副驾驶位 ● 后排
副驾驶位后排可调节按钮	●	●	●	●	●	●	-	-
第二排座椅调节	● 前后调节 ● 靠背调节 ● 高低调节 ● 腿托调节 ● 脚踏调节	● 前后调节 ● 靠背调节 ● 高低调节 ● 腿托调节 ● 脚踏调节	● 前后调节 ● 靠背调节 ● 高低调节 ● 腿托调节 ● 脚踏调节	● 前后调节 ● 靠背调节 ● 高低调节 ● 腿托调节 ● 脚踏调节	● 前后调节 ● 靠背调节 ● 高低调节 ● 腿托调节 ● 脚踏调节	● 前后调节 ● 靠背调节 ● 高低调节 ● 腿托调节 ● 脚踏调节	● 靠背调节 ● 腰部调节 ● 肩部调节 ● 腿托调节 ● 脚踏调节	● 靠背调节 ● 腰部调节 ● 肩部调节 ● 腿托调节 ● 脚踏调节
第二排座椅电动调节	●	●	●	●	●	●	●	●
第二排座椅功能	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器
后排小桌板	●	●	●	●	●	●	●	●
第二排独立座椅	●	●	●	●	●	●	●	●
第三排座椅调节	● 靠背调节	● 靠背调节	● 靠背调节	● 靠背调节	● 靠背调节	● 靠背调节	-	-
座椅布局	● 2-2-3	● 2-2-3	● 2-2-2	● 2-2-3	● 2-2-3	● 2-2-2	-	-
后排座椅放倒形式	● 比例放倒	● 比例放倒	● 比例放倒	● 比例放倒	● 比例放倒	● 比例放倒	-	-
前/后中央扶手	前● / 后●	前● / 后●	前● / 后●	前● / 后●	前● / 后●	前● / 后●	前● / 后●	前● / 后●
后排杯架	●	●	●	●	●	●	●	●

音响/车内灯光（● Standard ○ Optional - N/A）

扬声器品牌名称	● YAMAHA雅马哈	● YAMAHA雅马哈	● YAMAHA雅马哈	● YAMAHA雅马哈	● YAMAHA雅马哈	● YAMAHA雅马哈	● YAMAHA雅马哈	● YAMAHA雅马哈
扬声器数量	● 30喇叭	● 30喇叭	● 30喇叭	● 30喇叭	● 30喇叭	● 30喇叭	● 31喇叭	● 31喇叭
杜比全景声(Dolby Atmos)	●	●	●	●	●	●	●	●
触摸式阅读灯	●	●	●	●	●	●	●	●
车内环境氛围灯	● 多色	● 多色	● 多色	● 多色	● 多色	● 多色	● 多色	● 多色

空调/冰箱（● Standard ○ Optional - N/A）

空调温度控制方式	● 自动空调	● 自动空调	● 自动空调	● 自动空调	● 自动空调	● 自动空调	● 自动空调	● 自动空调
热泵空调	●	●	●	●	●	●	●	●

后排独立空调	●	●	●	●	●	●	●	●
后座出风口	●	●	●	●	●	●	●	●
温度分区控制	●	●	●	●	●	●	●	●
车载空气净化器	-	-	-	-	-	-	●	●
车内PM2.5过滤装置	●	●	●	●	●	●	●	●
负离子发生器	-	-	-	-	-	-	●	●
车内香氛装置	●	●	●	●	●	●	●	●
空气质量监测	●	●	●	●	●	●	●	●
车载冰箱	●	●	●	●	●	●	●	●

颜色 (● Standard ○ Optional - N/A)

外观颜色	极昼白 极夜黑 星霁蓝 青云灰 极光绿 暗夜紫 ¥6000 极昼白 极夜黑 星霁蓝 青云灰 极光绿 暗夜紫 ¥6000 极昼白 极夜黑 星霁蓝 青云灰 极光绿 暗夜紫 ¥6000 极昼白 极夜黑 星霁蓝 青云灰 极光绿 暗夜紫 ¥6000 极昼白 极夜黑 星霁蓝 青云灰 极光绿 暗夜紫 ¥6000 极昼白 极夜黑 星霁蓝 青云灰 极光绿 暗夜紫 ¥6000 极夜黑 冰玉白 黑耀金
内饰颜色	纯黑 灰/白 蓝/白 天青 紫/灰 纯黑 灰/白 蓝/白 天青 紫/灰 纯黑 灰/白 蓝/白 天青 紫/灰 纯黑 灰/白 蓝/白 天青 紫/灰 纯黑 灰/白 蓝/白 天青 紫/灰 纯黑 灰/白 蓝/白 天青 紫/灰 雪山白 赤金白

选装包 (● Standard ○ Optional - N/A)

[illegible]