

HILUCK Your Trusted Chinese EV Partner	Zeekr 9X 2025 Max version 55kWh	Zeekr 9X 2025 Ultra Edition 55kWh	Zeekr 9X 2025 Ultra version 70kWh	Zeekr 9X 2025 Hyper Edition 70kWh	Zeekr 9X 2025 Black Edition 70kWh
	-	-	-	-	-

Basic parameters (● Standard ○ Optional - N/A)

Manufacturer	Zeekr	Zeekr	Zeekr	Zeekr	Zeekr
level	Large SUV	Large SUV	Large SUV	Large SUV	Large SUV
Energy type	plug-in hybrid	plug-in hybrid	plug-in hybrid	plug-in hybrid	plug-in hybrid
Environmental standards	National VI	National VI	National VI	National VI	National VI
Time to market	2025.09	2025.09	2025.09	2025.09	2025.09
WLTC pure electric range (km)	235	230	302	280	280
CLTC pure electric range (km)	300	288	380	355	355
Battery fast charging time (hours)	0.15	0.15	0.15	0.15	0.15
Battery fast charge capacity range (%)	20-80	20-80	20-80	20-80	20-80
Maximum power (kW)	-	-	-	-	-
Maximum torque (N·m)	-	-	-	-	-
gearbox	1st gear DHT	1st gear DHT	1st gear DHT	1st gear DHT	1st gear DHT
Body structure	5-door, 6-seater SUV	5-door, 6-seater SUV	5-door, 6-seater SUV	5-door, 6-seater SUV	5-door, 6-seater SUV
engine	2.0T 279 horsepower I4	2.0T 279 horsepower I4	2.0T 279 horsepower I4	2.0T 279 horsepower I4	2.0T 279 horsepower I4
Motor (Ps)	898	898	898	1401	1401
Length*Width*Height(mm)	5239*2019*1819	5239*2029*1819	5239*2029*1819	5239*2029*1819	5239*2029*1819
Official 0-100km/h acceleration (s)	3.9	3.9	4.2	3.1	3.1
Maximum speed (km/h)	240	240	240	240	240
WLTC comprehensive fuel consumption (L/100km)	0.54	0.59	0.39	0.44	0.44
Lowest state-of-charge fuel consumption (L/100km) WLTC	6.78	6.98	7.10	7.45	7.45
Combined fuel consumption (L/100km)	3.20	3.33	3.16	3.38	3.38
Curb mass (kg)	2840	2970	3045	3150	3150
Maximum full load mass (kg)	3480	3545	3615	3660	3660
Total mass of trailer (kg)	2000	2000	2000	2000	2000

body (● Standard ○ Optional - N/A)

Length (mm)	5239	5239	5239	5239	5239
Width (mm)	2019	2029	2029	2029	2029
Height (mm)	1819	1819	1819	1819	1819
Wheelbase (mm)	3169	3169	3169	3169	3169
Front wheelbase (mm)	1725	1725	1725	1734	1734
Rear track (mm)	1739	1739	1739	1748	1748
Minimum ground clearance (mm)	208	208	208	200	200
Approach angle (°)	twenty one	twenty one	twenty one	twenty one	twenty one
Departure angle (°)	twenty two	twenty two	twenty two	twenty two	twenty two
Minimum turning radius (m)	5.95	5.95	5.95	5.95	5.95
Body structure	SUV	SUV	SUV	SUV	SUV
Door opening method	swing door	swing door	swing door	swing door	swing door

Number of doors	● 5	● 5	● 5	● 5	● 5
Number of seats	● 6	● 6	● 6	● 6	● 6
Fuel tank capacity (L)	50	50	50	50	50
Trunk volume (L)	470-2148	470-2148	470-2148	470-2148	470-2148
Drag coefficient (Cd)	-	-	-	-	-

engine（● Standard ○ Optional - N/A）

Engine model	DHE20-PFZ	DHE20-PFZ	DHE20-PFZ	DHE20-PFZ	DHE20-PFZ
Displacement (mL)	1974	1974	1974	1974	1974
Displacement (L)	2.0	2.0	2.0	2.0	2.0
Intake form	turbocharged	turbocharged	turbocharged	turbocharged	turbocharged
Cylinder arrangement	L	L	L	L	L
Number of cylinders	4	4	4	4	4
Number of valves per cylinder	4	4	4	4	4
valve train	DOHC	DOHC	DOHC	DOHC	DOHC
Maximum horsepower (Ps)	279	279	279	279	279
Maximum power (kW)	205	205	205	205	205
Maximum power speed (rpm)	-	-	-	-	-
Maximum torque (N·m)	-	-	-	-	-
Maximum torque speed (rpm)	-	-	-	-	-
Maximum net power (kW)	202	202	202	202	202
Energy type	plug-in hybrid	plug-in hybrid	plug-in hybrid	plug-in hybrid	plug-in hybrid
Fuel grade	No. 95	No. 95	No. 95	No. 95	No. 95
Oil supply method	Direct injection	Direct injection	Direct injection	Direct injection	Direct injection
Cylinder head material	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy
Cylinder material	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy
Environmental standards	National VI	National VI	National VI	National VI	National VI

electric motor（● Standard ○ Optional - N/A）

Front motor model	TZ220QYA01	TZ220QYA01	TZ220QYA01	TZ220QYA01	TZ220QYA01
Rear motor model	TZ230XYC04	TZ230XYC04	TZ230XYC04	TZ230XYC04	TZ230XYC04
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	660	660	660	1030	1030
Total motor horsepower (Ps)	898	898	898	1401	1401
Total torque of the motor (N·m)	935	935	935	1410	1410
Maximum power of front motor (kW)	290	290	290	290	290
Maximum power of rear motor (kW)	370	370	370	740	740
Number of drive motors	Dual motors	Dual motors	Dual motors	Three motors	Three motors
Motor layout	Front + rear	Front + rear	Front + rear	Front + rear	Front + rear

Battery/Charging（● Standard ○ Optional - N/A）

Battery Type	● Ternary lithium battery	● Ternary lithium battery	● Ternary lithium battery	● Ternary lithium battery	● Ternary lithium battery
Battery cell brand	● Times Geely	● Times Geely	● Times Geely	● Times Geely	● Times Geely
Battery-specific technology	Xiaoyao Battery	Xiaoyao Battery	Xiaoyao Battery	Xiaoyao Battery	Xiaoyao Battery

Battery cooling method	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling
WLTC pure electric range (km)	235	230	302	280	280
CLTC pure electric range (km)	300	288	380	355	355
CLTC comprehensive endurance (km)	1200	1160	1250	1165	1165
Battery energy (kWh)	55	55	70	70	70
Power consumption per 100 kilometers (kWh/100km)	22.9	23.6	23.9	25.3	25.3
Fast charging function	support	support	support	support	support
High-voltage fast charging	support	support	support	support	support
High voltage platform (V)	900	900	900	900	900
Battery fast charging time (hours)	0.15	0.15	0.15	0.15	0.15
Battery fast charge capacity range (%)	20-80	20-80	20-80	20-80	20-80
Slow charging port location	Left rear side of the car	Left rear side of the car	Left rear side of the car	Left rear side of the car	Left rear side of the car
Fast charging port location	Left rear side of the car	Left rear side of the car	Left rear side of the car	Left rear side of the car	Left rear side of the car
External AC discharge power (kW)	6	6	6	6	6
External DC discharge power (kW)	60	60	60	60	60

gearbox (● Standard ○ Optional - N/A)

Abbreviation	1st gear DHT	1st gear DHT	1st gear DHT	1st gear DHT	1st gear DHT
Number of gears	1	1	1	1	1
Transmission type	Dedicated hybrid transmission (DHT)	Dedicated hybrid transmission (DHT)	Dedicated hybrid transmission (DHT)	Dedicated hybrid transmission (DHT)	Dedicated hybrid transmission (DHT)

Chassis steering (● Standard ○ Optional - N/A)

Drive mode	● Front four-wheel drive	● Front four-wheel drive	● Front four-wheel drive	● Front four-wheel drive	● Front four-wheel drive
Four-wheel drive	● Electric four-wheel drive	● Electric four-wheel drive	● Electric four-wheel drive	● Electric four-wheel drive	● Electric four-wheel drive
Front suspension type	● Double wishbone independent suspension	● Double wishbone independent suspension	● Double wishbone independent suspension	● Double wishbone independent suspension	● Double wishbone independent suspension
Rear suspension type	● Multi-link independent suspension	● Multi-link independent suspension	● Multi-link independent suspension	● Multi-link independent suspension	● Multi-link independent suspension
Power type	● Electric power steering	● Electric power steering	● Electric power steering	● Electric power steering	● Electric power steering
Body structure	load-bearing	load-bearing	load-bearing	load-bearing	load-bearing

wheel brakes (● Standard ○ Optional - N/A)

Front brake type	● Ventilated disc	● Ventilated disc	● Ventilated disc	● Ventilated disc	● Ventilated disc
Rear brake type	● Ventilated disc	● Ventilated disc	● Ventilated disc	● Ventilated disc	● Ventilated disc
Parking brake type	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake	● Electronic parking brake
Front tire specifications	● 255/60 R20 ○ 275/50 R21 ○ 285/45 R22 (30,000 yuan)	● 275/50 R21 ○ 285/45 R22 (30,000 yuan)	● 275/50 R21 ○ 285/45 R22 (30,000 yuan)	● 285/45 R22	● 285/45 R22
Rear tire specifications	● 255/60 R20 ○ 275/50 R21 ○ 285/45 R22	● 275/50 R21 ○ 285/45 R22	● 275/50 R21 ○ 285/45 R22	● 285/45 R22	● 285/45 R22
Spare tire specifications	-	-	-	-	-

Passive safety (● Standard ○ Optional - N/A)

Driver/passenger seat airbags	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●	host● / Vice●
-------------------------------	---------------	---------------	---------------	---------------	---------------

Front/rear side airbags	forward● / back-	forward● / back-	forward● / back-	forward● / back-	forward● / back-
Front/rear head airbags (air curtain)	forward● / back●	forward● / back●	forward● / back●	forward● / back●	forward● / back●
Front center airbag	●	●	●	●	●

Active safety (● Standard ○ Optional - N/A)

ABS anti-lock braking system	●	●	●	●	●
Braking force distribution (EBD/CBC, etc.)	●	●	●	●	●
Brake assist (EBA/BAS/BA, etc.)	●	●	●	●	●
Traction control (ASR/TCS/TRC, etc.)	●	●	●	●	●
Vehicle stability control (ESC/ESP/DSC, etc.)	●	●	●	●	●
Tire pressure monitoring function	● Tire pressure display	● Tire pressure display	● Tire pressure display	● Tire pressure display	● Tire pressure display
Seat belt unfastened reminder	● whole vehicle	● whole vehicle	● whole vehicle	● whole vehicle	● whole vehicle
ISOFIX child seat interface	●	●	●	●	●
Lane Departure Warning System	●	●	●	●	●
Active braking/active safety systems	●	●	●	●	●
Fatigue driving tips	●	●	●	●	●
DOW door opening warning	●	●	●	●	●
Forward Collision Warning	●	●	●	●	●
Rear Collision Warning	●	●	●	●	●
Sentry Mode/Clairvoyance	●	●	●	●	●
Low speed warning	●	●	●	●	●
Built-in driving recorder	●	●	●	●	●
Roadside assistance call	●	●	●	●	●
Anti-rollover system	●	●	●	●	●

Driving control (● Standard ○ Optional - N/A)

Driving mode switch	● sports ● economy ● Standard/Comfort ● Off-road ● Snow ● Customization/Personalization	● sports ● economy ● Standard/Comfort ● Off-road ● Snow ● Customization/Personalization	● sports ● economy ● Standard/Comfort ● Off-road ● Snow ● Customization/Personalization	● sports ● economy ● Standard/Comfort ● Off-road ● Snow ● Customization/Personalization	● sports ● economy ● Standard/Comfort ● Off-road ● Snow ● Customization/Personalization
Energy recovery system	●	●	●	●	●
Automatic parking	●	●	●	●	●
Hill-start assist	●	●	●	●	●
Steep slope descent	●	●	●	●	●
Variable suspension function	● Suspension hardness adjustment ● Suspension height adjustment	● Suspension hardness adjustment ● Suspension height adjustment	● Suspension hardness adjustment ● Suspension height adjustment	● Suspension hardness adjustment ● Suspension height adjustment	● Suspension hardness adjustment ● Suspension height adjustment
air suspension	●	●	●	●	●

Four-wheel drive/off-road (● Standard ○ Optional - N/A)

Water sensing system	●	●	●	●	●
Tow hook	○ Electric (7,000 yuan)	○ Electric (7,000 yuan)	○ Electric (7,000 yuan)	○ Electric (7,000 yuan)	● electric

Driving hardware (● Standard ○ Optional - N/A)

Front/rear parking radar	forward● / back●	forward● / back●	forward● / back●	forward● / back●	forward● / back●
Driving assistance images	● 360-degree panoramic images ● Vehicle side blind spot image	● 360-degree panoramic images ● Vehicle side blind spot image	● 360-degree panoramic images ● Vehicle side blind spot image	● 360-degree panoramic images ● Vehicle side blind spot image	● 360-degree panoramic images ● Vehicle side blind spot image
Transparent chassis/540-degree imaging	●	●	●	●	●
Assisted driving chip	● NVIDIA Drive Thor-U	● NVIDIA Drive Thor-U	● NVIDIA Drive Thor-U	● 2 NVIDIA Drive Thor-U	● 2 NVIDIA Drive Thor-U
Forward perception camera	● Binocular ○ Three eyes	● Binocular ○ Three eyes	● Binocular ○ Three eyes	● Three eyes	● Three eyes
Number of cameras	● 11 ○ 13	● 11 ○ 13	● 11 ○ 13	● 13	● 13
Number of cameras in the car	● 1 ○ 2	● 1 ○ 2	● 1 ○ 2	● 1 ○ 2	● 1 ○ 2
Number of ultrasonic radars	● 12	● 12	● 12	● 12	● 12
Number of millimeter-wave radars	● 5	● 5	● 5	● 5	● 5
Number of lidars	● 1 ○ 5	● 1 ○ 5	● 1 ○ 5	● 5	● 5
LiDAR line count	● Line 192 ○ 520 lines	● Line 192 ○ 520 lines	● Line 192 ○ 520 lines	● 520 lines	● 520 lines

Driving functions (● Standard ○ Optional - N/A)

Cruise control system	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control
Assisted driving system	● Thousand Miles of Vastness H7 ○ Qianli Haohan H9 (25,000 yuan)	● Thousand Miles of Vastness H7 ○ Qianli Haohan H9 (25,000 yuan)	● Thousand Miles of Vastness H7 ○ Qianli Haohan H9 (25,000 yuan)	● Thousand Miles of Vastness H9	● Thousand Miles of Vastness H9
Driving assistance level	● L2	● L2	● L2	● L2	● L2
Reversing side warning system	●	●	●	●	●
Satellite navigation system	●	●	●	●	●
Navigation traffic information display	●	●	●	●	●
Map Brand	● Gaode	● Gaode	● Gaode	● Gaode	● Gaode
High-precision positioning	●	●	●	●	●
Lane change assistance	●	●	●	●	●
Lane Keeping Assist System	●	●	●	●	●
Lane centering	●	●	●	●	●
Road traffic sign recognition	●	●	●	●	●
Night vision system	○	○	○	●	●
Assisted parking	●	●	●	●	●
Remote control parking	●	●	●	●	●
Memory Parking	●	●	●	●	●
Assisted lane change	●	●	●	●	●
Automatic exit (entry) of auxiliary ramp	●	●	●	●	●
Traffic light recognition	●	●	●	●	●
Hands-off steering wheel detection	●	●	●	●	●
Start reminder	●	●	●	●	●

Assisted driving sections	- Urban roads - Expressway section	- Urban roads - Expressway section	- Urban roads - Expressway section	- Urban roads - Expressway section	- Urban roads - Expressway section
---------------------------	--	--	--	--	--

Appearance/anti-theft (● Standard ○ Optional - N/A)

Rim material	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy
Electric suction door	whole vehicle	whole vehicle	whole vehicle	whole vehicle	whole vehicle
Automatic door opening and closing	-	●	●	●	●
Electric trunk	●	●	●	●	●
Electric trunk position memory	●	●	●	●	●
Engine electronic immobilizer	●	●	●	●	●
Central locking system in the car	●	●	●	●	●
Key type	- remote control key - NFC/RFID keys - UWB digital key	- remote control key - NFC/RFID keys - UWB digital key	- remote control key - NFC/RFID keys - UWB digital key	- remote control key - NFC/RFID keys - UWB digital key	- remote control key - NFC/RFID keys - UWB digital key
Keyless start system	●	●	●	●	●
Keyless entry function	whole vehicle	whole vehicle	whole vehicle	whole vehicle	whole vehicle
Active closed grille	●	●	●	●	●
Remote start function	●	●	●	●	●
Side pedals	○ Electric (10,000 yuan)	○ Electric (10,000 yuan)	○ Electric (10,000 yuan)	○ Electric (10,000 yuan)	○ Electric (10,000 yuan)
Battery preheating	●	●	●	●	●
Discharge to the outside	●	●	●	●	●

Exterior lights (● Standard ○ Optional - N/A)

Low beam light source	led	led	led	led	led
High beam light source	led	led	led	led	led
Lighting features	Matrix	Pixel	Pixel	Pixel	Pixel
LED daytime running lights	●	●	●	●	●
Adaptive high and low beam	●	●	●	●	●
Automatic headlights	●	●	●	●	●
Turn headlights	●	●	●	●	●
Front fog lights	-	-	-	-	-
Headlight height adjustable	●	●	●	●	●
Headlights delayed off	●	●	●	●	●
Scene Lighting	●	●	●	●	●
Auxiliary driving lights	●	●	●	●	●

Skylight/Glass (● Standard ○ Optional - N/A)

Skylight Type	Segmented electric sunroof	Segmented electric sunroof	Segmented electric sunroof	Segmented electric sunroof	Segmented electric sunroof
Front/rear electric windows	forward● / back●	forward● / back●	forward● / back●	forward● / back●	forward● / back●
One-touch window lift function	whole vehicle	whole vehicle	whole vehicle	whole vehicle	whole vehicle
Window anti-pinch function	●	●	●	●	●
Side window multi-layer soundproof glass	- front row - back row	- front row - back row	- front row - back row	- front row - back row	- front row - back row
Rear windshield sunshade	-	●	●	●	●
Rear side window sunshades	electric	electric	electric	electric	electric
Rear side privacy glass	●	●	●	●	●

Car makeup mirror	● Main driving light + lighting ● Co-pilot + lighting	● Main driving light + lighting ● Co-pilot + lighting	● Main driving light + lighting ● Co-pilot + lighting	● Main driving light + lighting ● Co-pilot + lighting	● Main driving light + lighting ● Co-pilot + lighting
rear wiper	●	●	●	●	●
Rain sensor wiper function	● Rain sensor	● Rain sensor	● Rain sensor	● Rain sensor	● Rain sensor

exterior rearview mirror (● Standard ○ Optional - N/A)

Exterior rearview mirror function	● Electric adjustment ● Electric folding ● Rearview mirror memory ● Heated rearview mirrors ● Automatically tilt down when reversing ● Automatic folding when the car is locked ● Automatic anti-glare	● Electric adjustment ● Electric folding ● Rearview mirror memory ● Heated rearview mirrors ● Automatically tilt down when reversing ● Automatic folding when the car is locked ● Automatic anti-glare	● Electric adjustment ● Electric folding ● Rearview mirror memory ● Heated rearview mirrors ● Automatically tilt down when reversing ● Automatic folding when the car is locked ● Automatic anti-glare	● Electric adjustment ● Electric folding ● Rearview mirror memory ● Heated rearview mirrors ● Automatically tilt down when reversing ● Automatic folding when the car is locked ● Automatic anti-glare	● Electric adjustment ● Electric folding ● Rearview mirror memory ● Heated rearview mirrors ● Automatically tilt down when reversing ● Automatic folding when the car is locked ● Automatic anti-glare
-----------------------------------	---	---	---	---	---

Screen/System (● Standard ○ Optional - N/A)

Central control color screen	● Touch LCD screen	● Touch LCD screen	● Touch LCD screen	● Touch LCD screen	● Touch LCD screen
Central control screen size	● 16 inches	● 16 inches	● 16 inches	● 16 inches	● 16 inches
Central control screen type	● OLED ○ MINI LED	● OLED ○ MINI LED	● OLED ○ MINI LED	● OLED ○ MINI LED	● OLED ○ MINI LED
	● 3.5K	● 3.5K	● 3.5K	● 3.5K	● 3.5K
副驾娱乐屏尺寸	● 16英寸	● 16英寸	● 16英寸	● 16英寸	● 16英寸
副驾屏幕类型	● OLED	● OLED	● OLED	● OLED	● OLED
蓝牙/车载电话	●	●	●	●	●
手机互联/映射	● 支持HUAWEI HiCar	● 支持HUAWEI HiCar	● 支持HUAWEI HiCar	● 支持HUAWEI HiCar	● 支持HUAWEI HiCar
语音识别控制系统	● 多媒体系统 ● 导航 ● 电话 ● 空调 ● 天窗 ● 车窗 ● 座椅加热 ● 座椅通风 ● 座椅按摩	● 多媒体系统 ● 导航 ● 电话 ● 空调 ● 天窗 ● 车窗 ● 座椅加热 ● 座椅通风 ● 座椅按摩	● 多媒体系统 ● 导航 ● 电话 ● 空调 ● 天窗 ● 车窗 ● 座椅加热 ● 座椅通风 ● 座椅按摩	● 多媒体系统 ● 导航 ● 电话 ● 空调 ● 天窗 ● 车窗 ● 座椅加热 ● 座椅通风 ● 座椅按摩	● 多媒体系统 ● 导航 ● 电话 ● 空调 ● 天窗 ● 车窗 ● 座椅加热 ● 座椅通风 ● 座椅按摩
语音助手唤醒词	● Hi, Eva	● Hi, Eva	● Hi, Eva	● Hi, Eva	● Hi, Eva
语音免唤醒词	●	●	●	●	●
语音分区域唤醒识别	● 六区域	● 六区域	● 六区域	● 六区域	● 六区域
语音连续识别	●	●	●	●	●
可见即可说	●	●	●	●	●
面部识别	●	●	●	●	●
声纹识别	●	●	●	●	●
DeepSeek应用	● 已接入	● 已接入	● 已接入	● 已接入	● 已接入
应用商店	●	●	●	●	●
车载智能系统	● ZEEKR OS	● ZEEKR OS	● ZEEKR OS	● ZEEKR OS	● ZEEKR OS
车机智能芯片	● 2颗 高通骁龙8295	● 2颗 高通骁龙8295	● 2颗 高通骁龙8295	● 2颗 高通骁龙8295	● 2颗 高通骁龙8295
后排液晶屏幕	○ (1.50万元)	○ (1.50万元)	○ (1.50万元)	○ (1.50万元)	○ (1.50万元)
后排液晶屏幕尺寸	○ 17英寸 ● 6.3英寸	○ 17英寸 ● 6.3英寸	○ 17英寸 ● 6.3英寸	○ 17英寸 ● 6.3英寸	○ 17英寸 ● 6.3英寸
后排液晶屏幕类型	● OLED	● OLED	● OLED	● OLED	● OLED
后排多媒体屏幕数量	● 1个 ○ 2个	● 1个 ○ 2个	● 1个 ○ 2个	● 1个 ○ 2个	● 1个 ○ 2个
后排控制多媒体	●	●	●	●	●

智能化配置（● Standard ○ Optional - N/A）

车联网	●	●	●	●	●
4G/5G网络	● 5G	● 5G	● 5G	● 5G	● 5G
OTA升级	●	●	●	●	●
Wi-Fi热点	●	●	●	●	●
车内生物监测系统	●	●	●	●	●
手机APP远程功能	● 车门控制 ● 车窗控制 ● 车辆启动 ● 充电管理 ● 车灯控制 ● 空调控制 ● 方向盘加热 ● 座椅加热 ● 座椅通风 ● 车况查询/诊断 ● 车辆定位/寻车 ● 车主服务（查找充电桩、加油站、停车场等） ● 预约保养/维修	● 车门控制 ● 车窗控制 ● 车辆启动 ● 充电管理 ● 车灯控制 ● 空调控制 ● 方向盘加热 ● 座椅加热 ● 座椅通风 ● 车况查询/诊断 ● 车辆定位/寻车 ● 车主服务（查找充电桩、加油站、停车场等） ● 预约保养/维修	● 车门控制 ● 车窗控制 ● 车辆启动 ● 充电管理 ● 车灯控制 ● 空调控制 ● 方向盘加热 ● 座椅加热 ● 座椅通风 ● 车况查询/诊断 ● 车辆定位/寻车 ● 车主服务（查找充电桩、加油站、停车场等） ● 预约保养/维修	● 车门控制 ● 车窗控制 ● 车辆启动 ● 充电管理 ● 车灯控制 ● 空调控制 ● 方向盘加热 ● 座椅加热 ● 座椅通风 ● 车况查询/诊断 ● 车辆定位/寻车 ● 车主服务（查找充电桩、加油站、停车场等） ● 预约保养/维修	● 车门控制 ● 车窗控制 ● 车辆启动 ● 充电管理 ● 车灯控制 ● 空调控制 ● 方向盘加热 ● 座椅加热 ● 座椅通风 ● 车况查询/诊断 ● 车辆定位/寻车 ● 车主服务（查找充电桩、加油站、停车场等） ● 预约保养/维修
主动降噪	●	●	●	●	●
车载KTV	●	●	●	●	●

方向盘/内后视镜（● Standard ○ Optional - N/A）

方向盘材质	● 真皮	● 真皮	● 真皮	● 真皮	● 真皮
方向盘位置调节	● 电动上下+前后调节	● 电动上下+前后调节	● 电动上下+前后调节	● 电动上下+前后调节	● 电动上下+前后调节
换挡形式	● 电子式怀挡换挡	● 电子式怀挡换挡	● 电子式怀挡换挡	● 电子式怀挡换挡	● 电子式怀挡换挡
多功能方向盘	●	●	●	●	●
方向盘加热	●	●	●	●	●
方向盘记忆	●	●	●	●	●
行车电脑显示屏幕	● 彩色	● 彩色	● 彩色	● 彩色	● 彩色
全液晶仪表盘	●	●	●	●	●
液晶仪表尺寸	● 13英寸	● 13英寸	● 13英寸	● 13英寸	● 13英寸
AR-HUD增强现实抬头显示	●	●	●	●	●
HUD抬头尺寸	● 47英寸	● 47英寸	● 47英寸	● 47英寸	● 47英寸
内后视镜功能	● 自动防眩目 ● 流媒体	● 自动防眩目 ● 流媒体	● 自动防眩目 ● 流媒体	● 自动防眩目 ● 流媒体	● 自动防眩目 ● 流媒体
ETC装置	●	●	●	●	●

车内充电（● Standard ○ Optional - N/A）

多媒体/充电接口	● Type-C	● Type-C	● Type-C	● Type-C	● Type-C
USB/Type-C接口数量	● 前排3个/后排4个	● 前排3个/后排4个	● 前排3个/后排4个	● 前排3个/后排4个	● 前排3个/后排4个
USB/Type-C最大充电功率	● 100W	● 100W	● 100W	● 100W	● 100W
220V/230V电源	●	●	●	●	●
手机无线充电功能	● 前排	● 前排	● 前排	● 前排	● 前排
手机无线充电功率	● 50W	● 50W	● 50W	● 50W	● 50W

座椅配置（● Standard ○ Optional - N/A）

座椅材质	● 真皮	● 真皮	● 真皮	● 真皮	● 真皮
------	------	------	------	------	------

主座椅调节方式	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向) ● 侧翼支撑(主动)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向) ● 侧翼支撑(主动)
副座椅调节方式	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)	● 前后调节 ● 靠背调节 ● 高低调节(4向) ● 腿托调节 ● 腰部支撑(4向)
主/副驾驶座电动调节	主● / 副●	主● / 副●	主● / 副●	主● / 副●	主● / 副●
前排座椅功能	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器
电动座椅记忆功能	● 驾驶位 ● 副驾驶位 ● 后排	● 驾驶位 ● 副驾驶位 ● 后排	● 驾驶位 ● 副驾驶位 ● 后排	● 驾驶位 ● 副驾驶位 ● 后排	● 驾驶位 ● 副驾驶位 ● 后排
副驾驶位后排可调节按钮	●	●	●	●	●
第二排座椅调节	● 前后调节 ● 靠背调节 ● 高低调节 ● 腰部调节 ● 腿托调节 ○ 旋转调节 (1.20万元)	● 前后调节 ● 靠背调节 ● 高低调节 ● 腰部调节 ● 腿托调节 ○ 旋转调节 (1.20万元) ● 脚踏调节	● 前后调节 ● 靠背调节 ● 高低调节 ● 腰部调节 ● 腿托调节 ○ 旋转调节 (1.20万元) ● 脚踏调节	● 前后调节 ● 靠背调节 ● 高低调节 ● 腰部调节 ● 腿托调节 ● 旋转调节 ● 脚踏调节	● 前后调节 ● 靠背调节 ● 高低调节 ● 腰部调节 ● 腿托调节 ● 旋转调节 ● 脚踏调节
第二排座椅电动调节	●	●	●	●	●
第二排座椅功能	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器	● 加热 ● 通风 ● 按摩 ● 头枕扬声器
后排小桌板	●	●	●	●	●
零重力座椅	● 第二排	● 第二排	● 第二排	● 第二排	● 第二排
第三排座椅调节	● 前后调节 ● 靠背调节	● 前后调节 ● 靠背调节	● 前后调节 ● 靠背调节	● 前后调节 ● 靠背调节	● 前后调节 ● 靠背调节
第三排座椅电动调节	●	●	●	●	●
第三排座椅功能	● 加热	● 加热	● 加热	● 加热	● 加热
座椅布局	● 2-2-2	● 2-2-2	● 2-2-2	● 2-2-2	● 2-2-2
后排座椅放倒形式	● 比例放倒	● 比例放倒	● 比例放倒	● 比例放倒	● 比例放倒
后排座椅电动放倒	●	●	●	●	●
前/后中央扶手	前● / 后●	前● / 后●	前● / 后●	前● / 后●	前● / 后●
后排杯架	●	●	●	●	●

音响/车内灯光（● Standard ○ Optional - N/A）

扬声器品牌名称	○ Naim (6.00万元)	○ Naim (6.00万元)	○ Naim (6.00万元)	○ Naim (6.00万元)	○ Naim (6.00万元)
扬声器数量	● 32喇叭	● 32喇叭	● 32喇叭	● 32喇叭	● 32喇叭
杜比全景声(Dolby Atmos)	●	●	●	●	●
车内环境氛围灯	● 1680万色	● 1680万色	● 1680万色	● 1680万色	● 1680万色
主动式环境氛围灯	●	●	●	●	●

空调/冰箱（● Standard ○ Optional - N/A）

空调温度控制方式	● 自动空调	● 自动空调	● 自动空调	● 自动空调	● 自动空调
热泵空调	●	●	●	●	●
后排独立空调	●	●	●	●	●

后座出风口	●	●	●	●	●
温度分区控制	●	●	●	●	●
车载空气净化器	-	-	-	-	-
车内PM2.5过滤装置	●	●	●	●	●
车内香氛装置	●	●	●	●	●
空气质量监测	●	●	●	●	●
车载冰箱	●	●	●	●	●

颜色（● Standard ○ Optional - N/A）

外观颜色	极昼白 极夜黑 冰川银 暗夜紫 星穹灰	极昼白 极夜黑 冰川银 暗夜紫 星穹灰	极昼白 极夜黑 冰川银 暗夜紫 星穹灰	极昼白 极夜黑 冰川银 暗夜紫 星穹灰	极夜黑
内饰颜色	极地白 琥珀棕 月影蓝	极地白 琥珀棕 月影蓝	极地白 琥珀棕 月影蓝	极地白 琥珀棕 月影蓝	曜夜鎏金

选装包（● Standard ○ Optional - N/A）

48V主动稳定杆	-	包含：48V主动稳定杆 ○ 选配 (22000元)	包含：48V主动稳定杆 ○ 选配 (22000元)	-	-
----------	---	------------------------------	------------------------------	---	---

HiLUCKEV.COM