

HILUCK Your Trusted Chinese EV Partner	Zeekr MIX 2025 Intelligent Driving Edition	Zeekr MIX 2025 Long-Range Intelligent Driving Edition
	-	-
Basic parameters (● Standard ○ Optional - N/A)		
Manufacturer	Zeekr	Zeekr
level	mid-size MPV	mid-size MPV
Energy type	Pure electric	Pure electric
Time to market	2024.10	2024.10
CLTC pure electric range (km)	550	702
Battery fast charging time (hours)	0.18	0.25
Battery fast charge capacity range (%)	10-80	10-80
Maximum power (kW)	310	310
Maximum torque (N·m)	440	440
Body structure	5-door, 5-seater MPV	5-door, 5-seater MPV
Motor (Ps)	422	422
Length*Width*Height(mm)	4688*1995*1755	4688*1995*1755
Official 0-100km/h acceleration (s)	6.8	6.8
Maximum speed (km/h)	180	180
Electric energy equivalent fuel consumption (L/100km)	1.9	1.9
Curb mass (kg)	2739	2739
Maximum full load mass (kg)	3150	3150
body (● Standard ○ Optional - N/A)		
Length (mm)	4688	4688
Width (mm)	1995	1995
Height (mm)	1755	1755
Wheelbase (mm)	3008	3008
Front wheelbase (mm)	1702	1702
Rear track (mm)	1709	1709
Minimum ground clearance (mm)	165	165
Approach angle (°)	15	15
Departure angle (°)	19	19
Minimum turning radius (m)	4.95	4.95
Body structure	MPV	MPV

Door opening method	Casement door + sliding door	Casement door + sliding door
Number of doors	5	5
Number of seats	5	5
Trunk volume (L)	568-2000	568-2000
Drag coefficient (Cd)	-	-

electric motor

Standard Optional - N/A

Rear motor brand	Quzhou Jidian	Quzhou Jidian
Rear motor model	TZ235XYC01	TZ235XYC01
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	310	310
Total motor horsepower (Ps)	422	422
Total torque of the motor (N·m)	440	440
Maximum power of rear motor (kW)	310	310
Maximum torque of rear motor (N·m)	440	440
Number of drive motors	Single motor	Single motor
Motor layout	Post	Post

Battery/Charging

Standard Optional - N/A

Battery Type	lithium iron phosphate battery	Ternary lithium battery
Battery cell brand	Quzhou Jidian	Times Geely
Battery-specific technology	Second generation BRIC battery	Kirin Battery
Battery cooling method	Liquid Cooling	Liquid Cooling
CLTC pure electric range (km)	550	702
Battery energy (kWh)	76	102
Power consumption per 100 kilometers (kWh/100km)	16.4	16.4
Fast charging function	support	support
High-voltage fast charging	support	support
High voltage platform (V)	800	800
Battery fast charging time (hours)	0.18	0.25
Battery fast charge capacity range (%)	10-80	10-80
Slow charging port location	Left rear side of the car	Left rear side of the car
Fast charging port location	Left rear side of the car	Left rear side of the car

External AC discharge power (kW)	3.3	3.3
External DC discharge power (kW)	60	60

gearbox (● Standard ○ Optional - N/A)

Abbreviation	Electric vehicle single-speed transmission	Electric vehicle single-speed transmission
Number of gears	1	1
Transmission type	Fixed gear ratio gearbox	Fixed gear ratio gearbox

Chassis steering (● Standard ○ Optional - N/A)

Drive mode	● Rear-engine, rear-wheel drive	● Rear-engine, rear-wheel drive
Front suspension type	● McPherson independent suspension	● McPherson independent suspension
Rear suspension type	● Multi-link independent suspension	● Multi-link independent suspension
Power type	● Electric power steering	● Electric power steering
Body structure	load-bearing	load-bearing

wheel brakes (● Standard ○ Optional - N/A)

Front brake type	● Ventilated disc	● Ventilated disc
Rear brake type	● Ventilated disc	● Ventilated disc
Parking brake type	● Electronic parking brake	● Electronic parking brake
Front tire specifications	● 235/55 R19 ○ 235/50 R20 (8000 yuan)	● 235/55 R19 ○ 235/50 R20 (8000 yuan)
Rear tire specifications	● 255/50 R19 ○ 265/45 R20	● 255/50 R19 ○ 265/45 R20
Spare tire specifications	-	-

Passive safety (● Standard ○ Optional - N/A)

Driver/passenger seat airbags	host● / Vice●	host● / Vice●
Front/rear side airbags	forward● / back-	forward● / back-
Front/rear head airbags (air curtain)	forward● / back●	forward● / back●
Front center airbag	●	●

Active safety (● Standard ○ Optional - N/A)

ABS anti-lock braking system	●	●
Braking force distribution (EBD/CBC, etc.)	●	●
Brake assist (EBA/BAS/BA, etc.)	●	●

Forward perception camera	● Binocular	● Binocular
Number of cameras	● 12	● 12
Front perception camera pixels	● 8 million	● 8 million
Environmental perception camera pixels	● 8 million	● 8 million
Number of cameras in the car	● 2	● 2
Number of ultrasonic radars	● 12	● 12
Number of millimeter-wave radars	● 5	● 5
LiDAR brand	● RoboSense	● RoboSense
Number of lidars	● 1	● 1
Maximum front detection distance	● 200 meters	● 200 meters

Driving functions (● Standard ○ Optional - N/A)

Cruise control system	● Full-speed adaptive cruise control	● Full-speed adaptive cruise control
Assisted driving system	● ZEEKR AD	● ZEEKR AD
Driving assistance level	● L2	● L2
Reversing side warning system	●	●
Satellite navigation system	●	●
Navigation traffic information display	●	●
Map Brand	● Gaode	● Gaode
High-precision maps	●	●
Lane change assistance	●	●
Lane Keeping Assist System	●	●
Lane centering	●	●
Road traffic sign recognition	●	●
Assisted parking	●	●
Remote control parking	●	●
Memory Parking	○	○
Assisted lane change	●	●
Automatic exit (entry) of auxiliary ramp	○	○
Traffic light recognition	●	●
Hands-off steering wheel detection	●	●
Start reminder	●	●

Assisted driving sections	Urban roads Expressway section
---------------------------	---

Appearance/anti-theft

(

●

Standard

○

Optional

- N/A

)

Rim material	aluminum alloy
--------------	---

Exterior lights

(

●

Standard

○

Optional

- N/A

)

Low beam light source	led
-----------------------	--

Skylight/Glass

(

●

Standard

○

Optional

- N/A

)

Skylight Type	The panoramic sunroof cannot be opened
---------------	---

One-touch window lift function	● whole vehicle	● whole vehicle
Window anti-pinch function	●	●
Side window multi-layer soundproof glass	● front row	● front row
Rear side privacy glass	●	●
Car makeup mirror	● Main driving light + lighting ● Co-pilot + lighting	● Main driving light + lighting ● Co-pilot + lighting
rear wiper	●	●
Rain sensor wiper function	● Rain sensor	● Rain sensor

exterior rearview mirror

(● Standard ○ Optional - N/A)

Exterior rearview mirror function	● Electric adjustment ● Electric folding ● Rearview mirror memory ● Heated rearview mirrors ● Automatically tilt down when reversing ● Automatic folding when the car is locked	● Electric adjustment ● Electric folding ● Rearview mirror memory ● Heated rearview mirrors ● Automatically tilt down when reversing ● Automatic folding when the car is locked
-----------------------------------	--	--

Screen/System

(● Standard ○ Optional - N/A)

Central control color screen	● Touch LCD screen	● Touch LCD screen
Central control screen size	● 15.05 inches	● 15.05 inches
Central control screen type	● OLED	● OLED
Central control screen resolution	● 2.5K	● 2.5K
Sunflower Rotating Screen	●	●
Bluetooth/car phone	●	●
Mobile phone interconnection/mapping	● Original factory interconnection/mapping ● Support HUAWEI HiCar	● Original factory interconnection/mapping ● Support HUAWEI HiCar
Voice recognition control system	● Multimedia system ● navigation ● Telephone ● air conditioner ● car windows ● Heated seats ● Seat ventilation ● Seat massage	● Multimedia system ● navigation ● Telephone ● air conditioner ● car windows ● Heated seats ● Seat ventilation ● Seat massage
Voice assistant wake-up word	● Hi, EVA	● Hi, EVA
Voice wake-up word-free	●	●
Voice wake-up recognition by region	● Four regions	● Four regions
Continuous Speech Recognition	●	●
Seeing is telling	●	●
Gesture control	●	●
Facial Recognition	●	●

Voiceprint recognition		
DeepSeek Application	Coming soon	Coming soon
App Store		
In-vehicle intelligent system	ZEEKR OS	ZEEKR OS
Car computer smart chip	Qualcomm Snapdragon 8295	Qualcomm Snapdragon 8295
Vehicle system memory (GB)	32	32
Vehicle system storage (GB)	128	128

Intelligent configuration (● Standard ○ Optional - N/A)

Internet of Vehicles		
4G/5G network	5G	5G
OTA upgrade		
Wi-Fi hotspots		
In-vehicle biological monitoring system		
Mobile APP remote function	- Door control - Window controls - Vehicle start - Charging Management - Air conditioning control - Vehicle condition inquiry/diagnosis - Vehicle positioning/search - Car owner services (find charging stations, gas stations, parking lots, etc.) - Schedule maintenance/repair	- Door control - Window controls - Vehicle start - Charging Management - Air conditioning control - Vehicle condition inquiry/diagnosis - Vehicle positioning/search - Car owner services (find charging stations, gas stations, parking lots, etc.) - Schedule maintenance/repair
Simulated sound waves		

Steering wheel/interior rearview mirror (● Standard ○ Optional - N/A)

Steering wheel material	cortex	cortex
Steering wheel position adjustment	Electric up and down + front and back adjustment	Electric up and down + front and back adjustment
Gear shifting	Electronic hand-shift gear	Electronic hand-shift gear
Multi-function steering wheel		
Heated steering wheel		
Steering wheel memory		
Trip computer display screen	color	color
Full LCD instrument panel		
LCD instrument size	13.02 inches	13.02 inches
AR-HUD Augmented Reality Head-Up Display		
Interior rearview mirror function	- Automatic anti-glare - Streaming	- Automatic anti-glare - Streaming

In-car charging (● Standard ○ Optional - N/A)

Multimedia/charging port	● USB ● Type-C	● USB ● Type-C
Number of USB/Type-C ports	● 4 front seats/2 back seats	● 4 front seats/2 back seats
USB/Type-C maximum charging power	● 27W ● 60W	● 27W ● 60W
220V/230V power supply	●	●
Mobile phone wireless charging function	● front row	● front row
Mobile phone wireless charging power	● 50W	● 50W
Luggage compartment 12V power socket	●	●

Seat configuration (● Standard ○ Optional - N/A)

Seat material	● Genuine Leather	● Genuine Leather
Main seat adjustment method	● Front and rear adjustment ● Backrest adjustment ● Height adjustment (4 directions) ● Lumbar support (4-way) ● Rotation adjustment	● Front and rear adjustment ● Backrest adjustment ● Height adjustment (4 directions) ● Lumbar support (4-way) ● Rotation adjustment
Passenger seat adjustment method	● Front and rear adjustment ● Backrest adjustment ● Height adjustment (2-way) ● Lumbar support (4-way) ● Rotation adjustment	● Front and rear adjustment ● Backrest adjustment ● Height adjustment (2-way) ● Lumbar support (4-way) ● Rotation adjustment
Electric adjustment of driver's seat and passenger seat	host● / Vice●	host● / Vice●
Front seat functions	● heating ● ventilation ● massage ● Headrest speakers (driver's seat only)	● heating ● ventilation ● massage ● Headrest speakers (driver's seat only)
Electric seat memory function	● Driver's seat ● co-pilot seat	● Driver's seat ● co-pilot seat
Co-pilot rear seat adjustable buttons	-	-
Second row seat adjustment	● Front and rear adjustment ● Backrest adjustment ● Leg rest adjustment	● Front and rear adjustment ● Backrest adjustment ● Leg rest adjustment
Second row seats electrically adjustable	●	●
Second row seat functions	● heating ● ventilation ● massage	● heating ● ventilation ● massage
Rear seat folding	● Proportional down	● Proportional down
Electric folding rear seats	●	●
Front/rear center armrest	forward● / back●	forward● / back●

一体式智慧灯幕套装	包含：ZEEKR Stargate一体式智慧灯幕 ○ 选配 (8000元)	包含：ZEEKR Stargate一体式智慧灯幕 ○ 选配 (8000元)
ZEEKR AD 完全智能驾驶辅助系统	包含：N郑高速自主领航辅助、N郑城市自主领航辅助、LP记忆泊车 ○ 选配 (35000元)	包含：N郑高速自主领航辅助、N郑城市自主领航辅助、LP记忆泊车 ○ 选配 (35000元)

HiLUCKEV.COM