HILUCK Your Trusted Chinese EV Partner	Zeekr 007GT 2025 Rear- wheel Drive Smart Driving Edition 75kWh	Zeekr 007GT 2025 Long- Range Rear-Wheel Drive Smart Driving Edition 100kWh	Zeekr 007GT 2025 All- Wheel Drive Smart Edition 75kWh	Zeekr 007GT 2025 Long- Range 4WD Smart Driving Edition 100kWh	
	-	-	-	-	
Basic parameters (● Standard ○ Optional - N/A)					
Manufacturer	Zeekr	Zeekr	Zeekr	Zeekr	
level	mid-size car	mid-size car	mid-size car	mid-size car	
Energy type	Pure electric	Pure electric	Pure electric	Pure electric	
Time to market	2025.04	2025.04	2025.04	2025.04	
CLTC pure electric range (km)	650	825	585	730	
Battery fast charging time (hours)	0.175	0.25	0.175	0.25	
Battery fast charge capacity range (%)	10-80	10-80	10-80	10-80	
Maximum power (kW)	310	310	475	475	
Maximum torque (N·m)	440	440	710	710	
Body structure	5-door, 5-seater station wagon	5-door, 5-seater station wagon	5-door, 5-seater station wagon	5-door, 5-seater station wagon	
Motor (Ps)	422	422	646	646	
Length*Width*Height(mm)	4864*1900*1460	4864*1900*1460	4864*1900*1445	4864*1900*1445	
Official 0-100km/h acceleration (s)	5.3	5.2	3.8	2.95	
Maximum speed (km/h)	210	210	210	210	
Electric energy equivalent fuel consumption (L/100km)	1.54	1.53	1.72	1.74	
Curb mass (kg)	2230	2245	2330	2350	
Maximum full load mass (kg)	2690	2710	2790	2810	
Total mass of trailer (kg)	1600	1600	1600	1600	
body (• Standard ○ Optional - N//	A)				
Length (mm)	4864	4864	4864	4864	
Width (mm)	1900	1900	1900	1900	
Height (mm)	1460	1460	1445	1445	
Wheelbase (mm)	2925	2925	2925	2925	
Front wheelbase (mm)	1635	1635	1635	1635	
Rear track (mm)	1650	1650	1650	1650	
Minimum ground clearance when unloaded (mm)	147	147	134	134	
Approach angle (°)	13	13	13	13	
Departure angle (°)	16	16	18	18	
Body structure	station wagon	station wagon	station wagon	station wagon	

Door opening method	swing door	swing door	swing door	swing door
Number of doors	• 5	• 5	• 5	• 5
Number of seats	• 5	• 5	• 5	• 5
Front trunk volume (L)	53	53	20	20
Trunk volume (L)	645-1737	645-1737	645-1737	645-1737
Drag coefficient (Cd)	-	-	-	-

electric motor (• Standard ○ Optional - N/A)

former motor brand	-	-	Quzhou Jidian	Quzhou Jidian
Rear motor brand	Quzhou Jidian	Quzhou Jidian	Quzhou Jidian	Quzhou Jidian
Front motor model	-	-	YS190XYE01	YS190XYE01
Rear motor model	TZ235XYC01	TZ235XYC01	TZ235XYC01	TZ235XYC01
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Front induction/asynchronous rear permanent magnet/synchronous	Front induction/asynchronous rear permanent magnet/synchronous
Total motor power (kW)	310	310	475	475
Total motor horsepower (Ps)	422	422	646	646
Total torque of the motor (N·m)	440	440	710	710
Maximum power of front motor (kW)	-	-700	165	165
Maximum torque of front motor (N·m)	-		270	270
Maximum power of rear motor (kW)	310	310	310	310
Maximum torque of rear motor (N·m)	440	440	440	440
Number of drive motors	Single motor	Single motor	Dual motors	Dual motors
Motor layout	Post	Post	Front + rear	Front + rear

Battery/Charging (• Standard ○ Optional - N/A)

Battery Type	lithium iron phosphate battery	• Ternary lithium battery	lithium iron phosphate battery	Ternary lithium battery
Battery cell brand	• Quzhou Jidian	• Times Geely	 Quzhou Jidian 	• Times Geely
Battery-specific technology	BRIC Battery	Kirin Battery	BRIC Battery	Kirin Battery
Battery cooling method	Liquid Cooling	Liquid Cooling	Liquid Cooling	Liquid Cooling
CLTC pure electric range (km)	650	825	585	730
Battery energy (kWh)	75	100	75	100
Power consumption per 100 kilometers (kWh/100km)	13.3	13.2	14.8	15.0
Fast charging function	support	support	support	support
High-voltage fast charging	support	support	support	support
High voltage platform (V)	800	800	800	800

Battery fast charging time (hours)	0.175	0.25	0.175	0.25
Battery fast charge capacity range (%)	10-80	10-80	10-80	10-80
Slow charging port location	Left rear side of the car			
Fast charging port location	Left rear side of the car			
External AC discharge power (kW)	6	6	6	6
External DC discharge power (kW)	60	60	60	60

gearbox (• Standard ○ Optional - N/A)

Abbreviation	Electric vehicle single-speed transmission			
Number of gears	1	1	1	1
Transmission type	Fixed gear ratio gearbox			

Chassis steering (◆ Standard ○ Optional - N/A)

Drive mode	Rear-engine, rear-wheel drive	Rear-engine, rear-wheel drive	Dual-motor four-wheel drive	Dual-motor four-wheel drive
Four-wheel drive	-	-	Electric four-wheel drive	Electric four-wheel drive
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	• Double wishbone independent suspension
Rear suspension type	• Five-link independent suspension	• Five-link independent suspension	• Five-link independent suspension	 Five-link independent suspension
Power type	Electric power steering	Electric power steering	• Electric power steering	Electric power steering
Body structure	load-bearing	load-bearing	load-bearing	load-bearing

wheel brakes (• Standard O Optional - N/A)

Front brake type	 Ventilated disc type 			
Rear brake type	 Ventilated disc type 			
Parking brake type	Electronic parking brake	Electronic parking brake	Electronic parking brake	Electronic parking brake
Front tire specifications	• 245/45 R19 ○ 255/40 R20			
Rear tire specifications	• 245/45 R19 ○ 255/40 R20			
Spare tire specifications	-	-	-	-

Passive safety (• Standard ○ Optional - N/A)

Driver/passenger seat airbags	host• / Vice•	host• / Vice•	host• / Vice•	host• / Vice•
Front/rear side airbags	forward● / back-	forward• / back-	forward● / back-	forward• / back-
Front/rear head airbags (curtain airbags)	forward● / back●	forward● / back●	forward● / back●	forward∙ / back•
Front center airbag	•	•	•	•

Active safety (• Standard ○ Optional - N/A)

•				
ABS anti-lock braking system	•	•	•	•
Braking force distribution (EBD/CBC, etc.)	•	•	•	•
Brake assist (EBA/BAS/BA, etc.)	•	•	•	•
Traction control (ASR/TCS/TRC, etc.)	•	•	•	•
Vehicle stability control (ESC/ESP/DSC, etc.)	•	•	•	•
Tire pressure monitoring function	Tire pressure display	Tire pressure display	• Tire pressure display	• Tire pressure display
Seat belt unfastened reminder	• whole vehicle	• whole vehicle	• whole vehicle	• whole vehicle
ISOFIX child seat interface	•	•	•	•
Lane Departure Warning System	•	•	•	•
Active braking/active safety systems	•	•	•	•
Fatigue driving tips	•	•	•	•
DOW door opening warning	•	•	•	•
Forward Collision Warning	•	•	•	•
Rear Collision Warning	•	•	•	•
Sentry Mode/Clairvoyance	•	•	•	•
Low speed warning	•	•	•	•
Built-in driving recorder	•		•	•
Roadside assistance call	•	•	•	•

Driving control (• Standard O Optional - N/A)

	• sports	• sports	• sports	• sports
	• economy	• economy	• economy	• economy
Driving mode switch	Standard/Comfort	Standard/Comfort	Standard/Comfort	Standard/Comfort
	Snow	Snow	Snow	Snow
	Customization/Personalization	Customization/Personalization	Customization/Personalization	Customization/Personalization
Single pedal mode	•	•	•	•
Energy recovery system	•	•	•	•
Automatic parking	•	•	•	•
Hill-start assist	•	•	•	•
Steep slope descent	•	•	•	•
	 Suspension hardness 			
	adjustment	adjustment	adjustment	adjustment
Variable suspension function	 Suspension height 	 Suspension height 	Suspension height	 Suspension height
	adjustment	adjustment	adjustment	adjustment
air suspension	(12,000 yuan)	○ (12,000 yuan)	•	•
Magic Carpet Intelligent				
Suspension	•	•	•	•

Towing mode	0	0	0	0	
Four-wheel drive/off-road (• Standard O Optional - N/A)					
Tow hook	○ electric	○ electric	O electric	O electric	

Driving hardware (• Standard O Optional - N/A)

Front/rear parking radar	forward• / back•	forward● / back●	forward● / back●	forward• / back•
Driving assistance images	 360-degree panoramic images Vehicle side blind spot image 	 360-degree panoramic images Vehicle side blind spot image 	360-degree panoramic images Vehicle side blind spot image	360-degree panoramic images Vehicle side blind spot image
Transparent chassis/540-degree imaging	•	•	•	•
Assisted driving chip	• 2 NVIDIA Orin-X	• 2 NVIDIA Orin-X	• 2 NVIDIA Orin-X	• 2 NVIDIA Orin-X
Total chip computing power	• 508 TOPS	• 508 TOPS	• 508 TOPS	• 508 TOPS
Forward perception camera	 Binocular 	 Binocular 	 Binocular 	Binocular
Number of cameras	• 11 O 12	• 11 O 12	• 11 O 12	• 11 ○ 12
Front perception camera pixels	8 million	8 million	8 million	8 million
Number of cameras in the car	• 1	• 1	• 1	• 1
Number of ultrasonic radars	• 12	• 12	• 12	• 12
Number of millimeter-wave radars	• 5	• 5	• 5	• 5
Number of lidars	• 1	• 1	• 1	• 1

Driving functions (• Standard O Optional - N/A)

Cruise control system	• Full-speed adaptive cruise control	• Full-speed adaptive cruise control	Full-speed adaptive cruise control	Full-speed adaptive cruise control
Assisted driving system	• ZEEKR AD	• ZEEKR AD	• ZEEKR AD	• ZEEKR AD
Driving assistance level	• L2	• L2	• L2	• L2
Reversing side warning system	•	•	•	•
Satellite navigation system	•	•	•	•
Navigation traffic information display	•	•	•	•
Map Brand	• Gaode	• Gaode	• Gaode	• Gaode
Lane change assistance	•	•	•	•
Lane Keeping Assist System	•	•	•	•
Lane centering	•	•	•	•
Road traffic sign recognition	•	•	•	•
Assisted parking	•	•	•	•
Remote control parking	•	•	•	•
Memory Parking	•	•	•	•

Assisted lane change	•	•	•	•
Automatic exit (entry) of auxiliary ramp	0	0	0	0
Traffic light recognition	•	•	•	•
Hands-off steering wheel detection	•	•	•	•
Start reminder	•	•	•	•
Assisted driving sections	O Urban roads O Expressway section	Urban roadsExpressway section	Urban roadsExpressway section	Urban roadsExpressway section

Appearance/anti-theft (• Standard ○ Optional - N/A)

Rim material	aluminum alloy	 aluminum alloy 	aluminum alloy	 aluminum alloy
Electric suction door	O whole vehicle	O whole vehicle	O whole vehicle	O whole vehicle
Automatic door opening and closing	0	0	0	0
Frameless design doors	•	•	•	•
Electric trunk	•	•	•	•
Electric trunk position memory	•	•	•	•
Roof rack	•		•	•
Central locking system in the car	•		•	•
Key type	remote control keyNFC/RFID keysUWB digital key			
Keyless start system	•	•	•	•
Keyless entry function	• front row O whole vehicle			
Hidden electric door handles	•	•	•	•
Active closed grille	•	•	•	•
Remote start function	•	•	•	•
Battery preheating	•	•	•	•
Discharge to the outside	•	•	•	•

Exterior lights (• Standard O Optional - N/A)

Low beam light source	• led	• led	• led	• led
High beam light source	• led	• led	• led	• led
Lighting features	-	-	Matrix	Matrix
LED daytime running lights	•	•	•	•
Adaptive high and low beam	•	•	•	•
Automatic headlights	•	•	•	•
Front fog lights	-	-	-	-

Headlight height adjustable	•	•	•	•
Headlights delayed off	•	•	•	•
Scene Lighting	•	•	•	•

Skylight/Glass (• Standard ○ Optional - N/A)

Skylight Type	 The panoramic sunroof cannot be opened 	• The panoramic sunroof cannot be opened	• The panoramic sunroof cannot be opened	The panoramic sunroof cannot be opened
Light-sensitive skylight	(16,000 yuan)	○ (16,000 yuan)	○ (16,000 yuan)	○ (16,000 yuan)
Front/rear electric windows	forward● / back●	forward● / back●	forward● / back●	forward• / back•
One-touch window lift function	• whole vehicle	• whole vehicle	• whole vehicle	• whole vehicle
Window anti-pinch function	•	•	•	•
Side window multi-layer soundproof glass	• front row • back row	front rowback row	front rowback row	front rowback row
Rear side privacy glass	•	•	•	•
Car makeup mirror	 Main driving light + lighting Co-pilot + lighting 	 Main driving light + lighting Co-pilot + lighting 	 Main driving light + lighting Co-pilot + lighting 	Main driving light + lightingCo-pilot + lighting
rear wiper	-	-	-	-
Rain sensor wiper function	• Rain sensor	• Rain sensor	• Rain sensor	• Rain sensor

exterior rearview mirror (• Standard O Optional - N/A)

	•
	Real
Exterior rearview mirror	• Hea
function	 Autom

- Electric adjustment
- Electric folding
- arview mirror memory
- eated rearview mirrors matically tilt down when
- reversing • Automatic folding when
 - locking the car

• Electric adjustment

- Electric folding
- Rearview mirror memory
- Heated rearview mirrors
- Automatically tilt down when reversing
 - Automatic folding when locking the car

• Electric adjustment

- Electric folding
- Rearview mirror memory
- Heated rearview mirrors
- Automatically tilt down when reversing
- Automatic folding when locking the car
- Electric adjustment
 - Electric folding
- Rearview mirror memory
- Heated rearview mirrors
- Automatically tilt down when reversing
- Automatic folding when locking the car

Screen/System (• Standard ○ Optional - N/A)

Central control color screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen	• Touch LCD screen
Central control screen size	• 15.4 inches	• 15.4 inches	• 15.4 inches	• 15.4 inches
Central control screen type	• MINI LED	MINI LED	• MINI LED	• MINI LED
Central control screen resolution	• 2.5K	• 2.5K	• 2.5K	• 2.5K
Bluetooth/car phone	•	•	•	•
Mobile phone interconnection/mapping	 Support HUAWEI HiCar 	 Support HUAWEI HiCar 	• Support HUAWEI HiCar	 Support HUAWEI HiCar
Voice recognition control system	 Multimedia system navigation Telephone air conditioner car windows Heated seats Seat ventilation Seat massage 	 Multimedia system navigation Telephone air conditioner car windows Heated seats Seat ventilation Seat massage 	 Multimedia system navigation Telephone air conditioner car windows Heated seats Seat ventilation Seat massage 	 Multimedia system navigation Telephone air conditioner car windows Heated seats Seat ventilation Seat massage
Voice assistant wake-up word	• Hi, EVA	• Hi, EVA	• Hi, EVA	• Hi, EVA

Voice wake-up word-free	•	•	•	•
Voice wake-up recognition by region	• Four regions	• Four regions	• Four regions	• Four regions
Continuous Speech Recognition	•	•	•	•
Seeing is telling	•	•	•	•
Facial Recognition	•	•	•	•
Voiceprint recognition	•	•	•	•
DeepSeek Application	Coming soon	Coming soon	Coming soon	 Coming soon
App Store	•	•	•	•
In-vehicle intelligent system	• ZEEKR OS	• ZEEKR OS	• ZEEKR OS	• ZEEKR OS
Car computer smart chip	Qualcomm Snapdragon 8295	Qualcomm Snapdragon 8295	Qualcomm Snapdragon 8295	Qualcomm Snapdragon 8295

Intelligent configuration (• Standard O Optional - N/A)

Internet of Vehicles	•	•	•	•
4G/5G network	• 5G	• 5G	• 5G	• 5G
OTA upgrade	•	•	•	•
Wi-Fi hotspots	•	•	•	•
	Door controlWindow controls	Door control Window controls	Door control Window controls	Door control Window controls
	Vehicle start	Vehicle start	Vehicle start	Vehicle start
	Charging Management	Charging Management	Charging Management	Charging Management
	Air conditioning control	Air conditioning control	Air conditioning control	Air conditioning control
	Heated steering wheel	Heated steering wheel	Heated steering wheel	Heated steering wheel
	Heated steering wheel Heated seats	Heated steering wheel Heated seats	Heated steering wheel Heated seats	Heated steering wheel Heated seats
Mobile APP remote function	Seat ventilation	Seat ventilation	Seat ventilation	Seat ventilation
Mobile AFF Telliote Turiction	Vehicle condition	Vehicle condition	Vehicle condition	Vehicle condition
	inquiry/diagnosis • Vehicle positioning/search	inquiry/diagnosis • Vehicle positioning/search	inquiry/diagnosis • Vehicle positioning/search	inquiry/diagnosis • Vehicle positioning/search
	·	, ,		
	Car owner services (find	Car owner services (find	Car owner services (find	Car owner services (find
	charging stations, gas stations,	charging stations, gas stations,	charging stations, gas stations,	charging stations, gas stations,
	parking lots, etc.) • Schedule maintenance/repair	parking lots, etc.) • Schedule maintenance/repair	parking lots, etc.) • Schedule maintenance/repair	parking lots, etc.) • Schedule maintenance/repair
Simulated sound waves	•	•	•	•
Car KTV	•	•	•	•

Steering wheel/interior rearview mirror (• Standard O Optional - N/A)

Steering wheel material	Genuine Leather	Genuine Leather	Genuine Leather	Genuine Leather
Steering wheel position adjustment	Electric up and down + front and back adjustment	Electric up and down + front and back adjustment	Electric up and down + front and back adjustment	Electric up and down + front and back adjustment
Gear shifting	Electronic hand-shift	Electronic hand-shift	• Electronic hand-shift	Electronic hand-shift
Multi-function steering wheel	•	•	•	•
Heated steering wheel	•	•	•	•
Steering wheel memory	•	•	•	•
Trip computer display screen	• color	• color	• color	• color
Full LCD instrument panel	•	•	•	•

LCD instrument size	• 13.02 inches	• 13.02 inches	• 13.02 inches	• 13.02 inches
AR-HUD Augmented Reality Head-Up Display	•	•	•	•
HUD head-up size	• 35.5 inches	• 35.5 inches	• 35.5 inches	• 35.5 inches
Interior rearview mirror function	Automatic anti-glareStreaming	Automatic anti-glareStreaming	Automatic anti-glareStreaming	Automatic anti-glareStreaming

In-car charging (• Standard O Optional - N/A)

Multimedia/charging port	• Type-C	• Type-C	• Type-C	• Type-C
Number of USB/Type-C ports	• 2 front seats/2 back seats			
USB/Type-C maximum charging power	• 60W	• 60W	• 60W	• 60W
220V/230V power supply	0	0	0	0
Mobile phone wireless charging function	• front row	• front row	• front row	• front row
Mobile phone wireless charging power	• 50W	• 50W	• 50W	• 50W
Luggage compartment 12V power socket	•	•	•	•

Seat configuration (• Standard O Optional - N/A)

Seat material	Genuine leather (8,000 yuan)Leather/suede material mix	○ Genuine leather (8,000 yuan) • Leather/suede material mix	○ Genuine leather (8,000 yuan) • Leather/suede material mix	Genuine leather (8,000 yuan)Leather/suede material mix
Main seat adjustment method	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way)
Passenger seat adjustment method	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (4 directions) Leg rest adjustment Lumbar support (4-way)
Electric adjustment of driver's seat and passenger seat	host∙ / Vice∙	host∙ / Vice∙	host∙ / Vice∙	host∙ / Vice∙
Front seat functions	 heating ventilation massage Headrest speakers (driver's seat only) 	 heating ventilation massage Headrest speakers (driver's seat only) 	 heating ventilation massage Headrest speakers (driver's seat only) 	 heating ventilation massage Headrest speakers (driver's seat only)
Electric seat memory function	Driver's seatco-pilot seat	Driver's seatco-pilot seat	Driver's seatco-pilot seat	Driver's seatco-pilot seat
Co-pilot rear seat adjustable buttons	-	-	-	-
Second row seat adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment
Second row seats electrically adjustable	•	•	•	•

Second row seat functions	heating	• heating	• heating	• heating
Rear seat folding	Proportional down	Proportional down	 Proportional down 	 Proportional down
Front/rear center armrest	forward● / back●	forward● / back●	forward● / back●	forward• / back•
Rear cup holder	•	•	•	•

Audio/Interior Lighting (• Standard O Optional - N/A)

Speaker brand name	-	-	-	-
Number of speakers	• 23 speakers	• 23 speakers	• 23 speakers	• 23 speakers
Number of exterior speakers	• 1 speaker	• 1 speaker	• 1 speaker	• 1 speaker
Dolby Atmos	•	•	•	•
Touch-sensitive reading light	•	•	•	•
Interior ambient lighting	Multicolor	Multicolor	Multicolor	Multicolor
Active ambient lighting	_	_	_	_

Air conditioning/refrigerator (• Standard O Optional - N/A)

Air conditioning temperature control method	Automatic air conditioning	Automatic air conditioning	Automatic air conditioning	Automatic air conditioning
heat pump air conditioner	•		•	•
Rear independent air conditioning	-		-	-
Rear seat air vents	•	•	•	•
Temperature zone control	•	•	•	•
Car air purifier	-	-	-	-
In-car PM2.5 filter	•	•	•	•
Car fragrance device	•	•	•	•

color (• Standard ○ Optional - N/A)

	Midnight White	Midnight White	Midnight White	Midnight White
	Laser Gray	Laser Gray	Laser Gray	Laser Gray
	Black/Laser Gray ¥ 2000			
	Black/Midnight ¥2000 White	Black/Midnight White White	Black/Midnight White Was 2000	Black/Midnight White Whose \$\forall 2000\$
	Polar Night Black	Polar Night Black	Polar Night Black	Polar Night Black
	Black/Glacier ¥8000	Black/Glacier ¥8000	Black/Glacier ¥8000	Black/Glacier ¥8000
	Interstellar Purple ¥ 6000			
	Sunny Blue ¥ 6000			
	Morning Mist Rice ¥ 6000			
Appearance color	Black/Sky Blue ¥ 8000			
	Black/Morning Mist Rice ¥8000			
	Black/Interstellar ¥8000	Black/Interstellar ¥8000	Black/Interstellar ¥8000	Black/Interstellar ¥8000
	Glacier Silver ¥ 6000			
	Green Space ¥ 6000			
	Black/Wild Green ¥ 8000			
	dark night purple ¥ 6000			
	Black/Midnight	Black/Midnight	Black/Midnight	Black/Midnight
	Purple ¥8000	Purple ¥8000	Purple ¥8000	Purple ¥8000
	Black/Gray	Black/Gray	Black/Gray	Black/Gray
	purple/white	purple/white	purple/white	purple/white
Interior color	Red/Black	Red/Black	Red/Black	Red/Black
	Black/white/brown	Black/white/brown	Black/white/brown	Black/white/brown

Optional Package (• Standard O Optional - N/A)

ZEEKR Stargate integrated smart light curtain	ZEEKR Stargate integrated smart light curtain O Optional (8000 yuan)	ZEEKR Stargate integrated smart light curtain O Optional (8000 yuan)	ZEEKR Stargate integrated smart light curtain O Optional (8000 yuan)	ZEEKR Stargate integrated smart light curtain O Optional (8000 yuan)
Outdoor suit	- Multi-function trunk rail system - Intelligent electric trailer hook set - 220V AC power supply for trunk O Optional (8000 yuan)	- Multi-function trunk rail system - Intelligent electric trailer hook set - 220V AC power supply for trunk O Optional (8000 yuan)	- Multi-function trunk rail system - Intelligent electric trailer hook set - 220V AC power supply for trunk O Optional (8000 yuan)	- Multi-function trunk rail system - Intelligent electric trailer hook set - 220V AC power supply for trunk O Optional (8000 yuan)
Smart sensor automatic door set	- Full-vehicle sensor-based frameless automatic doors - Touch-sensitive intelligent B-pillar interactive system (including function control, face recognition, information interaction, etc.) O Optional (16,000 yuan)	- Full-vehicle sensor-based frameless automatic doors - Touch-sensitive intelligent B-pillar interactive system (including function control, face recognition, information interaction, etc.) O Optional (16,000 yuan)	- Full-vehicle sensor-based frameless automatic doors - Touch-sensitive intelligent B-pillar interactive system (including function control, face recognition, information interaction, etc.) O Optional (16,000 yuan)	- Full-vehicle sensor-based frameless automatic doors - Touch-sensitive intelligent B-pillar interactive system (including function control, face recognition, information interaction, etc.) O Optional (16,000 yuan)