HILUCK Your Trusted Chinese EV Partner Leopard 5 2025 210KM Qiankun Ultra Edition VItra + Edition Leopard 5 2025 Laser Qiankun Intelligent Driving Edition Leopard 5 2025 Cloud Carriage Laser Qiankun Intelligent Driving Edition

Basic parameters (• Standard ○ Optional - N/A)

Equation Leopard	Equation Leopard	Equation Leopard	Equation Leopard
Mid-size SUV	Mid-size SUV	Mid-size SUV	Mid-size SUV
Plug-in hybrid	Plug-in hybrid	Plug-in hybrid	Plug-in hybrid
National VI	National VI	National VI	National VI
October 2025	October 2025	February 2025	February 2025
160	160	100	100
210	210	125	125
0.25	0.25	0.27	0.27
30-80	30-80	30-80	30-80
505	505	505	505
760	760	760	760
E-CVT continuously variable transmission	E-CVT continuously variable transmission	E-CVT continuously variable transmission	E-CVT continuously variable transmission
5-door 5-seater SUV	5-door 5-seater SUV	5-door 5-seater SUV	5-door 5-seater SUV
1.5T 194hp L4	1.5T 194hp L4	1.5T 194hp L4	1.5T 194hp L4
660	660	660	660
4890*1970*1920	4890*1970*1920	4890*1970*1920	4890*1970*1920
4.8	4.8	4.8	4.8
180	180	180	180
1.23	1.23	1.79	1.79
8.43	8.43	8.85	8.85
4.14	4.14	4.52	4.52
2950	3040	2890	2998
3450	3490	3265	3373
	Mid-size SUV Plug-in hybrid National VI October 2025 160 210 0.25 30-80 505 760 E-CVT continuously variable transmission 5-door 5-seater SUV 1.5T 194hp L4 660 4890*1970*1920 4.8 180 1.23 8.43 4.14 2950	Mid-size SUV Mid-size SUV Plug-in hybrid Plug-in hybrid National VI National VI October 2025 October 2025 160 160 210 210 0.25 0.25 30-80 30-80 505 505 760 760 E-CVT continuously variable transmission 5-door 5-seater SUV 1.5T 194hp L4 1.5T 194hp L4 660 660 4890*1970*1920 4890*1970*1920 4.8 4.8 180 180 1.23 1.23 8.43 8.43 4.14 4.14 2950 3040	Mid-size SUV Mid-size SUV Mid-size SUV Plug-in hybrid Plug-in hybrid Plug-in hybrid National VI National VI National VI October 2025 February 2025 160 160 100 210 210 125 0.25 0.25 0.27 30-80 30-80 30-80 505 505 505 760 760 760 E-CVT continuously variable transmission E-CVT continuously variable transmission S-door 5-seater SUV 5-door 5-seater SUV 5-door 5-seater SUV 1.5T 194hp L4 1.5T 194hp L4 1.5T 194hp L4 660 660 660 4890*1970*1920 4890*1970*1920 4890*1970*1920 4.8 4.8 4.8 180 180 180 1.23 1.23 1.79 8.43 8.43 8.85 4.14 4.14 4.52 2950 3040 2890

Body (• Standard ○ Optional - N/A)

Length (mm)	4890	4890	4890	4890
Width (mm)	1970	1970	1970	1970
Height (mm)	1920	1920	1920	1920
Wheelbase (mm)	2800	2800	2800	2800
Front track width (mm)	1660	1660	1660	1660
Rear track width (mm)	1660	1660	1660	1660
Minimum ground clearance when fully loaded (mm)	220	310	220	310
Approach angle (°)	35	35	35	39
Departure angle (°)	31	31	32	35
Longitudinal angle (°)	20	20	20	20
Maximum wading depth (mm)	700	790	700	790
Body structure	SUV	SUV	SUV	SUV
Car door opening method	Hinged door	Hinged door	Hinged door	Hinged door
Number of car doors	• 5	• 5	• 5	• 5
Number of seats	• 5	• 5	• 5	• 5
Fuel tank capacity (L)	83	83	83	83
Trunk volume (L)	-	-	-	-
Drag coefficient (Cd)	-	-	-	-

engine (• Standard ○ Optional - N/A)

Engine Model	BYD476ZQF	BYD476ZQF	BYD476ZQF	BYD476ZQF
Displacement (mL)	1497	1497	1497	1497
Displacement (L)	1.5	1.5	1.5	1.5
Intake form	Turbocharged	Turbocharged	Turbocharged	Turbocharged
Engine layout	Vertical	Vertical	Vertical	Vertical
Cylinder arrangement	L	L	L	L
Number of cylinders	4	4	4	4
Number of valves per cylinder	4	4	4	4
Gas distribution mechanism	DOHC	DOHC	DOHC	DOHC
Maximum horsepower (Ps)	194	194	194	194
Maximum power (kW)	143	143	143	143
Maximum power speed (rpm)	-	-	-	-

Maximum torque (N·m)	273	273	273	273
Maximum torque speed (rpm)	-	-	-	-
Maximum net power (kW)	135	135	135	135
Energy type	Plug-in hybrid	Plug-in hybrid	Plug-in hybrid	Plug-in hybrid
fuel grade	No. 92	No. 92	No. 92	No. 92
fuel supply method	direct injection	direct injection	direct injection	direct injection
Cylinder head material	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy
Cylinder block material	aluminum alloy	aluminum alloy	aluminum alloy	aluminum alloy
Environmental standards	National VI	National VI	National VI	National VI

electric motor (• Standard ○ Optional - N/A)

Front motor model	TZ220XYAB	TZ220XYAB	TZ220XYAB	TZ220XYAB
Rear motor model	TZ200XYA	TZ200XYA	TZ200XYA	TZ200XYA
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total power of electric motors (kW)	485	485	485	485
Total horsepower of electric motors (Ps)	660	660	660	660
Total torque of the electric motor (N·m)	760	760	760	760
Maximum power of the front motor (kW)	200	200	200	200
Maximum torque of the front motor (N·m)	360	360	360	360
Maximum power of the rear motor (kW)	285	285	285	285
Maximum torque of the rear motor (N-m)	400	400	400	400
System total power (kW)	505	505	505	505
Total system power (Ps)	687	687	687	687
System combined torque (N·m)	760	760	760	760
Number of drive motors	Dual motors	Dual motors	Dual motors	Dual motors
Motor layout	Front + Rear	Front + Rear	Front + Rear	Front + Rear

Battery/Charging (• Standard ○ Optional - N/A)

Battery Type	Lithium iron phosphate batteries			
Battery cell brands	• Freddie	• Freddie	• Freddie	• Freddie

Battery proprietary technology	Blade Battery	Blade Battery	Blade Battery	Blade Battery
Battery cooling method	Liquid cooling	Liquid cooling	Liquid cooling	Liquid cooling
WLTC pure electric range (km)	160	160	100	100
CLTC pure electric range (km)	210	210	125	125
NEDC combined range (km)	-	-	1200	1200
Battery energy (kWh)	47.8	47.8	31.8	31.8
Energy consumption per 100 kilometers (kWh/100km)	25.1	25.1	23.5	23.5
Fast charging function	support	support	support	support
Fast charging power (kW)	150	150	100	100
Battery fast charging time (hours)	0.25	0.25	0.27	0.27
Battery fast charging range (%)	30-80	30-80	30-80	30-80
slow charging port location	right rear side of the car			
Fast charging port location	right rear side of the car			
External AC discharge power (kW)	6	6	6	6

gearbox (• Standard ○ Optional - N/A)

Abbreviation	E-CVT continuously variable transmission			
Number of gears	Continuously variable transmission	Continuously variable transmission	Continuously variable transmission	Continuously variable transmission
Transmission type	Electronic continuously variable transmission (E- CVT)			

Chassis Steering (• Standard ○ Optional - N/A)

driving method	• Front-engine, four-wheel drive			
Four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive
Front suspension type	Double wishbone independent suspension			
Rear suspension type	Double wishbone independent suspension			
Assistance Type	Electric Assist	• Electric Assist	Electric Assist	Electric Assist
Vehicle body structure	Non-load-bearing	Non-load-bearing	Non-load-bearing	Non-load-bearing

Wheel Braking (● Standard ○ Optional - N/A)

Front brake type	Ventilation disc	• Ventilation disc	• Ventilation disc	Ventilation disc
Rear brake type	Ventilation disc	Ventilation disc	Ventilation disc	Ventilation disc
Parking brake type	Electronic parking brake	Electronic parking brake	Electronic parking brake	Electronic parking brake
Front tire specifications	• 265/65 R18 ○ 275/55 R20 (10,000 yuan)	• 265/65 R18 ○ 275/55 R20 (10,000 yuan)	• 265/65 R18 O 275/55 R20 (10,000 yuan)	• 265/65 R18 ○ 275/55 R20 (10,000 yuan)
Rear tire specifications	• 265/65 R18 ○ 275/55 R20	• 265/65 R18 ○ 275/55 R20	• 265/65 R18 ○ 275/55 R20	• 265/65 R18 ○ 275/55 R20
Spare tire specifications	• Full size	• Full size	• Full size	• Full size
Spare tire placement method	• backpack	backpack	• backpack	• backpack

passive safety (• Standard ○ Optional - N/A)

Driver/passenger airbags	host∙ / Deputy∙	host∙ / Deputy•	host● / Deputy●	host∙ / Deputy∙
Front/Rear Side Airbags	forward● / back●	forward● / back●	forward• / back•	forward● / back●
Front/rear head airbags (curtains)	forward• / back•	forward• / back•	forward∙ / back∙	forward● / back●
Knee airbag	-	-	Driver's knee airbag	• Driver's knee airbag
Front center airbag	•		-	-

Active safety (• Standard ○ Optional - N/A)

ABS anti-lock braking system	•		•	•
Brakeforce Distribution (EBD/CBC, etc.)		•	•	•
Brake assist (EBA/BAS/BA, etc.)	•	•	•	•
Traction control (ASR/TCS/TRC, etc.)	•	•	•	•
Vehicle stability control (ESC/ESP/DSC, etc.)	•	•	•	•
Tire pressure monitoring function	Tire pressure display	Tire pressure display	Tire pressure display	Tire pressure display
Seatbelt reminder	The whole vehicle	The whole vehicle	•	•
ISOFIX child seat anchors	•	•	•	•
Lane departure warning system	•	•	•	•
Active braking/active safety system	•	•	•	•
Fatigue driving warning	•	•	•	•
DOW Door Opening Warning	•	•	•	•
Forward Collision Warning	•	•	•	•

Rear Collision Warning	•	•	•	•		
Sentinel Mode / Clairvoyance	•	•	•	•		
Low speed warning	•	•	•	•		
Built-in dashcam	•	•	•	•		
Roadside assistance call	•	•	•	•		
Anti-rollover system	•	•	•	•		
Driving control (◆ Standard ○ Optional - N/A)						
Driving mode switching	 sports economy Standard/Comfort Off-road snow Custom/Personalization 	 sports economy Standard/Comfort Off-road snow Custom/Personalization 	 sports economy Standard/Comfort Off-road snow Custom/Personalization 	 sports economy Standard/Comfort Off-road snow Custom/Personalization 		
Engine start-stop technology	•	•	-	-		
Energy recovery system	•	•	•	•		
Automatic parking	•	•	•	•		
Hill Start Assist	•		•	•		
Steep slope descent	•	•	•	•		
		Cuanancian stiffness		 Suspension stiffness 		
Variable suspension function		 Suspension stiffness adjustment Suspension height adjustment 	-	adjustment • Suspension height adjustment		
Variable suspension function tow mode		adjustment • Suspension height	•	adjustment • Suspension height		
tow mode	• (• Standard O Optional - N/A)	adjustment • Suspension height adjustment	•	adjustment • Suspension height		
tow mode		adjustment • Suspension height adjustment	•	adjustment • Suspension height		
tow mode Four-wheel drive/Off-road		adjustment • Suspension height adjustment •		adjustment • Suspension height		
tow mode Four-wheel drive/Off-road Central differential lock function Limited-slip	(• Standard O Optional - N/A) • O Front axle differential lock	adjustment • Suspension height adjustment • • • Front axle differential lock	• ○ Front axle differential lock	adjustment Suspension height adjustment Front axle differential lock		
tow mode Four-wheel drive/Off-road Central differential lock function Limited-slip differential/differential lock	Standard O Optional - N/A) Front axle differential lock Rear axle differential lock	adjustment Suspension height adjustment Front axle differential lock Rear axle differential lock	• Core Front axle differential lock • Rear axle differential lock	adjustment Suspension height adjustment Front axle differential lock Rear axle differential lock		
tow mode Four-wheel drive/Off-road Central differential lock function Limited-slip differential/differential lock Water wading sensing system	(• Standard O Optional - N/A) • O Front axle differential lock • Rear axle differential lock	adjustment • Suspension height adjustment • • Front axle differential lock • Rear axle differential lock	• C Front axle differential lock • Rear axle differential lock	adjustment Suspension height adjustment Front axle differential lock Rear axle differential lock		
tow mode Four-wheel drive/Off-road Central differential lock function Limited-slip differential/differential lock Water wading sensing system Low-speed four-wheel drive	(• Standard O Optional - N/A) • O Front axle differential lock • Rear axle differential lock •	adjustment • Suspension height adjustment • Front axle differential lock • Rear axle differential lock	• C Front axle differential lock • Rear axle differential lock •	adjustment Suspension height adjustment Front axle differential lock Rear axle differential lock		
tow mode Four-wheel drive/Off-road Central differential lock function Limited-slip differential/differential lock Water wading sensing system Low-speed four-wheel drive crawling mode	Standard O Optional - N/A) Front axle differential lock Rear axle differential lock	adjustment Suspension height adjustment Front axle differential lock Rear axle differential lock	• Pront axle differential lock • Rear axle differential lock •	adjustment Suspension height adjustment Front axle differential lock Rear axle differential lock		
tow mode Four-wheel drive/Off-road Central differential lock function Limited-slip differential/differential lock Water wading sensing system Low-speed four-wheel drive crawling mode Tank Turning	Standard O Optional - N/A) Front axle differential lock Rear axle differential lock	adjustment Suspension height adjustment Front axle differential lock Rear axle differential lock	• Front axle differential lock • Rear axle differential lock •	adjustment Suspension height adjustment Front axle differential lock Rear axle differential lock		
tow mode Four-wheel drive/Off-road Central differential lock function Limited-slip differential/differential lock Water wading sensing system Low-speed four-wheel drive crawling mode Tank Turning Drag hook	(• Standard O Optional - N/A) • O Front axle differential lock • Rear axle differential lock • • • O Manual	adjustment Suspension height adjustment Front axle differential lock Rear axle differential lock Manual	• Front axle differential lock • Rear axle differential lock • • • • • • • • • • • • • • • • • • •	adjustment Suspension height adjustment Front axle differential lock Rear axle differential lock Manual (4000 yuan)		
tow mode Four-wheel drive/Off-road Central differential lock function Limited-slip differential/differential lock Water wading sensing system Low-speed four-wheel drive crawling mode Tank Turning Drag hook trailer power outlet	(• Standard O Optional - N/A) • O Front axle differential lock • Rear axle differential lock • • • O Manual	adjustment Suspension height adjustment Front axle differential lock Rear axle differential lock Manual	• Front axle differential lock • Rear axle differential lock • • • • • • • • • • • • • • • • • • •	adjustment Suspension height adjustment Front axle differential lock Rear axle differential lock Manual (4000 yuan)		

Driving assistance imaging	• 360-degree panoramic image			
Transparent chassis/540-degree imaging	•	•	•	•
Assisted driving chip	-	-	-	-
Total computing power of the chip	-	-	-	-
Forward sensing camera	• eyes	• eyes	• eyes	• eyes
Number of cameras	• 11	• 12	• 11	• 12
Number of in-car cameras	• 1	• 1	• 1	• 1
Number of ultrasonic radars	• 12	• 12	• 12	• 12
Number of millimeter-wave radars	• 3	• 3	• 3	• 3
LiDAR Brands	• HUAWEI	• HUAWEI	• HUAWEI	• HUAWEI
Number of LiDARs	• 1	• 1	• 1	• 1
LiDAR Line Count	• Line 192	• Line 192	• Line 192	• Line 192

Driving functions (• Standard ○ Optional - N/A)

Cruise system	 Full-speed adaptive cruise control 	 Full-speed adaptive cruise control 	 Full-speed adaptive cruise control 	• Full-speed adaptive cruise control
Assisted driving system	 Huawei Qiankun Intelligent Driving ADS 	Huawei Qiankun Intelligent Driving ADS	 Huawei Qiankun Intelligent Driving ADS 	Huawei Qiankun Intelligent Driving ADS
Assistance Level	• L2	• L2	• L2	• L2
Rear Cross Traffic Alert System	•	•	•	•
Satellite navigation system	•	•	•	•
Navigation traffic information display	•	•	•	•
Map Brands	 Gaode 	 Gaode 	• Huawei Petal	Huawei Petal
Lane change assist	•	•	•	•
Lane Keeping Assist	•	•	•	•
Lane centering	•	•	•	•
Road traffic sign recognition	•	•	•	•
Assisted parking	•	•	•	•
Remote parking	•	•	•	•
Memory Parking	0	0	0	0
Reverse Tracking	•	•	•	•
Assisted lane change	•	•	•	•

Automatic exit (entry) from auxiliary ramps	•	•	•	•		
Traffic light recognition	•	•	•	•		
Steering wheel off-hand detection	•	•	•	•		
Start-up reminder	•	•	•	•		
Assisted driving section	urban road sectionshighway section	urban road sectionshighway section	urban road sectionshighway section	urban road sectionshighway section		
Appearance/Anti-theft (• Standard O Optional - N/A)						
Wheel material	• aluminum alloy	• aluminum alloy	• aluminum alloy	aluminum alloy		
Electric soft-close car door	Tailgate	• Tailgate	• Tailgate	• Tailgate		
Roof rack	•	•	•	•		
Engine electronic anti-theft	•	•	•	•		
Central locking	•	•	•	•		
Key type	remote keyBluetooth keyNFC/RFID Key	remote keyBluetooth keyNFC/RFID KeyUWB Digital Key	remote keyBluetooth keyNFC/RFID Key	remote keyBluetooth keyNFC/RFID KeyUWB Digital Key		
Keyless start system	•	•	•	•		
Keyless entry function	• Front row	• Front row	• Front row	• Front row		
Remote start function	•		•	•		
Side foot pedals	• fixed	• fixed	• fixed	• electric		
Battery preheating	•	•	•	•		
External discharge	•	•	•	•		
exterior lights (• Standard O C	Optional - N/A)					
Low beam light source	• led	• led	• led	• led		
High beam light source	• led	• led	• led	• led		
LED daytime running lights	•	•	•	•		
Adaptive high and low beam	•	•	•	•		
Automatic headlights	•	•	•	•		
Turning auxiliary lights	•	•	•	•		
Front fog lights	• led	• led	• led	• led		
Headlight height adjustable	•	•	•	•		
Headlights delayed shut off	•	•	•	•		

Skylight/Glass (• Standard ○ Optional - N/A)

Skylight type	Openable panoramic sunroof	Openable panoramic sunroof	Openable panoramic sunroof	Openable panoramic sunroof
Front/Rear Electric Windows	forward• / back•	forward• / back•	forward• / back•	forward• / back•
One-touch window lift function	The whole vehicle	The whole vehicle	The whole vehicle	The whole vehicle
Anti-pinch function for car windows	•	•	•	•
Multi-layered soundproof glass for side windows	• Front row	• Front row	• Front row	• Front row
Rear side privacy glass	•	•	•	•
Car vanity mirror	Driver's side + lightsPassenger side + lights	 Driver's side + lights Passenger side + lights	Driver's side + lightsPassenger side + lights	Driver's side + lightsPassenger side + lights
Rear wiper	•	•	•	•
Rain-sensing wiper function	• Rain sensor	• Rain sensor	• Rain sensor	• Rain sensor

exterior rearview mirror (• Standard O Optional - N/A)

	 Electric adjustment 	 Electric adjustment 	 Electric adjustment 	 Electric adjustment
	 Electric folding 	 Electric folding 	 Electric folding 	 Electric folding
	 Rearview mirror memory 	 Rearview mirror memory 	Rearview mirror memory	Rearview mirror memory
xterior rearview mirror	 Heated rearview mirrors 	 Heated rearview mirrors 	Heated rearview mirrors	Heated rearview mirrors
unction	 Automatic tilting when 	 Automatic tilting when 	Automatic tilting when	 Automatic tilting when
	reversing	reversing	reversing	reversing
	 Automatic folding when 	 Automatic folding when 	 Automatic folding when 	 Automatic folding when
	locking	locking	locking	locking

Screen/System (• Standard ○ Optional - N/A)

Central control color screen	• Touchscreen LCD	Touchscreen LCD	Touchscreen LCD	• Touchscreen LCD
Central control screen size	• 15.6 inches	• 15.6 inches	• 15.6 inches	• 15.6 inches
Central control screen resolution	• 2.5K	• 2.5K	• 2.5K	• 2.5K
Passenger entertainment screen size	• 12.3 inches	• 12.3 inches	• 12.3 inches	• 12.3 inches
Bluetooth/Car Phone	•	•	•	•
Mobile phone interconnection/mapping	Supports HUAWEI HiCar Carlink supported			
Voice recognition control system	•	•	•	•
Voice assistant wake word	• Hello, Xiao Fang			
Voice regional wake-up recognition	• Four regions	• Four regions	• Four regions	• Four regions
Continuous speech recognition	•	•	•	•
What is visible can be said	•	•	•	•

Facial recognition	•	•	•	•
DeepSeek application	Already connected	Already connected	Already connected	Already connected
App Store	•	•	•	•
In-vehicle intelligent system	DiLink	DiLink	DiLink	DiLink
Vehicle infotainment system memory (GB)	• 12	• 12	• 12	• 12
Vehicle infotainment system storage (GB)	• 256	• 256	• 256	• 256
Multi-finger swipe control	•	•	•	•

Intelligent configuration (• Standard O Optional - N/A)

Connected Vehicles	•	•	•	•
4G/5G networks	• 5G	• 5G	• 5G	• 5G
OTA upgrade	•	•	•	•
Wi-Fi hotspot	•	•	•	•
Mobile APP remote function	•	•	•	•
Car KTV	•		-	-

Steering wheel/rearview mirror (• Standard O Optional - N/A)

Steering wheel material	• leather	• leather	• leather	• leather
Steering wheel position adjustment	 Manual up/down and forward/backward adjustment 	 Electric up/down and forward/backward adjustment 	 Manual up/down and forward/backward adjustment 	 Electric up/down and forward/backward adjustment
Gear shifting	• Electronic gear shift	• Electronic gear shift	• Electronic gear shift	• Electronic gear shift
Multi-function steering wheel	•	•	•	•
Steering wheel heating	•	•	•	•
Steering wheel memory	-	•	-	•
Onboard computer display screen	• color	• color	• color	• color
Full LCD instrument panel	•	•	•	•
LCD instrument size	• 12.3 inches	• 12.3 inches	• 12.3 inches	• 12.3 inches
HUD (Head-Up Display)	•	•	•	•
HUD head-up size	• 26-inch	• 26-inch	• 50 inches	• 50 inches
Interior rearview mirror function	Automatic anti-glare	Automatic anti-glareStreaming	 Automatic anti-glare 	Automatic anti-glareStreaming
ETC device	•	•	•	•

In-car charging (• Standard ○ Optional - N/A)

Multimedia/charging port	• USB • Type-C	USBType-C	• USB • Type-C	• USB • Type-C
Number of USB/Type-C ports	• 3 in the front row / 2 in the back row	• 3 in the front row / 2 in the back row	• 3 in the front row / 2 in the back row	• 3 in the front row / 2 in the back row
USB/Type-C maximum charging power	• 60W	• 60W	• 60W	• 60W
220V/230V power supply	•	•	•	•
Wireless charging function for mobile phones	• Front row	• Front row	• Front row	• Front row
Wireless charging power for mobile phones	• 50W	• 50W	• 50W	• 50W
12V power outlet in the trunk	•	•	•	•

Seating configuration (• Standard ○ Optional - N/A)

Seat material	Genuine Leather	 Genuine Leather 	 Genuine Leather 	 Genuine Leather
Driver's seat adjustment method	 Adjusting forward and backward Backrest adjustment Height adjustment (4-way) Lumbar support (4-way) 	 Adjusting forward and backward Backrest adjustment Height adjustment (4-way) Lumbar support (4-way) 	 Adjusting forward and backward Backrest adjustment Height adjustment (4-way) Lumbar support (4-way) 	 Adjusting forward and backward Backrest adjustment Height adjustment (4-way) Lumbar support (4-way)
Passenger seat adjustment method	 Adjusting forward and backward Backrest adjustment Height adjustment (2-way) Leg support adjustment Lumbar support (4-way) 	 Adjusting forward and backward Backrest adjustment Height adjustment (2-way) Leg support adjustment Lumbar support (4-way) 	 Adjusting forward and backward Backrest adjustment Height adjustment (2-way) Lumbar support (4-way) 	 Adjusting forward and backward Backrest adjustment Height adjustment (2-way) Lumbar support (4-way)
Power-adjustable driver and passenger seats	host∙ / Deputy•	host∙ / Deputy•	host∙ / Deputy•	host∙ / Deputy•
Front seat functions	heatingventilationmassage	 heating ventilation massage Headrest speakers (driver's seat only) 	heatingventilationmassageHeadrest Speakers	heatingventilationmassageHeadrest Speakers
Electric seat memory function	 Driver's seat Passenger seat	 Driver's seat Passenger seat	 Driver's seat Passenger seat	 Driver's seat Passenger seat
Adjustable buttons for the rear passenger seat	-	-	-	-
Second row seat adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment	Backrest adjustment
Power-adjustable second-row seats	•	•	-	-
Second-row seat functions	heatingventilation	heatingventilation	heatingventilation	heatingventilation
Rear seat folding	 Proportionally down 	 Proportionally down 	 Proportionally down 	 Proportionally down

Front/Rear Center Armrest	forward• / back•	forward• / back•	forward• / back•	forward∙ / back•			
Rear cup holders	•	•	•	•			
Audio/Interior Lighting (• Standard O Optional - N/A)							
Speaker brand name	DEVIALET	DEVIALET	DEVIALET	DEVIALET			
Number of speakers	• 18 speakers	20 loudspeakers	• 18 speakers	• 18 speakers			
Touch reading light	•	•	-	-			
Ambient lighting in car interior	Multicolor	Multicolor	Multicolor	Multicolor			
Active ambient lighting	•	•	-	-			
Air conditioner/refrigerator	(• Standard O Optional - N/A)						
Air conditioning temperature control methods	 Automatic air conditioning 	 Automatic air conditioning 	 Automatic air conditioning 	 Automatic air conditioning 			
heat pump air conditioner	-	-	•	•			
Rear independent air conditioning	-	-	-	-			
Rear seat air vents	•	•	•	•			
Temperature zone control	•	•	•	•			
Car air purifier	•	•	•	•			
In-car PM2.5 filter	•	•	•	•			
negative ion generator	•	•	•	•			
In-car fragrance device	•	•	•	•			
Air quality monitoring	•	•	•	•			
Car refrigerator	•	•	•	•			
color (• Standard ○ Optional - N/A)							
Exterior color	Night Shadow Black Vatnajökull Blue Green Donomati Mountains Peak Gray Warm Breeze White	Night Shadow Black Vatnajökull Blue Green Donomati Mountains Peak Gray Warm Breeze White	Night Shadow Black Vatnajökull Blue¥3000 Green Donomati Mountains Ya000 Peak Gray	Night Shadow Black Vatnajökull Blue¥3000 Green Donomati Mountains ¥3000 Peak Gray			
Interior color	Shallow water green/black Dune Brown/Black	Eclipse Blue/Black Shallow water green/black Dune Brown/Black	Eclipse Blue/Black Shallow water green/black Tamomi	Eclipse Blue/Black Shallow water green/black Tamomi			

Trailer hook and 2.5t trailer qualification + front axle differential lock	-	-	Includes: 2.5T trailer qualification (including trailer hitch and trailer power supply port) + front axle differential lock Optional equipment (8000 yuan)	-
20-inch tire kit	Includes: 20-inch sport wheels, front six-piston brake calipers, front drilled ventilated discs, full spare tire cover, and leather wheel arches. Optional equipment (10,000 yuan)	Includes: 20-inch sport wheels, front six-piston brake calipers, front drilled ventilated discs, full spare tire cover, and leather wheel arches. Optional equipment (10,000 yuan)	Includes: 20-inch sport wheels, front six-piston brake calipers, front drilled ventilated discs, full spare tire cover, and leather wheel arches. Optional equipment (10,000 yuan)	Includes: 20-inch sport wheels, front six-piston brake calipers, front drilled ventilated discs, full spare tire cover, and leather wheel arches. Optional equipment (10,000 yuan)
Trailer hook and trailer qualification + front axle differential lock	Includes: 2.5T trailer qualification (including trailer hitch and trailer power supply port) + front axle differential lock Optional equipment (8000 yuan)	-	-	-
Tow hook and towing qualification	-	Includes: 2.5T trailer qualification (including trailer hitch and trailer power supply port) Optional equipment (4000 yuan)	-	-
Devialet co-branded portable speaker	-	Includes: Exterior lighting and music sync Karaoke both inside and outside the car Dual microphone connection 2.1 speaker layout Dual speaker interconnection External power output O Optional equipment (4999 yuan)	-	-
2.5t trailer qualification	-	-	-	Includes: trailer hitch and trailer power outlet O Optional equipment (4000 yuan)